



# POLARIS ***RANGER***



**2027**

ENGLISH VERSION



**POLARIS**  
**RANGER**

# TOUGH DOESN'T QUIT

When we say we put our machines to the test, we mean it. That's why we were the first in the industry to introduce a STEELDRIVE transmission, increased the towing capacity to 3,500 LB and upped the bed payload to 1,500 LB. You don't stop at good enough and neither will we, because tough doesn't quit.

**PAYLOAD TEST // RANGER XD 1500**

**POLARIS PROVING GROUNDS**





# TABLE OF CONTENTS

**4**

## **RANGER Lineup**

Make the most of your workday with RANGER, our most capable UTV. Get more done with the ultimate blend of capability, comfort and durability.

**28**

## **Accessories**

Polaris Engineered Accessories are designed and tested with our vehicles to deliver unmatched productivity and reliability.

**110**

## **Oil, Maintenance & Garage**

Keep your vehicle performing at its best with the right oils and lubricants engineered for your machine, plus the parts and garage essentials to help get the job done.

**122**

## **Apparel & Riding Gear**

For outdoor enthusiasts looking for gear purpose-built to deliver comfort, protection and style while enjoying the fun and challenging experiences enabled by Polaris vehicles.

# 2027 SNAPSHOT

No matter where the day takes you, there's a RANGER designed to match. Explore key differences to find the model that works as hard—and plays as hard—as you do.



|                                                                                     |                     | 500                                                | 600*                                                                                                                      |
|-------------------------------------------------------------------------------------|---------------------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
|    | ENGINE              | 567cc<br>4-STROKE DOHC<br>SINGLE CYLINDER<br>28 HP | 567cc<br>4-STROKE DOHC<br>SINGLE CYLINDER<br>44 HP                                                                        |
|    | GROUND<br>CLEARANCE | 10"<br>25.4 CM                                     | 11"<br>27.9 CM                                                                                                            |
|  | BOX<br>CAPACITY     | 500 LB<br>227 KG                                   | 500 LB<br>227 KG                                                                                                          |
|  | TOWING<br>CAPACITY  | 1,500 LB<br>680 KG                                 | 1,500 LB<br>680 KG                                                                                                        |
|  | WIDTH               | TIGHT NARROW TRAILS 55"—60"                        | TIGHT NARROW TRAILS 55"—60"                                                                                               |
|  | SEATING<br>CAPACITY | 2                                                  | 2/4                                                                                                                       |
|  | RIDE<br>COMMAND     | --                                                 | --                                                                                                                        |
|  | TRIM<br>LEVELS      | BASE                                               | BASE, PREMIUM,<br>NORTHSTAR<br><small>*New model names only; no significant<br/>difference to engine performance.</small> |





## 1000

999cc  
4-STROKE SOHC  
TWIN CYLINDER  
61 HP

12"–12.5"  
30.5 CM–31.75 CM

1,000 LB  
454 KG

2,500 LB  
1,134 KG

STANDARD/TRAILS 61"–65"

3/6

--

BASE, EPS,  
PREMIUM, CAB

## XP 1000

999cc  
4-STROKE DOHC  
TWIN CYLINDER  
82 HP

14"  
36 CM

1,000 LB  
454 KG

2,500 LB  
1,134 KG

STANDARD 61"–65"

3/6

AVAILABLE WITH 7"  
RIDE COMMAND DISPLAY

PREMIUM, CAB, NORTHSTAR PREMIUM,  
NORTHSTAR ULTIMATE, TEXAS EDITION,  
MUD EDITION, NORTHSTAR TEXAS EDITION,  
NORTHSTAR TRAIL BOSS EDITION

## XD 1500

1498cc  
4-STROKE DOHC  
TRIPLE CYLINDER  
110 HP

15"–16"  
38 CM–40.6 CM

1,300 LB–1,500 LB  
590 KG–680 KG

3,500 LB  
1,588 KG

65"

3/6

AVAILABLE WITH 7" RIDE COMMAND  
DISPLAY AND RIDE COMMAND+

NORTHSTAR PREMIUM,  
NORTHSTAR ULTIMATE,  
NORTHSTAR MOUNTAINEER EDITION,  
NORTHSTAR TEXAS EDITION

# HARDEST WORKING. SMOOTHEST RIDING.



**2-YEAR**  
LIMITED WARRANTY\*

Make the most of your workday with RANGER, our most capable UTV. Get more done with the ultimate blend of capability, comfort and durability, plus have more fun on the trail when the work's complete. Every RANGER is built to last and backed by a 1-Year Limited Warranty. RANGER NorthStar models offer an additional 12-month Promotional Limited Warranty\*—giving you a 2-Year Limited Warranty for added confidence.

\*Terms and conditions apply. See Polaris dealer for details.





## **CAPABILITY** WORK SMARTER, NOT HARDER

Get more done with all-wheel drive that provides instant traction and powerful hauling and towing for your toughest jobs.

## **COMFORT** KEEP THE OUTDOORS OUTSIDE

Whatever you do, enjoy it in any weather with enclosed cab options and accessories designed for rain or shine.

## **DURABILITY** TOUGH WHERE IT COUNTS

A strong transmission and available vehicle protection, like an underbody skid plate and front bumper, offer enhanced durability to conquer tasks and trails all day long.

**POLARIS**  
**RANGER**



## MID-SIZE MODELS

RIGHT TOOL.

RIGHT PRICE.

### RANGER 500

**MAKE WORK PART OF THE REWARD.** With work-ready features like a dump box, factory-installed winch and more, this vehicle is the smart choice for those looking to take on to-dos without breaking the bank. Available in 2-seat.

#### MAKES WORK EASIER

Make fewer trips with the gas-assist dump box. It can haul up to 500 lbs.

A 1,500-lb. towing capacity with a standard 2" hitch receiver easily handles heavy loads

Clear fallen trees and remove stumps with the pulling power of a factory-installed 2,500 LB Winch

Work when it's convenient thanks to LED headlights, providing better visibility than halogens in low-light conditions

#### EASY TO OWN

Easily store and navigate small spaces with a narrow 58.5" width

Selectable Turf Mode unlocks the rear differential—enabling tighter turns that won't tear up the grass

AWD with auto-locking front drive automatically engages when it senses tire slip, giving you added traction across changing terrain without additional input

#### MORE REASONS TO CHOOSE POLARIS

Enjoy easy DIY maintenance with convenient access to oil, the air filter and other components

Get quick answers with our library of owner resources—anytime, anywhere





#### **STANDARD FEATURES**

28 HP ProStar Engine  
10" ground clearance  
25" tires  
1,500-lb. towing capacity  
500-lb. box capacity  
Roof  
LED headlights  
2,500 LB Winch with  
wired remote  
Steel front bumper



## MID-SIZE MODELS

GET MORE DONE.

# HAVE MORE FUN.

## RANGER 600

**DESIGNED FOR WORK AND PLAY.** RANGER 600 is easy to handle and smooth-riding. The spacious interior offers plenty of leg room and ample storage so you can ride in comfort with friends or family. Available in 2-seat and 4-seat.

### FUN TO RIDE

9" front / 10" rear suspension travel for a smooth, comfortable ride

Up to 11" ground clearance and 25" tires to overcome rocks and ruts on the trail

Easy-to-access in-cab and underseat storage for your gear

4" multicolor LCD display keeps essential vehicle data in clear view for quick, on-the-go checks

### GREAT FOR WORK

44 HP ProStar engine for more power

500-lb. dump box and 1,500-lb. towing for heavier hauls

On-demand AWD for instant traction in tough terrain

VersaTrac Turf Mode to alleviate wear and tear on lawns

Gen 2 Transmission reduces shift effort by up to 50% for a consistent feel

### PERFECT FIT

Compact 56" width to navigate tighter trails

Tighter turning radius to maneuver small spaces

Longer service intervals means more uptime for work and play



RANGER 600<sup>†</sup>



RANGER CREW 600<sup>†</sup>  
PREMIUM

<sup>†</sup>New model name only; no significant difference to engine performance.





## RANGER 600 NORTHSTAR

**WORK AND PLAY IN COMFORT.** The RANGER 600 NorthStar brings more comfort with a fully enclosed heated cab, so you can stay comfortable from the trails to tasks around the property. Available in 2-seat and 4-seat.

### FUN TO RIDE

- Enclosed cab system offers sealing from rain, dust and reduces noise for a more comfortable ride
- Factory-installed heat for added comfort in the cold
- 10.5" ground clearance to get over tough terrain
- LED headlights for enhanced lighting during low light situations
- 4" multicolor LCD display keeps essential vehicle data in clear view for quick, on-the-go checks

### GREAT FOR WORK

- 44 HP ProStar engine for smooth power
- 500-lb. dump box and 1,500-lb. towing for heavier hauls
- On-demand AWD for instant traction in tough terrain
- VersaTrac Turf Mode to alleviate wear and tear on lawns
- Gen 2 Transmission reduces shift effort by up to 50% for a consistent feel

### PERFECT FIT

- Compact 58" width to navigate tighter trails
- Tighter turning radius to maneuver small spaces
- Longer service intervals means more uptime for work and play



RANGER 600<sup>†</sup>  
NORTHSTAR



RANGER CREW 600<sup>†</sup>  
NORTHSTAR

<sup>†</sup>New model name only; no significant difference to engine performance.

## FULL-SIZE MODELS

# THE EVERYDAY WORKHORSE

## RANGER 1000

**UP FOR THE TASK.** Make your days count with RANGER 1000. Its powerful engine delivers class-leading hauling and towing to boost efficiency on the job. Available in 3-seat and 6-seat.

### COMFORT

Ride comfortably thanks to a tilt steering wheel and plush seat cushions

The factory-installed cab system keeps you comfortably riding in rainy, snowy or dusty conditions\*

Experience year-round use of your vehicle in the comfort of the warm cab while working, plowing, hunting and riding in colder weather\*

\*Available on CAB trim

### CAPABILITY

61 HP ProStar engine delivers smooth, quiet power

Overcome rocky terrain with up to 12.5" of ground clearance

Get more done with 2,500-lb. towing capacity and 1,000-lb. box capacity

Factory-installed 4,500 LB Winch with synthetic rope, autostop and wireless remote to make light of heavy work\*\*

\*\*Available on Premium and CAB trims

### DURABILITY

Gen 2 Transmission reduces shift effort by up to 50% for a consistent feel

Take on rugged terrain with available full-body skid plate, front bumper and CV guards

Built to last with one-piece chassis and beefed up front drive



RANGER 1000



RANGER CREW 1000  
PREMIUM



3-SEAT ONLY  
RANGER 1000 CAB







# TASK TO TRAIL VERSATILITY

## RANGER XP 1000

**POWER THROUGH TASKS AND TRAILS.** RANGER XP 1000 delivers sportier performance on the trail and more productivity on the job. Available in 3-seat and 6-seat.

### COMFORT

Factory-installed roof for added coverage and LED headlights for enhanced visibility\*

Easy-to-access, in-cab and underseat storage plus USB charging port for electronics

The factory-installed cab system—with a fixed windshield and powered front windows—offers more protection from the elements\*\*

Factory-installed heating and air conditioning lets you control the climate for all-season comfort\*\*

\*Available on Premium trim

\*\*Available on CAB trim

### CAPABILITY

82 HP ProStar engine to put more power to tasks and trails

Class-leading 1,000-lb. box capacity and 2,500-lb. towing capacity to get more done in fewer trips

14" of ground clearance to overcome tough terrain

3-position throttle control with Performance, Standard and Work drive modes for specific use case scenarios

Factory-installed 4,500 LB Winch to pull through the unexpected\*

\*Available on Premium trim

### DURABILITY

Gen 2 Transmission reduces shift effort by up to 50% for a consistent feel

Rigid one-piece chassis, redesigned front end with larger front bumper and a full-body skid plate for added strength

29" 8-ply Pro Armor X Terrain tires provide enhanced puncture resistance



RANGER XP 1000  
PREMIUM



RANGER CREW XP 1000  
PREMIUM



RANGER XP 1000  
CAB





## RANGER CREW XP 1000 TEXAS EDITION

**CONQUER JOBS AS TOUGH AS TEXAS.** Designed for Texas with enhanced capability, exclusive Texas Edition badging and premium paint. Available in 6-seat.

**EQUIPPED WITH ALL FEATURES OF  
RANGER XP 1000 PREMIUM, PLUS:**

- High-clearance arched A-arms
- Exclusive Texas Edition badging
- Premium embroidered seats

## RANGER XP 1000 MUD EDITION

**BUILT FOR THE MUD.** The RANGER XP 1000 Mud Edition is factory-built to keep you moving through deep mud and water with confidence. Available in 3-seat and 6-seat.

**EQUIPPED WITH ALL FEATURES OF  
RANGER XP 1000 PREMIUM, PLUS:**

- High air intake snorkels
- 29" Pro Armor MUD XC Tires
- High-mounted 4,500 LB Winch
- High-clearance arched A-arms
- Exclusive Mud Edition graphics



RANGER CREW XP 1000  
TEXAS EDITION



RANGER XP 1000  
MUD EDITION

# TASK TO TRAIL VERSATILITY

## RANGER XP 1000 NORTHSTAR

**POWER THROUGH TASKS AND TRAILS IN ANY WEATHER.** The performance of a RANGER XP 1000, with a full cab system and factory-installed heating and air conditioning. Available in 3-seat and 6-seat.

### COMFORT

Enclosed cab system offers tight sealing protection from the elements

Heat and air conditioning for all-season comfort

Tinted windows\*

7" Display powered by RIDE COMMAND for easy GPS navigation\*

JBL® audio for immersive sound\*

\*Available on Ultimate trim

### CAPABILITY

82 HP ProStar engine to put more power to tasks and trails

Class-leading 1,000-lb. box capacity and 2,500-lb. towing capacity to get more done in fewer trips

14" of ground clearance to overcome tough terrain

3-position throttle control with Performance, Standard and Work drive modes for specific use case scenarios

Factory-installed 4,500 LB Winch to pull through the unexpected

### DURABILITY

Gen 2 Transmission reduces shift effort by up to 50% for a consistent feel

Rigid one-piece chassis, large front bumper and a full-body skid plate for added strength

29" 8-ply Pro Armor X Terrain tires provide enhanced puncture resistance



RANGER XP 1000  
NORTHSTAR  
PREMIUM



RANGER CREW  
XP 1000 NORTHSTAR  
ULTIMATE





## RANGER CREW XP 1000 NORTHSTAR TEXAS EDITION

**CONQUER JOBS AS TOUGH AS TEXAS.** Conquer jobs as tough as Texas with enhanced capability plus an enclosed cab for all-season comfort. Available in 6-seat.

**EQUIPPED WITH ALL FEATURES OF  
RANGER XP 1000 NORTHSTAR ULTIMATE, PLUS:**

- High-clearance arched A-arms
- Exclusive Texas Edition badging
- Premium embroidered seats



## RANGER XP 1000 NORTHSTAR TRAIL BOSS EDITION

**COMMAND THE TRAIL AHEAD.** Trail Boss delivers enhanced capability and comfort for riders who want to push farther on the trail—without sacrificing everyday RANGER versatility. Available in 3-seat and 6-seat.

**EQUIPPED WITH ALL FEATURES OF  
RANGER XP 1000 NORTHSTAR ULTIMATE, PLUS:**

- Walker Evans Piggyback shocks
- Rear LED light
- Exclusive Trail Boss graphics
- Premium embroidered seats



RANGER CREW  
XP 1000 NORTHSTAR  
TEXAS EDITION



RANGER XP 1000  
NORTHSTAR  
TRAIL BOSS EDITION

## EXTREME DUTY MODELS

# A CLASS OF ITS OWN

## RANGER XD 1500 NORTHSTAR

**EXTREME DUTY. EXTREME COMFORT.** RANGER XD 1500 NorthStar delivers extreme comfort with the most spacious, premium and refined cab we've ever built. Available in 3-seat and 6-seat.

### CAPABILITY

ProStar 1500cc engine delivering 110 HP and 105 lb-ft torque for industry-leading power

Get more done with an impressive 3,500-lb. towing and 1,500-lb. box capacity

30" Kenda® Cross Trail tires with industry-leading 15" of ground clearance for confident riding and handling

Factory-installed Pro Series 6,000 LB Winch with Rapid Rope Recovery to get the job done efficiently

### DURABILITY

One piece, high-strength, heavy duty steel chassis for added durability

Industry-exclusive STEELDRIVE transmission offers smooth, precise control and added strength

Mountaineer Edition is equipped with a lower gear ratio, increasing low-end torque and enabling smooth uphill climbs, even with heavy loads

### COMFORT

Cab system seals and protects from the elements

Heating and air conditioning for complete climate control

Tinted windows†

Heated contoured seats with back bolsters for the long hauls\*

7" Display powered by RIDE COMMAND for easy GPS navigation\*

Stay connected and informed with RIDE COMMAND+ vehicle information sharing, control and connectivity\*

JBL® audio for immersive sound\*

\*Available on Ultimate trim



RANGER XD 1500  
NORTHSTAR  
PREMIUM



RANGER XD 1500  
NORTHSTAR  
ULTIMATE



RANGER XD 1500  
NORTHSTAR  
MOUNTAINEER EDITION





## RANGER CREW XD 1500 NORTHSTAR TEXAS EDITION

**BUILT FOR TEXAS.** Embrace your Texas pride. Featuring enhanced capability and an exclusive Texas design. Available in 6-seat.

**EQUIPPED WITH ALL THE FEATURES OF  
RANGER XD 1500 NORTHSTAR ULTIMATE, PLUS:**

32" Pro Armor Trekker tires and 15" beadlock wheels

JBL® Trail Pro 4200 Audio

Exclusive Texas badging

Premium embroidered seating



RANGER CREW XD 1500  
NORTHSTAR  
TEXAS EDITION





## ELECTRIC MODELS



## RANGER XP KINETIC

**THE POWER TO DO MORE.** The RANGER XP Kinetic provides the power to do more with uncompromised capability, unrivaled durability and the refined performance of an all-electric powertrain. Available in 3-seat only.

### CAPABILITY

110 HP electric motor and 140 lb-ft torque for effortless hauling and towing

1,250-lb. box capacity and 2,500-lb. towing to get more done in fewer trips

14" ground clearance to handle rough terrain with ease

Optimize power for the task at hand with three drive modes: Eco+, Standard and Sport

### DURABILITY

Enjoy more uptime as maintenance costs are estimated to be 70% less than the average for similar gas-powered vehicles\*

A rigid one-piece chassis, full-body skid plate and large front bumper are ready to face rough terrain

### COMFORT

Clean, quiet operation for easy conversation and stealthy trips to hunting spots

Convenient interior storage with dual glove boxes and under-seat storage

7" Display powered by RIDE COMMAND for easy GPS navigation

Stay connected and informed with RIDE COMMAND+ vehicle information sharing, control and connectivity




RANGER XP KINETIC  
ULTIMATE



RANGER XP KINETIC  
ULTIMATE







A photograph of two youth riders on ATVs in a forest. The rider in the foreground is on a yellow and black ATV, wearing a yellow helmet and blue gear. The rider in the background is on a black and grey ATV, wearing a blue helmet and blue gear. They are on a dirt path surrounded by trees and greenery. The text "YOUTH SIDE-BY-SIDES AND ATVS" is at the top left, and "INSPIRE CONFIDENCE OFF ROAD" is in large white letters in the center. At the bottom left, there is a paragraph of text.

YOUTH SIDE-BY-SIDES AND ATVS

# INSPIRE CONFIDENCE OFF ROAD

Empower young riders to take their own off-road adventures with youth vehicles built for comfort and control. Our kids' off-road lineup features small ATVs, quads, 4-wheelers and side-by-sides designed for a range of children's ages and experience levels—all with industry-leading safety features.





## **SAFETY FEATURES PARENTS LOVE** SAFE AND SOUND

Enjoy peace of mind knowing that Polaris youth models come with industry-leading safety features designed to build a solid foundation for the next generation of riders.

## **KID-FRIENDLY PERFORMANCE** HAVE A DAY

Kids can confidently tackle adventures thanks to age-appropriate ergonomics, capable suspension and plenty of ground clearance to clear obstacles.

## **GROW WITH POLARIS** RIDE EARLY. RIDE OFTEN.

We build confidence-inspiring youth ATVs for riders ages 6+, 10+ and 14+, and youth side-by-sides for riders 10+.

# **POLARIS** | YOUTH

## YOUTH SIDE-BY-SIDES & ATVS

KID-FRIENDLY

# PERFORMANCE

**SXS PERFORMANCE FOR THE NEXT GENERATION.** Give kids RZR performance that builds confidence and fuels a love for the outdoors, with kid-friendly power that grows with them and safety features parents love.

### RZR 200 EFI

180 cc 4-stroke single cylinder engine

10" ground clearance

24" tires

7" front/rear suspension travel

48" wide

Age: 10+ with adult supervision

#### SAFETY FEATURES

Seat belts, safety nets, full protective cage, safety flag, free online safety training, Youth Ride Control: pin-code start, adjustable speed limiter, geofencing, Helmet Aware Technology



**SXS CAPABILITY FOR THE NEXT GENERATION.** Introduce young riders to legendary RANGER ride and handling with adaptable power that grows with them. Plus, industry-leading safety features like Helmet Aware Technology and geofencing.

### RANGER 150 EFI

150 cc 4-stroke single cylinder engine

8" ground clearance

22" tires

5.1"/6" front/rear suspension travel

48" wide

Age: 10+ with adult supervision

#### SAFETY FEATURES

Seat belts, safety nets, full protective cage, safety flag, free online safety training, Youth Ride Control: pin-code start, adjustable speed limiter, geofencing, Helmet Aware Technology







**INSPIRING CONFIDENCE OFF ROAD.** Our Youth ATVs are a great way to introduce young riders to the trails, with kid-friendly performance and key safety features parents love.

## PHOENIX 200

196 cc 4-stroke single cylinder engine  
5.7" ground clearance  
7"/6.5" front/rear suspension travel  
42" wide  
Age: 14+ with adult supervision

### SAFETY FEATURES

Safety flag, speed limiter, free online safety training

## SPORTSMAN 110 EFI

112 cc 4-stroke single cylinder engine  
3.5" ground clearance  
5"/6" front/rear suspension travel  
36.75" wide  
15-lb./30-lb. front/rear rack capacity  
Age: 10+ with adult supervision

### SAFETY FEATURES

Safety flag, speed limiter, safety tether, free online safety training

## OUTLAW 110 EFI

112 cc 4-stroke single cylinder engine  
3.5" ground clearance  
5"/6" front/rear suspension travel  
36.75" wide  
Age: 10+ with adult supervision

### SAFETY FEATURES

Safety flag, speed limiter, safety tether, free online safety training

## 2026 OUTLAW 70 EFI

70 cc 4-stroke single cylinder engine  
4" ground clearance  
4" front/rear suspension travel  
35.5" wide  
Age: 6+ with adult supervision

### SAFETY FEATURES

Safety flag, speed limiter, safety tether, tool kit, horn, free online safety training





# OFF ROAD, IN TOUCH





# **POLARIS** **RIDECOMMAND**

## **HANDLE THE DAY WITH CONFIDENCE**

RIDE COMMAND off-road GPS and mapping technology helps you stay informed and prepared—on the job or on the trail. With insight into your location, your machine and where others are, it's built to help you confidently handle the day. Available in vehicles equipped with a 7" Display, as an accessory or through the Polaris App.

### **VIEW VEHICLE STATUS**

View real-time vehicle data like engine temperature, battery voltage and transmission status on the in-dash display—helping you spot potential issues early and keep your machine running reliably through long days.

### **MANAGE WHAT'S AROUND YOU**

See the real-time location of others in your group with Group Ride, making it easier to manage work across large areas. A rear-view camera helps when backing up or towing, keeping tasks moving.

### **PROTECT & TRACK YOUR VEHICLE**

Log routes and trip data with Ride Tracking and help safeguard your vehicle by upgrading to RIDE COMMAND+ for features like Bump Alerts, Motion Alerts and Ignition Security—so you can confidently monitor activity.

### **NAVIGATE YOUR LAND—AND BEYOND**

Use GPS navigation and maps to move confidently across unfamiliar terrain, monitor property lines, check your Game Camera and mark waypoints for job sites or equipment—helping you stay on track throughout the day.


## **POLARIS** **RIDECOMMAND+**

### **TECHNOLOGY LIKE NEVER BEFORE**

RIDE COMMAND+ delivers upgraded connected insights including vehicle health, maintenance status and vehicle security alerts through the Polaris App, so you can ride—and walk away—with peace of mind.



# ACCESSORIES BUILT FOR YOUR RANGER



DESIGNED



TESTED



TRUSTED



WARRANTY





# ACCESSORIES

# TABLE OF CONTENTS

|           |                                               |
|-----------|-----------------------------------------------|
| <b>30</b> | <b>POLARIS ENGINEERED ACCESSORIES</b>         |
| <b>32</b> | <b>LIFESTYLE INSPIRATION</b>                  |
| <b>42</b> | <b>RANGER 500</b>                             |
| 42        | Windshields & Rear Windows                    |
| 43        | Cab Comfort & Convenience                     |
| 44        | Lighting & Plows                              |
| 45        | Storage & Protection                          |
| 46        | Maintenance                                   |
| <b>48</b> | <b>RANGER 600</b>                             |
| 48        | Roofs & Doors                                 |
| 50        | Windshields, Rear Windows, Audio & Technology |
| 52        | Cab Comfort, Convenience & Winches            |
| 54        | Storage & Protection                          |
| 56        | Maintenance                                   |
| <b>58</b> | <b>RANGER 1000 / XP 1000 / XP KINETIC</b>     |
| 58        | Roofs                                         |
| 60        | Windshields & Rear Windows                    |
| 62        | Doors                                         |
| 64        | Cab Comfort & Convenience                     |
| 66        | Lighting & Winches                            |
| 68        | Protection                                    |
| 70        | Technology & Audio                            |
| 72        | Storage                                       |
| 76        | Miscellaneous Accessories                     |
| 78        | Maintenance                                   |
| <b>80</b> | <b>RANGER XD 1500</b>                         |
| 80        | Windshield Upgrade & Protection               |
| 82        | Cab Comfort & Convenience                     |
| 83        | Audio, Technology & Winches                   |
| 84        | Storage                                       |
| 88        | Maintenance                                   |
| <b>90</b> | <b>YOUTH</b>                                  |
| 90        | Accessories                                   |
| 91        | Maintenance                                   |
| <b>92</b> | <b>COMMON ACCESSORIES</b>                     |
| 92        | Hunt                                          |
| 93        | Pro Armor Accessories                         |
| 94        | Winches                                       |
| 96        | Plows                                         |
| 100       | Tracks                                        |
| 102       | Lighting                                      |
| 104       | Electrical Accessories                        |
| 106       | Wheels & Tires                                |

# DESIGNED FOR

**POLARIS VEHICLES ARE DESIGNED FOR SEAMLESS INTEGRATION WITH POLARIS ENGINEERED ACCESSORIES TO GET MORE DONE, YEAR-ROUND.**

## SUPERIOR INTEGRATION



### PLUG & PLAY ELECTRICAL

A revolution in electrical accessory integration, the Polaris PULSE Electrical System provides a simple plug & play approach for installing powered Polaris Engineered accessories.

Look for  to identify Polaris PULSE ready accessories.

### PRO SERIES

#### INTEGRATED PRE-WIRED WINCH MOUNT

Designated mounting points and pre-wired connectors provide a perfect fit and the strongest mounting of the Polaris Engineered winch—the most dependable winch for your RANGER. We integrated winch wiring in the vehicle, making this the easiest RANGER winch to install.

#### INTEGRATED PLOW MOUNT\*

The integrated plow system attachment points are factory installed and they provide an innovative drive-up and go installation process.

\*Integrated plow mount not included on RANGER 600 non-Premium/non-NorthStar models





# ACCESSORIES



## DO MORE



### VERSATILITY

Lock & Ride mounting locations provide easy, limitless accessory options so you can customize your vehicle's productivity.

Look for  to identify Lock & Ride ready accessories.



### ADAPTABLE STORAGE SOLUTIONS\*

The next generation of the Polaris Lock & Ride platform features an entirely new system of purpose-built accessories and attachments. You'll be able to go further, push harder and do more than ever.

Look for  to identify Lock & Ride MAX ready accessories.

\*Only available on RANGER XD 1500 models

## NEXT-LEVEL COMFORT

### OUR BEST SEALING CAB

Enjoy a new level of cab interior comfort thanks to profile channels engineered into the roll cage, body plastics molded to seal and cab accessories designed to keep the elements out.

# FARM & RANCH



## LIGHT THE WAY

Add better visibility to get the job done before and after the sun with lighting upgrades.

## ENHANCED COMFORT

Mirrors and sun visors provide added comfort and increased visibility while working.

## BODY PROTECTION

Protect the vehicle body from off-road obstacles with front and rear bumpers.

## PULLING POWER

Be prepared in recovery or clearing/property maintenance situations with a winch.





## SECURE YOUR GEAR

Organize, transport and protect your tools with racks and flexible storage options.

## BOOST PRODUCTIVITY

Versatile hitch options make hauling trailers, wagons and other items simpler.



SHOP ALL RANGER  
ACCESSORIES



# TRAIL RIDING

A Polaris off-road vehicle, possibly a side-by-side or utility vehicle, is shown from the front right side, parked on a dirt trail. The vehicle has a large front headlight, a black grille with 'POLARIS' visible, and a large, knobby tire. The background is a dense forest with many trees and green foliage. The lighting is natural, suggesting daytime.

## ENHANCED COMFORT

Mirrors and sun visors provide added comfort and increased visibility on the trails.

## BODY PROTECTION

Protect the vehicle body from off-road obstacles with front and rear bumpers.





## LIGHT THE WAY

Add better visibility on tight trails and while riding at night with lighting upgrades.

## AUDIO UPGRADES

Enjoy your favorite soundtrack while riding and bring the party to the pitstops.

## SECURE YOUR GEAR

Organize, transport and protect your gear with flexible storage options.

## TOUGHNESS & TRACTION

Tires with a high-ply rating and triple-belted sidewalls deliver added protection.



**SHOP ALL RANGER  
ACCESSORIES**



# HUNTING

A camouflaged Polaris off-road vehicle, possibly a side-by-side or utility vehicle, is shown from a front-three-quarter view. It features a large windshield, a black front bumper with a winch, and a roof rack. The vehicle is parked in a field of tall grass and trees, with a body of water visible in the background. The lighting is soft, suggesting dusk or dawn.

## FORWARD VISIBILITY

Maintain a clear view of what's ahead and limit wind gusts with a windshield.

## LIGHT THE WAY

Add better visibility on tight trails and while riding at dusk/dawn with lighting upgrades.





## ◦ GAME RETRIEVAL

Add the Rear LED Light and Rear-Mounted Winch designed to assist with game recovery after your hunt.

## ◦ REDUCE DUST SWIRL

When paired with a windshield, rear windows help limit air swirl in the cab.

## ◦ SECURE YOUR GEAR

Organize, transport and protect your gear or game with flexible storage options.

## ◦ BODY PROTECTION

Protect the vehicle body from off-road obstacles with bumpers and rock sliders.



**SHOP ALL RANGER  
ACCESSORIES**



# PROPERTY MAINTENANCE

## LIGHT THE WAY

Add better visibility to get the job done before and after the sun with lighting upgrades.

## REDUCE DUST SWIRL

When paired with a windshield, rear windows help limit air swirl in the cab.

## SECURE YOUR GEAR

Organize, transport and protect your tools with racks and flexible storage options.







## PROTECTION & SHADE

A roof protects from overhead hazards, the elements and harsh sun.

## FORWARD VISIBILITY

Maintain a clear view of what's ahead and limit wind gusts with a windshield.



SHOP ALL RANGER  
ACCESSORIES

# COLD WEATHER

## FULL ENCLOSURE

Create a fully enclosed cab to stay warm and dry throughout the year with added doors.

## CLIMATE CONTROL

Cab heaters allow you to adjust the temperature when the weather is cooler.

## ROLL THROUGH SNOW

Easily ride through snowpack and experience better traction in deep snow with optional tracks.







## ○ **LIGHT THE WAY**

Add better visibility in the snow, especially at night, with lighting upgrades.

## ○ **FORWARD VISIBILITY**

Add forward weather protection and plus up with a wiper kit for rain or snow.

## ○ **CLEAR A PATH**

Move snow quickly and easily off driveways, sidewalks and paths with a plow.



**SHOP ALL RANGER  
ACCESSORIES**

# WINDSHIELDS & REAR WINDOWS



★ TOP SELLER



## POLY FRONT FIXED WINDSHIELD

- A strong reliable barrier against wind, rain, dust and flying debris—keeping the cab protected and comfortable in any weather
- Made from optical grade, scratch resistant polycarbonate.
- Delivers clear visibility and rugged protection you can count on through the toughest terrain
- Installs in minutes—just clamp this front windshield to dashboard and hit the trail with confidence.
- Designed to pair with manual windshield wipers

» 2891577

RANGER 500 '26-27



## GLASS WINDSHIELD WITH VENTS

- Scratch-resistant, DOT-approved glass
- No-gap seal
- Dual sliding vents increase in-cab air-flow
- Designed to pair with Manual Wiper Kit (28000), sold separately

» 28135

RANGER 500 '26-27

NOT COMPATIBLE WITH SIDE MIRRORS (98320)

★ TOP SELLER



## POLY REAR WINDOW

- A strong barrier against wind, rain, dust and debris—keeping the cab protected and rear visibility clear in any weather
- Made from optical grade, scratch resistant polycarbonate
- Installs in minutes—just clamp it to the rear behind the seats and hit the trail

» 2891578

RANGER 500 '26-27



## MANUAL WIPER KIT

- Easy hand operated durable UTV wiper
- Plug & Play with Glass Windshields
- Quick and easy install to poly windshields
- 13" Steel arm with a 12" rubber blade

» 28000

RANGER 500 '26-27



# CAB COMFORT & CONVENIENCE



## ★ TOP SELLER



### SIDE VIEW MIRRORS

- 4.9" W x 8.5" H single view lens for wide viewing range
- Easy Installation
- Rugged fold-in and break-away design
- Adjustable spring tension to fold-in
- Included clamps fit 1 5/8"-2" round tubing and Polaris profile tubes
- Low-profile clamp compatible with most windshields and doors
- Set of two mirrors

» **98320**

RANGER 500 '26-27

NOT COMPATIBLE WITH THE GLASS WINDSHIELD WITH VENTS (28135)

## ★ TOP SELLER



### CONVEX WEATHERPROOF REAR VIEW MIRROR

- Convex design for a broader view of traffic
- Durable, weatherproof construction
- Mount the bolts into your choice of pre-designated mounting locations
- Compatible with roof, windshield and other accessories

» **2889187**

RANGER 500 '26-27

## ★ TOP SELLER



### SUN VISORS

- Injection molded visors for seamless fit to protection from the sun

» **2890288**

RANGER 500 '26-27

## ★ TOP SELLER



### PREMIUM ROOF LINER

- Cut in-cab noise by 60% at idle and by 40% at 20 mph
- One-piece liner attaches quickly and securely using push darts
- Adds premium comfort and quieter cab ride

» **2-SEAT • 2885093**

RANGER 500 '26-27

# LIGHTING



★ TOP SELLER



## PRO ARMOR 33" SINGLE-ROW COMBO LED LIGHT BAR

»2889791

RANGER 500 '26-27

REQUIRES FRONT PULSE BAR AND HARNESS (2891666) AND POLARIS PULSE LED LIGHT BAR WIRING HARNESS (2884657)

★ TOP SELLER



## DOME LIGHT

- LED Dome light provides optimal visibility in the cab
- Easy to install

»2889159

RANGER 500 '26-27

REQUIRES FRONT PULSE BAR AND HARNESS (2891666) AND POLARIS PULSE LED LIGHT BAR WIRING HARNESS (2884657)



## POLARIS PULSE LED LIGHT BAR WIRING HARNESS

»2884657

RANGER 500 '26-27



## FRONT PULSE BAR AND HARNESS

»2891666

RANGER 500 '26-27

# PLOWS



## PLOW BLADE

»2890336

RANGER 500 '26-27



## PLOW FRAME

»2889307

RANGER 500 '26-27



## PLOW MOUNT

»2891657

RANGER 500 '26



# STORAGE



## ★ TOP SELLER



### TRASH CAN HAULER

- Receiver mounted trash can hauler that allows slow speed towing of 2 trash cans
- Ideal for hauling cans down long driveways

» 2889876

RANGER 500 '26-27



### POLARIS RANGER 500 FUEL TRANSPORT KIT WITH MOUNT


- Purpose-built design for off-road fuel transport and storage
- 2-gallon capacity fuel container
- Quick-mount design for mounting of container to vehicle and ease of use
- Includes pouring spout and spout storage bag
- Compatible only with Kolpin Reserv containers
- Container complies with applicable ASTM standards
- For use only on specified Polaris vehicles following installation instructions

» 2891754

RANGER 500 '26-27

# PROTECTION

## ★ TOP SELLER



### UPPER FRONT BUMPER

- Essential protection for your UTV's upper front end against brush, debris and other hazards
- Easily mounts to the front bumper

» 2891576

RANGER 500 '26-27

## ★ TOP SELLER




### REAR BUMPER

- Helps protect the rear suspension and undercarriage from damage
- Rugged, durable tubular construction
- Features a drop step

» 2877711-458

RANGER 500 '26-27

# MAINTENANCE PARTS & FLUIDS



Polaris Engineered parts and oil have been validated and tested extensively, specifically for your vehicle. In order to maintain the peak performance of your Polaris vehicle only use official Polaris Engineered parts and oil.

## PRO SERIES

We're taking the passion of our riders, workers and outdoor enthusiasts to the next level with Pro Series Parts. These parts are engineered for riders who want greater durability and enhanced performance. Pro Series Parts are designed and tested to handle greater wear and tear under all weather conditions.



### A DRIVE BELT

» 3211077



### B BRAKE PADS

» 2203318

» **PRO SERIES** • 2208936



### C OIL FILTER

» 2540086

» **PRO SERIES** • 2522485



### D BATTERY

» 4017419



### E AIR FILTER

» 7082037



### F SPARK PLUG

» 3022662



### OIL CHANGE KIT

2 QT Engine Oil, 1 Oil Filter, 1 Drain Plug Washer and Interval Decal

» **PS-4** • 2202166

» **PS-4 EXTREME** • 2890056

## LOOKING FOR MORE SERVICE PARTS?

See P. 119 to learn how to find parts for your model.

# MAINTENANCE SCHEDULE\*

## BREAK-IN MAINTENANCE

FIRST 25 HRS | 500 MI / 800 KM

**ENGINE OIL & OIL FILTER**  
CHANGE

**BATTERY**  
TEST & CLEAN  
REPLACE AS NEEDED

**FRONT GEARCASE**  
CHANGE FLUID

**TRANSMISSION FLUID**  
INSPECT  
ADD LUBRICANTS AS NEEDED

## 12 MONTHS

200 HRS | 2,000 MI / 3,200 KM

**ENGINE OIL & OIL FILTER**  
CHANGE

**TRANSMISSION**  
CHANGE FLUID

**FRONT GEARCASE**  
CHANGE FLUID

**AIR FILTER**  
REPLACE

**BRAKE PADS**  
INSPECT  
REPLACE AS NEEDED

**BRAKE FLUID**  
INSPECT  
ADD AS NEEDED

**DRIVE BELT**  
INSPECT  
REPLACE AS NEEDED

**SPARK PLUGS**  
INSPECT  
REPLACE AS NEEDED

**BATTERY**  
TEST & CLEAN  
REPLACE AS NEEDED

**GENERAL LUBRICATION**  
ALL FITTINGS, PIVOTS, CABLES, ETC.

## 24 MONTHS

400 HRS | 4,000 MI / 6,400 KM

**ENGINE OIL & OIL FILTER**  
CHANGE

**TRANSMISSION**  
CHANGE FLUID

**FRONT GEARCASE**  
CHANGE FLUID

**BRAKE FLUID**  
CHANGE

**AIR FILTER**  
REPLACE

**BRAKE PADS**  
INSPECT  
REPLACE AS NEEDED





### G ENGINE OIL

- » PS-4 • 1QT • 2876244
- » PS-4 • 1 GAL • 2876245
- » PS-4 EXTREME • 1QT • 2889395
- » PS-4 EXTREME • 1 GAL • 2889396

### H ANGLE DRIVE FLUID

- » 1QT • 2889280

FOR FRONT GEARCASE

### I AGL

- » 1QT • 2878068
- » 1 GAL • 2878069
- » AGL EXTREME
- 1QT • 2891028

FOR TRANSMISSION

### J DOT 4 BRAKE FLUID

- » 12 OZ • 2872189

### K ANTI-FREEZE

- » 1QT • 2880514
- » 1 GAL • 2880513

Claims made based off testing and performance of Pro Series Parts against standard OEM parts made by Polaris and competitor brands under normal use. For more information regarding Pro Series Parts including vehicle compatibility, installation and maintenance, please contact your authorized Polaris ORV dealer.

# 36 MONTHS

600 HRS | 6,000 MI / 9,700 KM

**DRIVE BELT**  
INSPECT  
REPLACE AS NEEDED

**SPARK PLUGS**  
INSPECT  
REPLACE AS NEEDED

**BATTERY**  
TEST & CLEAN  
REPLACE AS NEEDED

**GENERAL LUBRICATION**  
ALL FITTINGS, PIVOTS,  
CABLES, ETC.

**ENGINE OIL & OIL FILTER**  
CHANGE

**TRANSMISSION**  
CHANGE FLUID

**FRONT GEARCASE**  
CHANGE FLUID

**AIR FILTER**  
REPLACE

**BRAKE FLUID**  
INSPECT  
ADD AS NEEDED

**BRAKE PADS**  
INSPECT  
REPLACE AS NEEDED

**SPARK PLUGS**  
INSPECT  
REPLACE AS NEEDED

**BATTERY**  
TEST & CLEAN  
REPLACE AS NEEDED


**DRIVE BELT**  
INSPECT  
REPLACE AS NEEDED

**GENERAL LUBRICATION**  
ALL FITTINGS, PIVOTS, CABLES, ETC.

**FOR A COMPLETE  
MAINTENANCE  
SCHEDULE, CHECK  
YOUR OWNER'S  
MANUAL**



# ROOFS



SEALED  
COVERAGE



REDUCE  
STANDING  
WATER



EASY AND FAST  
INSTALLATION

**POLARIS  
ENGINEERED  
ADVANTAGES**

## POLY

Lightweight, durable and impact-resistant. Shaped for water run-off. Polaris PULSE plug & play and line ready. A poly roof can take the abuse of a tight trail and still protect.

### SPORT ROOF - POLY

- Offers reliable protection from the sun and rain
- Lightweight, durable polyethylene construction
- Simple one-time installation

» 2-SEAT • BLACK • 2885077

SP 570 '22-26, 600 '27

» CREW • BLACK • 2885078

CREW SP 570 '22-26, CREW 600 '27



2-SEAT



CREW

### PREMIUM ROOF LINER

- Cut in-cab noise by 60% at idle and by 40% at 20 mph
- One-piece liner attaches quickly and securely using push darts
- Adds premium comfort and quieter cab ride

» 2-SEAT (SHOWN) • 2885093

SP 570 '22-26, 600 '27

» CREW • 2885094

CREW SP 570 '22-26, CREW 600 '27





# DOORS



## POLY

### CRANK WINDOW

Has manual crank windows for airflow adjustment in the cab with a fully finished black interior and exterior panels. Has a steel tube frame with a full 360° seal to keep out dust and rain.



#### MANUAL CRANK WINDOW DOORS

- Set of 2 doors

##### » FRONT • 2885073

SP 570 '22-26, CREW SP 570 '22-26,  
600 '27, CREW 600 '27  
SHOWN WITH EXTERIOR DOOR  
ACCENT PANEL 2889389-795

- Set of 2 doors

##### » REAR • 2885074

CREW SP 570 '22-26, CREW 600 '27  
SHOWN WITH EXTERIOR DOOR  
ACCENT PANEL 2889390-795



#### STEEL HALF DOORS

- Set of 2 doors
- 30-minute installation
- Easy-on, easy-off e-clip and hinge pin removal
- Standard automotive forward opening (like your truck)
- Premium aluminum door handle with automotive-style latch (doesn't rattle)
- Thick D-Trim seals around lower edge for splash-free riding

##### » 32100

SP 570 '22-26, 600 '27



#### EXTERIOR DOOR ACCENT PANELS

- Replace stock gloss black accent panels
- Painted plastic and clear-coated for UV protection
- Install easily with a single screw
- Comes as a pair
- Compatible with poly manual crank windows doors only



**FRONT** 2889389-728  
**REAR** 2889390-728



**FRONT** 2889389-560  
**REAR** 2889390-560

## CANVAS

### ZIP WINDOW

Heavy-duty 23-oz durable protection with adjustable zipper ventilation and see-through bottom panel. Powder-coated steel rod door frames provide strength and enhance fit and finish.



#### ZIP WINDOW DOORS

- Set of 2 doors

##### » FRONT • 2885075

SP 570 '22-26, SP CREW 570 '22-26,  
600 '27, CREW 600 '27

- Set of 2 doors

##### » REAR • 2885076

CREW SP 570 '22-26, CREW 600 '27



#### UPPER SOFT DOORS

- Set of 2 doors
- Quick on-off 15 minute installation
- Durable steel framing with weather resistant nylon canvas
- -20° F cold crack rated PVC windows with double zippered full opening
- Door handle access with zippered closure
- Thick trim seals around upper edge for complete cab enclosure

##### » 32600

SP 570 '22-26, 600 '27

STEEL HALF DOORS (32100) REQUIRED, SOLD SEPARATELY



**POLARIS  
PURSUIT CAMO**  
2889391-587  
2889392-587



**ZENITH  
BLUE**  
2889389-849  
2889390-849



**SAND  
DUNE**  
2889850-902  
2889851-902



**POLARIS BLUE  
NON-METALLIC**  
2889389-795  
2889390-795


## WINDSHIELDS & REAR WINDOWS



**REVOLUTIONARY  
INSTALLATION**



**AIRTIGHT GASKET  
SEAL**



**VENTING  
OPTIONS**



**MULTI-FUNCTION  
FEATURES**

**POLARIS  
ENGINEERED  
ADVANTAGES**

### WINDSHIELDS



#### FULL TIP-OUT WINDSHIELD - GLASS

- Tip-out design offers three positions: open, closed and vented
- Gas shocks assist in easy opening and closing
- 360° gasket for reliable protection and comfort
- Scratch-resistant automotive-style curved glass
- Interior sound dampening and optimized visibility

»2885079

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



**WIPER AVAILABLE**  
P. 52

#### FULL WINDSHIELD - GLASS

- Scratch-resistant, curved laminate safety glass
- Protects against wind, rain and other hazardous debris
- UV-blocking interlayer and 360° gasket seal

»2885080

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



#### VENTED WINDSHIELD - HARD COAT POLY

- Frameless design for maximum visibility
- Added vents for airflow on a hot day or defrosting on a cold day

»2883342

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



#### FULL WINDSHIELD - HARD COAT POLY

- Durable, optical-grade, .236"-thick polycarbonate offers outstanding rider protection and visibility
- Windshield has minimal perimeter framework for full visibility

»2883319

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27




#### FULL WINDSHIELD - POLY

- Durable, optical-grade, .236"-thick polycarbonate offers outstanding rider protection and visibility
- Windshield has minimal perimeter framework for full visibility

»2883318

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



#### HALF WINDSHIELD - POLY

- Strong, durable polycarbonate half windshield delivers a combination of protection and airflow into the cab
- Half windshield offers protection from rain, sleet, spray and off-road hazards

»2883320

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



## REAR WINDOWS



### REAR WINDOW - GLASS

- Durable, tempered laminate glass provides a high level of scratch resistance

» 2879965

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27




### REAR WINDOW - POLY

- Strong, .236"-thick polycarbonate provides outstanding impact and scratch resistance

» 2879812


SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

## GLASS VS HARD COAT POLY



Superior optical clarity  
(automotive level)  
Scratch-resistant  
Curved to fit, seals tight  
Cold weather / heavy duty  
Wiper ready

Lightweight, flexible,  
easy to store/remove  
Impact-resistant  
Tight seal keeps out  
rain and dust  
30x more scratch resistant



## REDUCE IN-CAB DUST SWIRL BY ADDING A REAR WINDOW

With a windshield and roof installed, turbulent air develops behind the cab. Add a rear window to reduce dust intrusion from this swirl.

## AUDIO & TECHNOLOGY

### POLARIS RIDECOMMAND



### 7" DISPLAY POWERED BY RIDE COMMAND

- Integrated GPS navigation with offline maps, ride planning and group ride coordination
- Connected 7" touchscreen with Bluetooth®, messaging and customizable gauges

» 2884072

SP 570 '22-26, 600 '27  
SPEAKERS NOT INCLUDED

### 7" DISPLAY MOUNT KIT

- Necessary mount for 7" Display Powered by RIDE COMMAND
- Seamless fit and finish
- Includes necessary wiring harness and reverse camera kits

» 2889163

SP 570 '22-26, 600 '27  
REQUIRES 7" DISPLAY POWERED BY RIDE COMMAND (2884072)

### JBL® DASH AUDIO KIT

- Head unit features AM/FM/WB tuner, USB input and Bluetooth® compatibility
- Includes four off-road grade speakers, a JBL® head unit and mounting hardware

» 2885081

SP 570 '22-26, 600 '27



LEARN MORE & DOWNLOAD THE POLARIS APP AT  
[RIDECOMMAND.POLARIS.COM](https://ridecommand.polaris.com)

# CAB COMFORT & CONVENIENCE

## ★ TOP SELLER



### CONVEX WEATHERPROOF REAR VIEW MIRROR

- Mount the bolts into your choice of pre-designated mounting locations
- Compatible with roof, windshield and other accessories

»2889187

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



### SIDE VIEW MIRRORS

»DOOR MOUNTED • 2889241

»ROPS-MOUNTED (SHOWN) • 2891643

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

## ★ TOP SELLER



### FLOOR MATS - FRONT

- Protects floors from dirt and wear
- Textured, non-slip surface

»2889186

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

## ★ TOP SELLER



### SUN VISORS

- Injection molded visors for seamless fit to protection from the sun

»2890288

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



### 600 SEAT COVERS - BLACK

- Strong, durable Carhartt® seat covers for both the seat bottom and backrest
- Designed to fit snug and stay wrinkle free, so it won't slip, slide or bunch up
- Machine washable for easy cleaning

»2889879-458

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



### HEATER KIT

- Climate control for the cab of your off-road vehicle
- Total of four dash mounted vents with two positioned for defrosting the windshield and the other two for heating the cab
- Manually operated vents for airflow control

»2885082

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

SP 570 SPORT MODELS REQUIRES FRONT PULSE BAR AND HARNESSSES (2889185), SOLD SEPARATELY



### WINDSHIELD WIPER & WASHER KIT

»2885083

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

SP 570 SPORT MODELS REQUIRES FRONT PULSE BAR AND HARNESSSES (2889185), SOLD SEPARATELY



### HORN KIT

- Adds a warning horn to console area of vehicle

»2889160

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

SP 570 NON-PREMIUM AND NON-NORTHSTAR MODELS REQUIRE FRONT PULSE BAR AND HARNESSSES 2889185



### CAB SEAL KIT

- Seal out dust from your UTV cab
- Reduces dust from getting on dash and seat

»2889201

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

INCLUDED WITH PREMIUM DOORS



### ELECTRONIC POWER STEERING KIT

- Smoothest, most powerful electronic power steering available for your Polaris RANGER
- Variable assist for easier steering at lower speeds
- Greater responsiveness at higher speeds
- Front PULSE Bar and Harness required, sold separately

»2889464

»EPS HARNESS KIT • 2890069

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27  
CHECK WITH YOUR LOCAL DEALER FOR AVAILABILITY



### 12V CARGO BED POWER KIT WITH DASH SWITCH

- Maximize productivity with 12V Cargo Box Power Port to power your tools or accessories to get the job done

»2889874

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



### SPEEDKEY

- Allows users to limit the speed on pre 2025 XP 1000, pre 2027 600 (SP 570) and current RANGER 1000 vehicles

»2879988

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



★ TOP SELLER



### RANGER 600 LED HEADLIGHTS

- Add this kit to improve brightness and illumination over stock halogen lights

» 2889877

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



### DOMELIGHT

- LED Dome light provides optimal visibility in the cab
- Easy to install

» 2889159

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

SP 570 NON-PREMIUM AND NON-NORTHSTAR MODELS REQUIRE FRONT PULSE BAR AND HARNESSES 2889185



### FRONT PULSE BAR AND HARNESS

- This kit is needed to install any electrical accessories to a base vehicle

» 2-SEAT • 2889185

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

» CREW • 2889568

CREW SP 570 '22-26, CREW 600 '27

# WINCHES

## PRO SERIES

### PRO SERIES 4,500 LB WINCH KIT WITH SYNTHETIC ROPE

- Retrieve cable 5x as fast with Rapid Rope Recovery
- Auto Stop technology protects and extends the life of the winch by automatically stopping at the end of pull to prevent over-spooling
- Operate winch wirelessly within 50' of the vehicle
- Lightweight, extremely strong and flexible 50' rope

» 2891704

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

### SEE ADDITIONAL WINCH INFORMATION

P. 94

## WINCH UPGRADES

### WIRED REMOTE CONTROL

- Kit includes remote handle and socket

» REMOTE HANDLE & SOCKET KIT • 2889600



### 3,500 LB WINCH KIT

- Integrated wiring, mount and preassembled
- Hook with strap
- Cut steel gears and sealed drivetrain with sealed permanent magnet motor

» 2885095

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



### WIRELESS WINCH REMOTE

- Capable of operating the winch from up to 50 FT away
- Avoid tangled cables and eliminate the risk of damaged control cables

» 2889840

SP 570 '22-26, 600 '27



### PLOV CONTROLLER

- Control your winch and plover hydraulics directly from the shift knob

» 2889162

SP 570 '22-26, 600 '27



### SYNTHETIC WINCH ROPE

- Already configured with pre-woven loop to easily attach to the steel clevis sling hook
- 50 FT high strength synthetic rope

» 2,500-3,500 LB • 2878888

» 4,500 LB • 2879187

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

## STORAGE



Exclusive and available on all Polaris vehicles, Lock & Ride accessories let you quickly change from one task to another with hundreds of options. With the flip of a lever, Lock & Ride plungers use outward pressure to expand for a secure fit.

### ★ TOP SELLER



#### LR STORAGE BOX

- Provides enough room to store all the tools you need to get the job done
- Internal organizational dividers keep gear from rolling around
- Easily detaches from vehicle

»2889199

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

### ★ TOP SELLER



#### CARGO BED MAT

- Protects cargo box, reduces drivetrain noise and keeps cargo more secure with non-slip design
- Thick (3.18 mm) rubber mat construction

»2889189 ★

»5/16" HD • 2830619

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



#### 300 LB REAR CARGO BOX WINCH

- 300 LB pull force winch that mounts to rear headache rack
- Allows for easy loading of big game or other large and heavy items in the bed

»2890134

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27  
REQUIRES HEADACHE RACK (2889538), SOLD SEPARATELY

### ★ TOP SELLER



#### LR BED EXTENDER/DIVIDER

- Increase your cargo capacity and UTV storage
- Extend the cargo bed or divide cargo within the bed
- Lock & Ride technology for easy install without tools
- Made from durable steel and powder-coated finish

»2889183

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



#### LR FRONT HOOD STORAGE RACK

- Increases storage and protects against brush and debris
- Steel construction with a durable powder-coated finish
- Lock & Ride functions for easy install, on and off maneuvering of the basket and under-hood access
- Weight Capacity: 100 LB

»2885088

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27  
NOT COMPATIBLE WITH UPPER FRONT BUMPER (2885084)  
AS IT USES SAME MOUNTING POINTS

### ★ TOP SELLER



#### REAR HEADACHE RACK - WINCH READY

- Provides extreme cargo versatility to your UTV
- Strong steel tube construction for maximum durability

»2889538

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



#### LR CHAINSAW MOUNT

»2879354

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



#### TRASH CAN HAULER

- Receiver mounted trash can hauler that allows slow speed towing of 2 trash cans
- Ideal for hauling cans down long driveways

»2889876

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



#### FIRE EXTINGUISHER HOLDER

- Quick-release strap allows for easy access

»2882158

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27





### POLARIS RANGER FUEL TRANSPORT KIT WITH MOUNT

- Purpose-built design for off-road fuel transport and storage
- 2-gallon capacity fuel container
- Quick-mount design for mounting of container to vehicle and ease of use
- Includes pouring spout and spout storage bag
- Compatible only with Kolpin Reserv containers
- Container complies with applicable ASTM standards
- For use only on specified Polaris vehicles following installation instructions

» 2889681

SP 570 '26, CREW SP 570 '26, 600 '27, CREW 600 '27



### SPARE TIRE CARRIER

- Includes one spare tire carrier
- Quick installation
- Tire carrier mounts to the rear cab to keep cargo bed free and easily accessible
- Maximum tire size supported is 30"

» 2889193

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



### D-RINGS

- The most versatile Lock & Ride accessory: add as many as you need to secure your cargo with bungee cords or straps

» 2881545

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

# PROTECTION



#### ★ TOP SELLER



### UPPER FRONT BUMPER

- Made from tubular steel and provides additional protection for front fenders and headlights
- Attaches to stock front bumper
- Durable, scratch-resistant, black powder-coat finish

» 2885084

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

FITS PREMIUM MODELS ONLY

NOT COMPATIBLE WITH HOOD RACK (2885088)

USES SAME MOUNTING LOCATIONS

REQUIRES PREMIUM WELD-BUMPER (1026432-458), SOLD SEPARATELY

#### ★ TOP SELLER



### REAR BUMPER

- Made from tubular steel and provides additional protection for taillights
- Durable, scratch-resistant, black powder-coat finish
- Reliably enhances back-end protection of vehicle

» 2885087

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27



### A-ARM GUARDS

- Valuable, reliable protection for vital front suspension components exposed to the rigors of off-road environments
- Strong, durable, lightweight polyethylene construction withstands off-road impacts to protect the A-arms

» FRONT (SHOWN) • 2885097

» REAR • 2880551

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

NOT COMPATIBLE WITH MODELS THAT HAVE FRONT SWAY BAR

## STRAPS

### 1.5" x 15' 5,500 LB RATCHET STRAP

- Heavy-duty webbing
- 2 pack

» 2884031



### QUICKSTRAP

- The quickest and most secure way to mount Polaris accessories
- Sold as a pair

» 2882187

ALL COOLERS, RANGER CARGO BOXES



# MAINTENANCE PARTS & FLUIDS



Polaris Engineered parts and oil have been validated and tested extensively, specifically for your vehicle. In order to maintain the peak performance of your Polaris vehicle only use official Polaris Engineered parts and oil.

## PRO SERIES

We're taking the passion of our riders, workers and outdoor enthusiasts to the next level with Pro Series Parts. These parts are engineered for riders who want greater durability and enhanced performance. Pro Series Parts are designed and tested to handle greater wear and tear under all weather conditions.



### A DRIVE BELT

» 3211218



### B BRAKE PADS

» 2203318

» **PRO SERIES** • 2208936



### C OIL FILTER

» 2540086

» **PRO SERIES** • 2522486



### D BATTERY

» 4014132-P

» **PRO SERIES** • 4081855

AGM BATTERY



### E AIR FILTER

» 7082037



### F SPARK PLUG

» 3022662



### OIL CHANGE KIT

2 QT Engine Oil, 1 Oil Filter, 1 Drain Plug Washer and Interval Decal

» **PS-4** • 2202166

» **PS-4 EXTREME** • 2890056



### MAINTENANCE KIT

Includes Oil Change Kit contents + Driveline Fluids, Air Filter and Funnel

» 2892317

# MAINTENANCE SCHEDULE\*

## BREAK-IN MAINTENANCE

FIRST 25 HRS | 500 MI / 800 KM

**ENGINE OIL & OIL FILTER**  
CHANGE

**FRONT GEARCASE**  
CHANGE FLUID

**BATTERY**  
TEST & CLEAN  
REPLACE AS NEEDED

**TRANSMISSION FLUID**  
INSPECT  
ADD LUBRICANTS AS NEEDED

## 12 MONTHS

200 HRS | 2,000 MI / 3,200 KM

**ENGINE OIL & OIL FILTER**  
CHANGE

**TRANSMISSION**  
CHANGE FLUID

**FRONT GEARCASE**  
CHANGE FLUID

**AIR FILTER**  
REPLACE

**BRAKE PADS**  
INSPECT

REPLACE AS NEEDED

**BRAKE FLUID**  
INSPECT

ADD AS NEEDED

**DRIVE BELT**  
INSPECT

REPLACE AS NEEDED

**SPARK PLUGS**  
INSPECT

REPLACE AS NEEDED

**BATTERY**  
TEST & CLEAN  
REPLACE AS NEEDED

**GENERAL LUBRICATION**  
ALL FITTINGS, PIVOTS,  
CABLES, ETC.

## 24 MONTHS

400 HRS | 4,000 MI / 6,400 KM

**ENGINE OIL & OIL FILTER**  
CHANGE

**TRANSMISSION**  
CHANGE FLUID

**FRONT GEARCASE**  
CHANGE FLUID

**BRAKE FLUID**  
CHANGE

**AIR FILTER**  
REPLACE

**BRAKE PADS**  
INSPECT

REPLACE AS NEEDED



## LOOKING FOR MORE SERVICE PARTS?

See P. 119 to learn how to find parts for your model.



### G ENGINE OIL

- » **PS-4** • 1QT • 2876244
- » **PS-4** • 1GAL • 2876245
- » **PS-4 EXTREME** • 1QT • 2889395
- » **PS-4 EXTREME** • 1GAL • 2889396

### H DEMAND DRIVE FLUID

- » 1QT • 2877922
  - » 2.5 GAL • 2877923
- FOR FRONT GEARCASE

### I AGL

- » 1QT • 2878068
  - » 1GAL • 2878069
  - » **AGL EXTREME** 1QT • 2891028
- FOR TRANSMISSION

### J DOT 4 BRAKE FLUID

- » 12 OZ • 2872189

### K ANTI-FREEZE

- » 1QT • 2880514
- » 1GAL • 2880513

Claims made based off testing and performance of Pro Series Parts against standard OEM parts made by Polaris and competitor brands under normal use. For more information regarding Pro Series Parts including vehicle compatibility, installation and maintenance, please contact your authorized Polaris ORV dealer.

# 36 MONTHS

600 HRS | 6,000 MI / 9,700 KM

#### DRIVE BELT

INSPECT  
REPLACE AS NEEDED

#### SPARK PLUGS

INSPECT  
REPLACE AS NEEDED

#### BATTERY

TEST & CLEAN  
REPLACE AS NEEDED

#### GENERAL LUBRICATION

ALL FITTINGS, PIVOTS, CABLES, ETC.

#### ENGINE OIL & OIL FILTER

CHANGE

#### TRANSMISSION

CHANGE FLUID

#### FRONT GEARCASE

CHANGE FLUID

#### AIR FILTER

REPLACE

#### BRAKE PADS

INSPECT  
REPLACE AS NEEDED

#### BRAKE FLUID

INSPECT  
ADD AS NEEDED

#### DRIVE BELT

INSPECT  
REPLACE AS NEEDED

#### SPARK PLUGS

INSPECT  
REPLACE AS NEEDED

#### BATTERY

TEST & CLEAN  
REPLACE AS NEEDED

#### GENERAL LUBRICATION

ALL FITTINGS, PIVOTS, CABLES, ETC.

FOR A COMPLETE  
MAINTENANCE  
SCHEDULE, CHECK  
YOUR OWNER'S  
MANUAL



\*This is a sample maintenance schedule. Please reference and use your owners manual for full maintenance and vehicle care.

# ROOFS

To shield against driving rain or the blistering sun, a roof is the first must-have of the Polaris Engineered cab components. Get on your way with protective peace of mind.



## POLY

Lightweight, durable and impact-resistant. Shaped for water run-off. Polaris PULSE plug & play and liner ready. A poly roof can take the abuse of a tough trail and still protect.



### SPORT ROOF - POLY

» 2-SEAT • BLACK • 2882911

XP 1000 '17-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27

» CREW • BLACK • 2890333

CREW XP 1000 '19-27, CREW 1000 '20-27



### PREMIUM ROOF - POLY


• Premium roof liner included

» BLACK • 2890684

XP 1000 '17-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



PREMIUM FINISH  
AND QUIETER RIDE



SEALED  
COVERAGE



REDUCE  
STANDING WATER



EASY AND FAST  
INSTALLATION

**POLARIS  
ENGINEERED  
ADVANTAGES**





## LINERS

Get a touch of premium comfort, reduce cab noise and hide wiring.

Included with Premium Poly Roofs.

### PREMIUM ROOF LINER

#### » 2-SEAT • 2890526

XP 1000 '17-'27, 1000 '20-'27, XP KINETIC '23-'24,  
XP KINETIC ULTIMATE '27  
WORKS WITH SPORT ROOF (2882911)

#### » CREW • 2890527

CREW XP 1000 '18-'27, CREW 1000 '20-'27



## PREMIUM & SPORT ROOF FEATURES\*

Polaris PULSE is a revolutionary way to provide additional power locations on your vehicle and makes adding electrical accessories a snap. Electrical accessories are easier to install, with designated routing areas and plug & play connections.

**SEE AUDIO OPTIONS** P. 71

**ADD POWER TO PREMIUM & SPORT ROOFS** P. 104

\* Premium and Sport features not available on steel roofs

# WINDSHIELDS & REAR WINDOWS



**EASY AND FAST  
INSTALLATION**



**AIRTIGHT  
GASKET SEAL**



**MULTI-FUNCTION  
FEATURES**

**POLARIS  
ENGINEERED  
ADVANTAGES**



## TIP-OUT FULL WINDSHIELD - GLASS

- Tip-out design offers three positions: open, closed and vented
- Gas shocks assist in easy opening and closing
- 360° gasket for reliable protection and comfort
- Scratch-resistant automotive-style curved glass

»2889020

XP 1000 '18-'27, CREW XP 1000 '19-'27, CREW 1000 '20-'27, 1000 '20-'27,  
XP KINETIC '23-'24, XP KINETIC ULTIMATE '27



## FULL GLASS WINDSHIELD - CLEAR

- Scratch-resistant, curved laminate safety glass
- Protects against wind and rain
- UV-blocking interlayer and 360° gasket seal

»2891680

XP 1000 '18-'27, CREW XP 1000 '19-'27, CREW 1000 '20-'27, 1000 '20-'27,  
XP KINETIC '23-'24, XP KINETIC ULTIMATE '27



## LR FULL WINDSHIELD VENTED - HARD COAT POLY

- Frameless design for maximum visibility
- Added vents for airflow on a hot day or defrosting on a cold day
- Requires Wiper Install Kit (2207624), sold separately

»2883266

XP 1000 '17-'27, CREW XP 1000 '18-'27, CREW 1000 '20-'27, 1000 '20-'27,  
XP KINETIC '23-'24, XP KINETIC ULTIMATE '27



## LR FULL WINDSHIELD - HARD COAT POLY

- Frameless design for maximum visibility
- Requires Wiper Install Kit (2207624), sold separately

»2883300

XP 1000 '17-'27, CREW XP 1000 '18-'27, CREW 1000 '20-'27, 1000 '20-'27,  
XP KINETIC '23-'24, XP KINETIC ULTIMATE '27



## FLIP-DOWN WINDSHIELD - HARD COAT POLY

- Two venting options: fully sealed, flip-down or remove upper half for some protection with maximum ventilation

»2884139

XP 1000 '18-'27, CREW XP 1000 '19-'27, CREW 1000 '20-'27, 1000 '20-'27,  
XP KINETIC '23-'24, XP KINETIC ULTIMATE '27



## LR FULL WINDSHIELD - POLY

- Frameless design for maximum visibility

»2883278

XP 1000 '17-'27, CREW XP 1000 '18-'27, CREW 1000 '20-'27, 1000 '20-'27,  
XP KINETIC '23-'24, XP KINETIC ULTIMATE '27



## LR HALF WINDSHIELD - POLY

- Deflects air flow from straight on, but still provides air flow in the cab


»2883301

XP 1000 '17-'27, CREW XP 1000 '18-'27, CREW 1000 '20-'27, 1000 '20-'27,  
XP KINETIC '23-'24, XP KINETIC ULTIMATE '27





## REAR WINDOWS



### REAR WINDOW - SLIDING GLASS

- Sliding window provides ventilation, cab comfort and access to cargo in rear box

» 2879015

XP 1000 '17-'27, CREW XP 1000 '18-'27, CREW 1000 '20-'27, 1000 '20-'27, XP KINETIC '23-'24, XP KINETIC ULTIMATE '27



### REAR WINDOW - GLASS

» 2879013

XP 1000 '17-'27, CREW XP 1000 '18-'27, CREW 1000 '20-'27, 1000 '20-'27, XP KINETIC '23-'24, XP KINETIC ULTIMATE '27




### REAR WINDOW - POLY

- Strong, thick polycarbonate provides outstanding impact and scratch resistance

- Installs in contours of cab frame with 360° gasketing for outstanding protection, comfort, fit and finish

» 2883773


XP 1000 '17-'27, CREW XP 1000 '18-'27, CREW 1000 '20-'27, 1000 '20-'27, XP KINETIC '23-'24, XP KINETIC ULTIMATE '27



## GLASS VS HARD COAT POLY

Superior optical clarity  
(automotive level)  
Scratch-resistant  
Curved to fit, seals tight  
Cold weather / heavy duty  
Wiper ready

Lightweight, flexible,  
easy to store/remove  
Impact-resistant  
360° seal keeps out  
rain and dust



## REDUCE IN-CAB DUST SWIRL BY ADDING A REAR WINDOW.

With a windshield and roof installed, turbulent air develops behind the cab. Add a rear window to reduce dust intrusion from this swirl.

# DOORS



## PREMIUM POLY DOORS

## CANVAS DOORS

### KEY FEATURES

|                             | POWER WINDOW DOORS                                    | MANUAL CRANK WINDOW DOORS       | HALF DOORS                      | ZIP WINDOW DOORS                  |
|-----------------------------|-------------------------------------------------------|---------------------------------|---------------------------------|-----------------------------------|
| WINDOW TYPE / VENTILATION   | GLASS / POWER                                         | GLASS / MANUAL CRANK            | NA / OPEN TOP                   | CLEAR POLY / ZIPPED               |
| VISIBILITY                  | UPPER                                                 | UPPER                           | UPPER                           | UPPER + PARTIAL LOWER             |
| STORAGE COMPARTMENT         | STANDARD                                              | STANDARD                        | STANDARD                        |                                   |
| AUDIO-READY / SPEAKER MOUNT | STANDARD, PRE-WIRED                                   | STANDARD                        |                                 |                                   |
| PREMIUM TPE LINER           | STANDARD                                              | STANDARD                        | STANDARD                        |                                   |
| SPECIAL FEATURES            | BUILT-IN FLOOR LIGHT, COLORED ACCENT PANELS AVAILABLE | COLORED ACCENT PANELS AVAILABLE | COLORED ACCENT PANELS AVAILABLE | AVAILABLE IN POLARIS PURSUIT CAMO |

The ultimate door offering power windows, switches mounted on the door and built-in floor light.

A premium, door offering manual crank windows for airflow adjustment in the cab.

Provides lower protection from the off road with an open-air experience.

Lightweight, durable protection with adjustable zipper ventilation and see-through bottom panel.

Front and Rear Doors of same design are required to complete a cab on CREW RANGER models.  
Premium Doors come with Gloss Black Exterior Door Accent Panels, images shown with optional Exterior Door Accent Panels.

### FRONT DOORS (SET OF 2)

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27,  
XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



POWER WINDOW DOORS -  
POLY - BLACK  
2892158



MANUAL CRANK WINDOW  
DOORS - POLY - BLACK  
2892159



HALF DOORS - POLY  
2889814



ZIP WINDOW DOORS -  
CANVAS - BLACK  
2891499

### REAR DOORS (SET OF 2)

CREW XP 1000 '19-27,  
CREW 1000 '20-27



MANUAL CRANK WINDOW DOORS - REAR - POLY  
2892160



HALF DOORS - REAR - POLY  
2889815



ZIP WINDOW DOORS - REAR -  
CANVAS - BLACK  
2891500





## STEEL HALF DOORS

- Set of 2 doors
- 30-minute installation
- Easy-on, easy-off e-clip and hinge pin removal
- Standard automotive forward opening (like your truck)
- Premium aluminum door handle with automotive-style latch (doesn't rattle)
- Thick D-Trim seals around lower edge for splash-free riding



### »FRONT • 32000

XP 1000 '18-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



### »REAR • 32010

CREW XP 1000 '19-27, CREW 1000 '20-27



## UPPER SOFT DOORS

- Set of 2 doors
- Quick on-off 15 minute installation
- Durable steel framing with weather resistant nylon canvas
- -20° F cold crack rated PVC windows with double zippered full opening
- Door handle access with zippered closure
- Thick trim seals around upper edge for cab enclosure



### »FRONT • 32500

XP 1000 '18-27, 1000 '20-27,  
XP KINETIC '23-24, XP KINETIC ULTIMATE '27  
ONLY COMPATIBLE WITH KOLPIN DOORS  
FRONT STEEL HALF DOORS (32000) REQUIRED,  
SOLD SEPARATELY



### »REAR • 32510

CREW XP 1000 '19-27, CREW 1000 '20-27  
ONLY COMPATIBLE WITH KOLPIN DOORS  
REAR STEEL HALF DOORS (32010) REQUIRED,  
SOLD SEPARATELY

## EXTERIOR DOOR ACCENT PANELS

- Replace stock gloss black accent panels
- Painted plastic and clear-coated for UV protection
- Install easily with a single screw
- Comes as a pair



SUNSET  
RED METALLIC

FRONT 2882870-520  
REAR 2883829-520



POLARIS  
PURSUIT CAMO

2882870-587  
2883829-587



BLACK  
PEARL

2882870-666  
--



MATTE  
SAGEBRUSH GREEN

2882870-685  
2883829-685



ORANGE  
RUST

2882870-750  
2883829-750



STEALTH  
GRAY

FRONT 2882870-804  
REAR 2883829-804



BLUE  
SLATE

2882870-826  
2883829-826



ONYX  
BLACK

2882870-866  
--



ICY WHITE  
PEARL

2882870-911  
--



HEAVY METAL

2882870-942  
2883829-942



BLUE LABYRINTH

FRONT 2882870-981  
REAR 2883829-981



MIRAGE  
BEIGE

2882870-987  
2883829-987



ROVER RUST

2882870-A17  
2883829-A17



## REQUIRED POLARIS PULSE INSTALLATION ITEMS

P. 104

GET SUPERIOR PERFORMANCE  
AND OUR BEST SEAL

360° GASKET SEAL  
EASY TO CLEAN TPE LINER  
BUILT-IN STORAGE  
VENTILATION OPTIONS

SEE WHAT PEOPLE ARE  
SAYING ABOUT THESE DOORS  
[YOUTUBE.COM/POLARISORV](https://www.youtube.com/polarisorv)  
SEARCH "DOORS"



# CAB COMFORT & CONVENIENCE



## 8-VENT HEATER & DEFROST SYSTEM

- Easily control the climate inside your cab in any season
- Helps defrost windshields and keeps you warm or cool
- Heat and fan dash-mounted controls
- Manual vents

» 2882753 **XP 1000 ONLY**

XP 1000 '18-27, CREW XP 1000 '19-27

» 2884066 **1000 ONLY**

CREW 1000 '20-27, 1000 '20-27  
NEED ADAPTER: 2884163 ON CREW 1000

» CREW HEATER ADAPTER KIT  
2884163 **1000 ONLY**

CREW 1000 '20-27



## WINDSHIELD WIPER & WASHER SYSTEM

» 2883974

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27,  
1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27  
HARD COAT POLY WINDSHIELDS REQUIRE MOUNT KIT (2207624),  
SOLD SEPARATELY

## HARD COAT POLY WINDSHIELD WIPER & WASHER SYSTEM MOUNTING BRACKET

» 2207624

XP 1000 '17-27, CREW XP 1000 '18-27, CREW 1000 '20-27,  
1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27  
REQUIRED TO USE WIPER ON POLY WINDSHIELDS  
(2883266 OR 2883300)

### ★ TOP SELLER



## FLOOR MATS - 3 SEAT

» 2882780 **XP 1000 ONLY**

XP 1000 '18-27, CREW XP 1000 '19-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27

CREW: FITS FRONT SEATS ONLY

» 2884247 **1000 ONLY**

CREW 1000 '20-27, 1000 '20-27  
CREW: FITS FRONT SEATS ONLY

### ★ TOP SELLER



## WEATHERPROOF CONVEX REAR VIEW MIRROR KIT

» 2889220

XP 1000 '17-27, CREW XP 1000 '18-27, CREW 1000 '20-27,  
1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



## WIDE ANGLE REAR VIEW MIRROR

- Large 2.5" x 14" adjustable convex mirrored surface gives you a full-spectrum view

» 2881439

XP 1000 '17-27, CREW XP 1000 '18-27, CREW 1000 '20-27,  
1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

### ★ TOP SELLER



## SIDE VIEW MIRRORS

- Mounts on any RANGER vehicle that is equipped with doors
- Fully adjustable to accommodate riders of all sizes and can fold in to prevent being struck

» DOOR MOUNTED • 2889241

» ROPS-MOUNTED (SHOWN) • 2891643

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27,  
1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

NOT COMPATIBLE WITH TIP-OUT FULL WINDSHIELD (2889020), DOORS  
OR UNITS WITH A FORWARD GRIP HANDLE ON THE ROPS

### ★ TOP SELLER



## SUN VISORS

- Injection molded visors for seamless fit to protect from the sun

» 2890288

XP 1000 '17-27, CREW XP 1000 '18-27, CREW 1000 '20-27,  
1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



## NOISE REDUCTION SYSTEM

- Designed to attach to the rear closure panel of your RANGER cab
- The sound absorbing material reduces unwanted noise for a quieter cab

» 2883489

XP 1000 '18-27, CREW XP 1000 '19-27, 1000 '20-27, CREW  
1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27





### UPPER SWITCH PANEL

- Add up to 4 additional electrical accessory switches
- Convenient roof-mounted overhead panel
- Includes mounting hardware

» 2889674

XP 1000 '18-27, CREW XP 1000 '18-27, 1000 '20-27, CREW 1000 '20-27  
REQUIRES UPPER SWITCH PANEL LIGHT BAR HARNESS (2889675), SOLD SEPARATELY



### REMOTE GARAGE DOOR OPENER BY HOMELINK®

- Control up to two garage doors

» 2882892

XP 1000 '18-27, CREW XP 1000 '18-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



### 12V CARGO BED POWER KIT

- Additional power for your tools or accessories
- Requires 12V In-Bed Power Harness Extension (2890068), sold separately

» 2889673

XP 1000 '18-27, CREW XP 1000 '18-27, 1000 '20-27, CREW 1000 '20-27  
REQUIRES 12V IN-BED POWER HARNESS EXTENSION (2890068), SOLD SEPARATELY



### 12V IN-BED POWER HARNESS EXTENSION

- Required for Installation of 12V Cargo Bed Power Kit (2889673)

» 2890068

CREW XP 1000 '18-27, CREW 1000 '20-27



### FULL-SIZE SEATSAVER® - SPLIT BENCH SEAT

XP 1000 ONLY

- Covers the back and bottom of seat
- Designed to fit snug and stay wrinkle free, so it won't slip, slide or bunch up
- Machine washable for easy cleaning

» CARHARTT® GRAVEL • 2890291-458

XP 1000 '18-21, CREW XP 1000 '18-21, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

CREW: FITS FRONT SEATS ONLY

NO REAR SEAT COVERS AVAILABLE

## KINETIC ONLY



### IN-CAB HEATER AND DEFROST KIT

- Instant heat, no more waiting for engine to warm up
- Easily control the climate inside your cab in any season
- Helps defrost windshields and keep you warm or cool
- Three different fan speeds
- Heat and fan dash-mounted controls
- Manual vents

» 2889449

XP KINETIC '23-24

DOES NOT FIT XP KINETIC ULTIMATE '27

REQUIRES HIGH VOLTAGE BUSBAR (2889667), SOLD SEPARATELY



### TRIPLE CHARGER HARNESS

- Required for installation of a 3kW On-Board Charger on XP Kinetic Ultimate trims

» 2889486

XP KINETIC '23-24

DOES NOT FIT XP KINETIC ULTIMATE '27



### 3kW ON-BOARD CHARGER

- Provides additional 3kW charge so you can save time and get more done with your RANGER
- Increases charge rate while decreasing charge time when connected to appropriate in home charger for more efficiency
- Maximum charge of 9kW on Ultimate trims
- Upgraded Level 2 EVSE + 240V outlet required for optimal charging for Ultimate trim with 9kW upgrade
- Pair with Wallbox<sup>SM</sup> Pulsar Plus for optimal charging for Ultimate trim with 9kW upgrade

» 2889661

XP KINETIC '23-24

DOES NOT FIT XP KINETIC ULTIMATE '27

REQUIRES HIGH VOLTAGE BUSBAR (2889667) AND TRIPLE CHARGER HARNESS (2889486), EACH SOLD SEPARATELY



### HIGH VOLTAGE BUSBAR

- Required for adding heater or other high voltage accessories such as upgraded chargers

» 2889667

XP KINETIC '23-24, XP KINETIC ULTIMATE '27



### WALLBOX<sup>SM</sup> PULSAR PLUS

- Achieve full charge in as little as 3.5 hours when paired with a 240V outlet

» 2890040

XP KINETIC '23-24, XP KINETIC ULTIMATE '27

### HORN

» 2882764

XP 1000 '18-27, CREW XP 1000 '18-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

# LIGHTING



## WORK BEACON LED LIGHT

- 50' of illumination 360° around your vehicle
- Ideal for plowing, hunting and nighttime utility work
- Mounted to the vehicle on the rear of the ROPS
- Easily hinge the light up during use and hinge it down when in transit

» 2883265

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27  
REQUIRES LIGHT BAR HARNESS/EXTENSION (2883230 AND 2883954), EACH SOLD SEPARATELY

★ TOP SELLER



## AUXILIARY LIGHTS - FRONT BUMPER

- Provides an additional 1,200 Lumens of front illumination
- Seamlessly integrate into your bumper pockets
- Easily control the lighting for enhanced visibility and style with a dash-mounted switch

» 2890440

XP 1000 '25, CREW XP 1000 '25  
REQUIRES POLARIS PULSE LED LIGHT BAR WIRING HARNESS (2883230), SOLD SEPARATELY

★ TOP SELLER



## LED HEADLIGHTS XP 1000 ONLY

- LED Headlights offer improved brightness and illumination vs stock halogen lights
- Designed with styling specific to RANGER

» 2889072

XP 1000 '18-27, CREW XP 1000 '19-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



## REAR LED WORK LIGHT

- Mounts to the back of your cab to fully illuminate the cargo box and surrounding area
- Includes necessary mounting hardware
- Requires a harness

» 2889672

XP 1000 '18-27, CREW XP 1000 '18-27, 1000 '20-27, CREW 1000 '20-27  
CREW: REQUIRE HARNESS (2889675) AND HARNESS EXTENSION (2890067), EACH SOLD SEPARATELY



## DOME LIGHT KIT

- Provides optimal visibility in your cab

» 2889441

XP 1000 '17-27, CREW XP 1000 '18-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



## UPPER SWITCH PANEL LIGHT BAR HARNESS

- Required for Upper Switch Panel Installation

» 2889675

» EXTENSION • 2890067

XP 1000 '18-27, CREW XP 1000 '18-27, 1000 '20-27, CREW 1000 '20-27  
CHECK WITH YOUR LOCAL DEALER FOR AVAILABILITY



## MULTI-FUNCTION CAB LIGHT

- LED dome light provides white, red, green and blue lighting options
- Battery-operated. Recharges when the vehicle is on
- Can be removed to use as a flashlight in and around your vehicle

» 2882871

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27  
REQUIRES POLARIS PULSE ROOF 6 (2882904), SOLD SEPARATELY



## REVERSE LIGHT HARNESS

- Toggle your rear facing light (sold separately) by shifting into reverse or by the switch on your dash

» 2889679

XP 1000 '17-27, CREW XP 1000 '18-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

## 1 LED LIGHT BAR WIRING HARNESS

- For installing rear facing light on Crew models

» 2883854

XP 1000 '20-27, CREW XP 1000 '19-27, CREW 1000 '20-27  
TO BE USED WITH LIGHT BAR HARNESS (2889675)

## LIGHT BAR MOUNT

- Optional cast mount for added style
- Compatible with all Pro Armor light bars

» 2890053



With Polaris PULSE it's easy to add all your electrical accessories.

LEARN MORE P. 104



# WINCHES



## PRO SERIES 4,500 LB WINCH KIT WITH SYNTHETIC ROPE

- Retrieve cable 5x as fast with Rapid Rope Recovery
- Auto Stop technology protects and extends the life of the winch by automatically stopping at the end of pull to prevent over-spooling
- Operate winch wirelessly within 50 FT of the vehicle
- Lightweight, extremely strong and flexible 50 FT rope

» 2891568

» HIGH-MOUNTED • 2889694

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



## 4,500 LB WINCH KIT

- Integrated wiring, mount and preassembled
- Hook with strap
- Cut steel gears and sealed drivetrain with sealed permanent magnet motor

» 2889695

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



## HIGH-MOUNTED 4,500 LB WINCH

- Provides outstanding performance and versatile pulling power
- The elevated mounting position allows for easier access when used in deep mud

» 2889272

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-21, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

SEE ADDITIONAL WINCH INFORMATION P. 94

## WINCH UPGRADES



## PLOW CONTROLLER

- Control your winch and plow hydraulics directly from the shift knob

» 2883247

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

REQUIRES WINCH ADAPTER (2884159), SOLD SEPARATELY, WHEN USING A WINCH FOR LIFTING DEVICE



## KINETIC PLOW CONTROLLER

- Control your winch and plow hydraulics directly from the shift knob

» 2891804

XP KINETIC '23-24, XP KINETIC ULTIMATE '27

REQUIRES WINCH ADAPTER (2884159), SOLD SEPARATELY, WHEN USING A WINCH FOR LIFTING DEVICE



## WIRELESS WINCH REMOTE

- Plugs directly into the Pro Series Winch wiring harness for seamless integration
- Capable of operating the winch from up to 50 FT away
- A red LED light indicates that the remote is transmitting

» 2889840

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27  
DOES NOT WORK WITH REAR HEADACHE RACK WITH WINCH



## DASH WINCH SWITCH KIT

- Allows a dash switch to be added to control winch
- Can be used with all winches and are compatible with other control methods (wireless/wired)

» 2889050

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



## AUTO STOP UPGRADE

- Upgrade kit makes your winching easier with auto-stop technology, stopping the winch at end of the pull or plow lift to prevent over-winding

» 2889690

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



## SYNTHETIC WINCH ROPE

- Already configured with pre-woven loop to easily attach to the steel clevis sling hook
- 50 FT high strength synthetic rope

» 4,500 LB • 2879187

» 6,000 LB • 2879188

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

# PROTECTION



## ★ TOP SELLER



### STANDARD UPPER FRONT BUMPERS

- Installs directly to stock bumper

#### » 2890232

XP 1000 '25-'27, CREW XP 1000 '25-'27  
FRONT BUMPER NOT COMPATIBLE WITH HIGH LIFTER MODELS

#### » 2882531

XP 1000 '18-'24, CREW XP 1000 '19-'24, CREW 1000 '20-'27,  
1000 '20-'27, XP KINETIC '23-'24, XP KINETIC ULTIMATE '27  
FRONT BUMPER NOT COMPATIBLE WITH HIGH LIFTER MODELS  
1000 NON-EPS VEHICLES REQUIRE FRONT BUMPER: 2884123



### FULL COVERAGE FRONT BUMPER

- Increased protection over standard bumper with integrated mounting locations for accessories and lights (sold separately) with a durable matte black finish
- Easy installation with included mounting hardware
- Additional 36" storage area for recovery equipment

#### » FRONT • 2885105

XP 1000 '18-'27, CREW XP 1000 '19-'27, CREW 1000 '20-'27, 1000 '20-'27,  
XP KINETIC '23-'24, XP KINETIC ULTIMATE '27  
FRONT BUMPER NOT COMPATIBLE WITH HIGH LIFTER MODELS



### HIGH-MOUNTED FRONT BUMPER

- Increased protection over stock bumper
- Offers a higher winch mounting position which allows for easier access when used in deep mud
- Not compatible with Polaris plow systems

#### » 2889271

XP 1000 '18-'27, CREW XP 1000 '19-'27, CREW 1000 '20-'27, 1000 '20-'27,  
XP KINETIC '23-'24, XP KINETIC ULTIMATE '27  
HIGH-MOUNTED 4,500 LB WINCH (2889272), SOLD SEPARATELY,  
RECOMMENDED WHEN BUMPER IS INSTALLED



### FRONT BUMPER

- Increased protection over stock bumper
- Sturdy stamped steel and tube construction
- Integrated mounting positions for plow and winch accessories

#### » 2889330

CREW 1000 '20-'27, 1000 '20-'27  
REQUIRED TO INSTALL WINCH/PLOW ON NON EPS RANGER 1000

## ★ TOP SELLER



### STANDARD REAR BUMPER

- Easily use in conjunction with a tow hitch

#### » 2882529

XP 1000 '18-'27, CREW XP 1000 '19-'27, CREW 1000 '20-'27, 1000 '20-'27,  
XP KINETIC '23-'24, XP KINETIC ULTIMATE '27



### FULL COVERAGE REAR BUMPER

- Increased protection over stock rear bumper, for the cargo area
- Easy installation with included mounting hardware

#### » REAR • 2884217

XP 1000 '18-'27, CREW XP 1000 '19-'27, CREW 1000 '20-'27,  
1000 '20-'27, XP KINETIC '23-'24, XP KINETIC ULTIMATE '27  
RECOMMENDED WITH RIGID® OR PRO ARMOR POD LIGHTS FOR  
UPGRADED LIGHTING



## ROCK SLIDERS

### ★ TOP SELLER

#### ROCK SLIDERS WITH STEP

- Reliable, hard-working protection for edges of vehicle
- Integrated step with boot scraper helps keep interior clean
- Mounts directly to the frame, instead of underneath, for maximum ground clearance
- Steel construction with black e-coat and durable black powder-coated finish



#### » 3-SEAT 2882530

XP 1000 '18-27,  
1000 '20-27



#### » CREW 2883398

CREW XP 1000 '18-27,  
CREW 1000 '20-27

## A-ARMS


#### HIGH CLEARANCE A-ARMS

- High-Clearance Arched A-arms offer increased ground clearance for navigating difficult terrain
- Strong, durable tubular steel construction means these A-arms can withstand even the most punishing trails so you can ride further




#### » FRONT • 2889269

XP 1000 '18-27,  
CREW XP 1000 '19-27,  
CREW 1000 '20-27,  
1000 '20-27,  
XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



#### » REAR • 2889270


XP 1000 '18-27,  
CREW XP 1000 '19-27,  
CREW 1000 '20-27,  
1000 '20-27,  
XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



## MUD GUARDS

#### MUD GUARDS

- Attaches under the bed to protect underside of bed, engine components and under seat area of vehicle from mud build up
- Allows for easier vehicle cleaning and less debris build up



#### » RANGER 1000 2889639

1000 '20-27,  
CREW 1000 '20-27




#### » RANGER XP 1000 2889640

XP 1000 '18-27,  
CREW XP 1000 '19-27

#### POLY A-ARM GUARDS

- Strong, 1/4" thick, durable, lightweight HMW (high molecular weight) polyethylene construction helps protect against off-road impacts
- Molded specifically for the RANGER XP 1000 and 1000 front suspension for a sure fit and low-profile presence
- Easy bolt-on design with mounting hardware included



#### » FRONT • 2882784

XP 1000 '22-27, CREW XP 1000 '22-27,  
CREW 1000 '20-27, 1000 '20-27,  
XP KINETIC '23-24, XP KINETIC  
ULTIMATE '27

NOT COMPATIBLE WITH  
ARCHED A-ARM MODELS

#### » REAR • 2882787

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27,  
XP KINETIC '23-24, XP KINETIC  
ULTIMATE '27

NOT COMPATIBLE WITH  
ARCHED A-ARM MODELS

# TECHNOLOGY

## POLARIS RIDECOMMAND



### 7" DISPLAY POWERED BY RIDE COMMAND

- Integrated GPS navigation with offline maps, ride planning and group ride coordination
- Connected 7" touchscreen with Bluetooth®, messaging and customizable gauges

» 2884072

XP 1000 '18-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27  
SPEAKERS NOT INCLUDED



### 7" DISPLAY MOUNT KIT

- Necessary mount for 7" Display Powered by RIDE COMMAND
- Seamless fit and finish
- Includes necessary wiring harness and reverse camera kits

» 2889309

XP 1000 '22-27, CREW XP 1000 '22-27, CREW 1000 '22-27, 1000 '22-27  
FOR NORTHSTAR AND ALL OTHER MODELS WITHOUT 900 WATT

» 2889310

XP 1000 '22-27, CREW XP 1000 '22-27, CREW 1000 '22-27,  
1000 '22-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27  
FOR 900 WATT STATOR



### CAMERA KITS

- Provides additional vantage point
- Front-mounted camera to help with plowing and other tasks

» FRONT • 2891127

XP 1000 '25-27, CREW XP 1000 '25-27

» FRONT • 2889662

XP KINETIC '23-24, XP KINETIC ULTIMATE '27



LEARN MORE & DOWNLOAD THE POLARIS APP AT  
[RIDECOMMAND.POLARIS.COM](https://ridecommand.polaris.com)



# AUDIO

## A PREMIUM AUDIO EXPERIENCE, SPECIFICALLY DESIGNED FOR RANGER.

For 70 years and counting, JBL® brings music to life in a way people can feel. Unleash the power of music in your off-road vehicle. Purpose built to stand up to any outdoor environment and to handle the toughest jobs.



### ★ TOP SELLER



#### JBL® TRAIL PRO 2000 AUDIO KIT

- All-in-one solution for high performance sound
- Premium quality Bluetooth®, USB, AM/FM/WB radio
- Built-in 100 Watt four channel amplifier
- Two off-road grade 6.5" component speakers with polypropylene carbon fiber cones and PEI tweeters

» 2890225

CREW/XP 1000 '25-27, CREW/1000 '25-27

COMPATIBLE WITH PREMIUM AND NORTHSTAR PREMIUM TRIMS FOR XP 1000 ONLY

### ★ TOP SELLER



#### JBL® TRAIL PRO 4100 REAR AUDIO UPGRADE

- Upgrade kit for factory installed or accessory JBL® Trail Pro Audio
- Additional speakers and subwoofer to create an immersive in-cab audio experience
- Two 4" speakers with aluminum cones and audio outputs to drive additional speakers
- High output 10" Subwoofer and 300 watt amplifier

» 2890226

CREW/XP 1000 '25-27

COMPATIBLE WITH PREMIUM AND NORTHSTAR TRIMS ONLY

REQUIRES JBL® TRAIL PRO 2000 AUDIO KIT (2890225) OR JBL® TRAIL PRO 2000 ULTIMATE UPGRADE KIT (2890287), EACH SOLD SEPARATELY



#### JBL® TRAIL PRO 2000 RANGER XP 1000 UPGRADE KIT

- Two 6.5" dash mounted component speakers with polypropylene carbon fiber cones and PEI tweeters
- Includes front and rear cameras and dash bezel kit to mount 7" Display powered by RIDE COMMAND
- Easy install and seamless integration
- Waterproof for reliable power and sound quality

» 2890287

CREW/XP 1000 '25-27

2026 AND NEWER MODELS REQUIRE HARNESS (2418161-01) AND V2V ANTENNA (4083388), BOTH SOLD SEPARATELY

COMPATIBLE WITH PREMIUM AND NORTHSTAR PREMIUM TRIMS ONLY



#### JBL® TRAIL PRO 2000 RANGER 1000 UPGRADE KIT

- Two 6.5" dash mounted component speakers with polypropylene carbon fiber cones and PEI tweeters
- Includes front and rear cameras and dash bezel kit to mount 7" Display powered by RIDE COMMAND
- Easy install and seamless integration
- Waterproof for reliable power and sound quality

» 2890286

CREW/1000 '25-27

# STORAGE

## BRING IT ALL. BRING IT ON\*.

From opposite sides of the globe, some of the most capable machines in the off-road world meet a trusted outdoor adventure brand. Together they deliver industry-exclusive, purpose-built roof racks, bed racks and attachments that help RANGER riders get the job done.



\*Always read and follow the owner's manual and on-vehicle labels for prohibited items.

### PICK YOUR RACK



#### REAR BED RACK / ROOF RACK, SMALL

- Install either in the bed or on the roof of the vehicle (mounts sold separately)
- A durable backbone provides a secure vehicle attachment
- An innovative attachment system allows for easy accessory install
- 75 LB weight capacity per rack

» 2889236

XP 1000 '18-'27, 1000 '20-'27, XP KINETIC '23-'24, XP KINETIC ULTIMATE '27

#### ★ TOP SELLER



#### ROOF RACK, LARGE

- Install on the roof of the vehicle (mount sold separately)
- A durable backbone provides a secure vehicle attachment
- An innovative attachment system allows for easy accessory install
- 150 LB weight capacity

» 2889237

CREW XP 1000 '19-'27, CREW 1000 '20-'27

### PICK YOUR MOUNT



#### REAR BED RACK MOUNT

» 2890848

XP 1000 '18-'27, 1000 '20-'27, CREW XP 1000 '19-'27, CREW 1000 '20-'27, XP KINETIC '23-'24

#### ★ TOP SELLER



#### ROOF RACK MOUNT

» 3-SEAT • 2889233

XP 1000 '18-'27, 1000 '20-'27, XP KINETIC '23-'24, XP KINETIC ULTIMATE '27

» CREW • 2889234

CREW XP 1000 '19-'27, CREW 1000 '20-'27





## MAXIMIZE YOUR RIDE



## ENGINEERED WITH YOUR NEEDS IN MIND



## BUILT FOR THE LONG HAUL

### ACCESSORIZE IT



#### SPARE TIRE HOLDER

- Transport a spare tire outside the vehicle
- Easily mounts to the Rhino-Rack® Rear Bed Rack (2889590), sold separately

» 2889529

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



#### J-STYLE KAYAK HOLDER

- Transport a kayak or canoe on the roof of your vehicle

» 2889883

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27  
REQUIRES ACCESSORY BARS (2889884),  
SOLD SEPARATELY



#### MULTI-PURPOSE TOOL HOLDER

- Carry and protect tools, paddles and more
- Ratchet-locking mechanism for quick release and rubber inserts that secure gear into place

» 2891317

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



#### FISHING ROD HOLDER

- Convenient, locking carrier can transport five fishing rods safely and securely on a roof rack
- Doubles as a ski/snowboard carrier

» 2889729

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27




#### HIGH-LIFTING JACK MOUNT

- Simple, quick install with durable brackets
- Rugged, non-corrosive powder-coated steel stands up to the harshest conditions

» 2889533

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



#### ACCESSORY BARS

- Offers horizontal fitment to allow other accessories to be attached to the Rhino-Rack® platforms

» 2889884

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



#### EYELET TIE-DOWNS

- Attach in multiple locations on the platform for additional tie-down points
- Anti-corrosive, galvanized steel for heavy duty strength
- Includes one set with hardware (straps not included)

» 2891204

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



#### GUN MOUNTING BRACKET

- Mount Kolpin Stronghold Gun Boots to Rhino-Rack® systems when paired with Auto-Latch Mount (2889931), sold separately

» 2889327

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



#### CARGO CORNER BRACKETS

- Mount a toolbox to the platform and save space inside the vehicle (straps not included)
- A unique, anti-rotation nut offers maximum security

» 2889531

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



#### 200 L LUGGAGE BAG

- Carry bulky, lightweight gear in this tear- and weather-resistant canvas bag

» 2889881

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



#### FLAG BRACKET

- Securely mount flags or whips to Rhino-Rack® platform
- Adjustable bracket with 180° folding design
- Includes installation hardware

» 2891228

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



#### LIGHT BAR MOUNT

» 2891354

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27



#### CUBE LIGHT MOUNT

» 2891355

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24,  
XP KINETIC ULTIMATE '27

ROOFS

WINDSHIELDS  
& REAR WINDOWS

DOORS

CAB COMFORT  
& CONVENIENCELIGHTING  
& WINCHES

PROTECTION

TECHNOLOGY  
& AUDIO

STORAGE

MISCELLANEOUS  
ACCESSORIESMAINTENANCE  
PARTS & FLUIDS

# STORAGE



## ★ TOP SELLER



### HEADACHE RACK

- Lightweight and heavy-duty rack protects the cab of your RANGER and lets you haul even more

» 2890233

XP 1000 '17-27, CREW XP 1000 '18-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



### 300 LB REAR CARGO BOX WINCH

- 300 LB pull force winch that mounts to rear headache rack
- Allows for easy loading of big game or other large and heavy items in the bed

» 2891736

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

REQUIRES LOCK & RIDE HEADACHE RACK (2890233), SOLD SEPARATELY



### FRONT HOOD STORAGE RACK

- Front curve helps keep cargo in place when traveling
- Provides additional protection
- Fully integrated pivots to gain under-hood access
- Requires Accessory Bumper Hardware (2207941), sold separately, when used with 7" Display powered by RIDE COMMAND

» 2890583

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

NOT COMPATIBLE WITH UPPER FRONT BUMPER (2890232)

REQUIRES ACCESSORY BUMPER HARDWARE (2207941), SOLD SEPARATELY, TO WORK WITH FRONT CAMERA



### CARGOMAX SYSTEM

- Comes standard with a support bar that ties the two sides together for a sturdy cargo hold
- Designed to attach to the Lock & Ride Tip-Down Headache Rack for additional support and three-sided containment
- Adjustable utility hooks provide more options for hanging tools, cords or gear

» 2882177

XP 1000 '17-27, CREW XP 1000 '18-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



### BED EXTENDER

- Extend or divide the cargo box
- Installs in any location in the box
- Multiple tie-down points available to secure cargo

» 2882752

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



### POLARIS RANGER FUEL TRANSPORT KIT WITH MOUNT

- Purpose-built design for off-road fuel transport and storage
- 2-gallon capacity fuel container
- Quick-mount design for mounting of container to vehicle and ease of use
- Includes pouring spout and spout storage bag
- Compatible only with Kolpin Reserv containers
- Container complies with applicable ASTM standards
- For use only on specified Polaris vehicles following installation instructions

» 2889681





XP 1000 '27, CREW XP 1000 '27, CREW 1000 '27, 1000 '27





Exclusive to Polaris, Lock & Ride accessories let you quickly change from one task to another with hundreds of options.

With the flip of a lever, Lock & Ride plungers use outward pressure to expand for secure fit.



### TRASH CAN HAULER

- Receiver mounted trash can hauler that allows slow speed towing of 2 trash cans
- Ideal for hauling cans down long driveways

» 2889876

600 '22-27, CREW 600 '22-27, XP KINETIC ULTIMATE '27



### STORAGE BOX

- Internal organizational dividers keep gear from rolling around
- Easily detaches from vehicle

» 2883279

XP 1000 '17-27, CREW XP 1000 '18-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



### SPARE TIRE CARRIER

- Includes one spare tire carrier
- Quick installation
- Tire carrier mounts to the rear cab to keep cargo bed free and easily accessible
- Maximum tire size supported is 30"

» 2889193

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

## STRAPS



### QUICKSTRAP

- The quickest and most secure way to mount Polaris accessories
- Sold as a pair

» 2882187

ALL COOLERS,  
RANGER CARGO BOXES



### D-RINGS

- The most versatile Lock & Ride accessory—add as many as you need to secure your cargo with bungee cords or straps

» 2881545

ALL RANGER CARGO BOXES



### 1.5" x 15' 5,500 LB RATCHET STRAP

- Heavy-duty webbing
- 5,500 LB maximum load / 1,833 LB working load
- 2 Pack

» 2884031



# MISCELLANEOUS ACCESSORIES



## SPRAYERS

45 or 60 gallon tank  
5" tank lid and tether  
4.5 GPM pump  
5' SAE 2 lead wire harness  
8' wire harness with battery clips  
Steel frame  
Lock & Ride MAX quick attachments  
Aluminum slides to secure frame in box  
Deluxe spray wand  
25 feet of 3/8" hose  
Hose wrap brackets  
3/4" clear opening tank drain and shutoff valve

## BOOM KITS

2" receiver hitch boom support  
Hitch clamp to tighten 2" support  
Adjustable height boom  
(7) 0.3" air induction extended range nozzles- blue  
1" steel tube folding boom  
5' of 3/8" hose with quick connect

## BROADCAST KITS

Over the tailgate boom support bracket  
Adjustable height boom  
3 nozzle broadcast spray nozzles  
5' of 1/2" hose with quick connect

## 45 GALLON UTILITY SPRAYER

» SPRAYER • 2891270  
» BOOM KIT • 2891272  
» BROADCAST KIT • 2891273  
ALL RANGER MODELS

## 65 GALLON UTILITY SPRAYER

» SPRAYER • 2891271  
» BOOM KIT • 2891272  
» BROADCAST KIT • 2891273  
ALL RANGER MODELS





### OFF-ROAD TOOL KIT BY CRUZTOOLS®

» 2890429

XP 1000 '17-27, CREW XP 1000 '18-27, CREW 1000 '20-27,  
1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27



### FIRE EXTINGUISHER HOLDER

- Only holds a 3.25" diameter extinguisher
- Quick release strap allows for easy use

» 2882158

XP 1000 '17-27, CREW XP 1000 '18-27, CREW 1000 '20-27,  
1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

### ★ TOP SELLER



### CARGO BED MAT

- Non-slip surface to better secure loads and keep cargo bed clean

» 2882751 ★

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27,  
XP KINETIC '23-24, XP KINETIC ULTIMATE '27

»  5/16" HD • 2830612

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27,  
XP KINETIC '23-24, XP KINETIC ULTIMATE '27

### ★ TOP SELLER



### ELECTRONIC CARGO BOX LIFT

» 2891649

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27,  
1000 '20-27, XP KINETIC '23-24, XP KINETIC ULTIMATE '27

# MAINTENANCE PARTS & FLUIDS



Polaris Engineered parts and oil have been validated and tested extensively, specifically for your vehicle. In order to maintain the peak performance of your Polaris vehicle only use official Polaris Engineered parts and oil.

## PRO SERIES

We're taking the passion of our riders, workers and outdoor enthusiasts to the next level with Pro Series Parts. These parts are engineered for riders who want greater durability and enhanced performance. Pro Series Parts are designed and tested to handle greater wear and tear under all weather conditions.



### A DRIVE BELT

- » 3211218 RANGER 1000
- » 3212327 XP KINETIC
- » 3211186
- » **PRO SERIES** • 3212358 RANGER XP 1000



### B BRAKE PADS

- » FRONT • 2209279
- » **PRO SERIES** • FRONT • 2208933
- » REAR • 2209280
- » **PRO SERIES** • REAR • 2208936



### C OIL FILTER

- » 2540086
- » **PRO SERIES** • 2522485 RANGER 1000, XP 1000



### OIL CHANGE KIT

- 2 OT Engine Oil, 1 Oil Filter, 1 Drain Plug Washer and Interval Decal
- » **PS-4** • 2879323
- » **PS-4 EXTREME** • 2890057 RANGER 1000, XP 1000



### D BATTERY

- » 4014132-P
- » **PRO SERIES** • 4081855 AGM BATTERY



### E AIR FILTER

- » 7082265
- » **PRO SERIES** • 7083113 RANGER 1000, XP 1000



### F SPARK PLUG

- » 3023571 RANGER 1000
- » 3022662 RANGER XP 1000



### MAINTENANCE KIT

- Includes Oil Change Kit contents + Driveline Fluids, Air Filter and Funnel
- » **PS-4** • 2892320
- » **PRO SERIES** + **PS-4 EXTREME** • 2892214 RANGER 1000, XP 1000

# MAINTENANCE SCHEDULE\*

## BREAK-IN MAINTENANCE

- FIRST 25 HRS | 500 MI / 800 KM
- ENGINE OIL & OIL FILTER CHANGE
- FRONT GEARCASE INSPECT FLUID
- BRAKE PADS INSPECT REPLACE AS NEEDED
- BRAKE FLUID INSPECT ADD FLUID AS NEEDED
- TRANSMISSION FLUID INSPECT ADD FLUID AS NEEDED

## 12 MONTHS

- 200 HRS | 2,000 MI / 3,200 KM
- ENGINE OIL & OIL FILTER CHANGE
- TRANSMISSION FLUID CHANGE FLUID
- FRONT GEARCASE CHANGE FLUID
- AIR FILTER REPLACE
- BRAKE PADS INSPECT REPLACE AS NEEDED

- DRIVE BELT INSPECT REPLACE AS NEEDED
- SPARK PLUGS INSPECT REPLACE AS NEEDED
- BATTERY TEST & CLEAN REPLACE AS NEEDED
- GENERAL LUBRICATION ALL FITTINGS, PIVOTS, CABLES, ETC.

## 24 MONTHS

- 400 HRS | 4,000 MI / 6,400 KM
- ENGINE OIL & OIL FILTER CHANGE
- TRANSMISSION FLUID CHANGE FLUID
- AIR FILTER REPLACE
- BRAKE FLUID CHANGE
- FRONT GEARCASE CHANGE FLUID
- BRAKE PADS INSPECT REPLACE AS NEEDED



## LOOKING FOR MORE SERVICE PARTS?

See P. 119 to learn how to find parts for your model.

RANGER 1000 / XP 1000



### G ENGINE OIL

- »PS-4 • 1QT • 2876244
- »PS-4 • 1GAL • 2876245
- »PS-4 EXTREME • 1QT • 2889395
- »PS-4 EXTREME • 1GAL • 2889396

RANGER 1000, XP 1000

### ANGLE DRIVE FLUID

- »1QT • 2889280

XP KINETIC  
FOR REAR GEARCASE

### H DEMAND DRIVE FLUID

- »1QT • 2877922
- »2.5 GAL • 2877923

FOR FRONT GEARCASE

### I AGL

- »1QT • 2878068
- »1GAL • 2878069
- »AGL EXTREME  
1QT • 2891028

FOR TRANSMISSION

### J DOT 4 BRAKE FLUID

- »12 OZ • 2872189

### K ANTI-FREEZE

- »1QT • 2880514
- »1GAL • 2880513

RANGER 1000, XP 1000

Claims made based off testing and performance of Pro Series Parts against standard OEM parts made by Polaris and competitor brands under normal use. For more information regarding Pro Series Parts including vehicle compatibility, installation and maintenance, please contact your authorized Polaris ORV dealer.

# 36 MONTHS

600 HRS | 6,000 MI / 9,700 KM

#### DRIVE BELT

INSPECT

REPLACE AS NEEDED

#### SPARK PLUGS

INSPECT

REPLACE AS NEEDED

#### BATTERY

TEST & CLEAN

REPLACE AS NEEDED

#### GENERAL LUBRICATION

ALL FITTINGS, PIVOTS,  
CABLES, ETC.

#### ENGINE OIL & OIL FILTER

CHANGE

#### TRANSMISSION FLUID

CHANGE FLUID

#### AIR FILTER

REPLACE

#### BRAKE PADS

INSPECT

REPLACE AS NEEDED

#### FRONT GEARCASE

CHANGE FLUID

#### DRIVE BELT

INSPECT

REPLACE AS NEEDED

#### SPARK PLUGS

INSPECT

REPLACE AS NEEDED

#### BATTERY

TEST & CLEAN

REPLACE AS NEEDED

#### GENERAL LUBRICATION

ALL FITTINGS, PIVOTS,  
CABLES, ETC.

FOR A COMPLETE  
MAINTENANCE  
SCHEDULE, CHECK  
YOUR OWNER'S  
MANUAL




\*This is a sample maintenance schedule. Please reference and use your owners manual for full maintenance and vehicle care.

# WINDSHIELD UPGRADE

FOR NORTHSTAR  
PREMIUM MODELS



REVOLUTIONARY  
INSTALLATION



AIRTIGHT  
GASKET SEAL



MULTI-FUNCTION  
FEATURES

**POLARIS  
ENGINEERED  
ADVANTAGES**

## TIP-OUT GLASS WINDSHIELD UPGRADE KIT

- Components needed to convert a fixed glass windshield into a tip-out windshield
- Includes center handle, base, gas struts and hardware
- Windshield not included

» 2889085

XD 1500 '24-27, CREW XD 1500 '24-27  
REQUIRES FIXED WINDSHIELD (2889086), SOLD SEPARATELY  
NOT COMPATIBLE WITH HARD COAT POLY WINDSHIELDS





# PROTECTION

## ★ TOP SELLER



### UPPER FRONT BUMPER

- 1.75" tube steel construction
- Protects the front of your ride, including your headlights
- Mounts by bolting onto the stock front bumper
- Does not impede the headlights or winch and plow attachments
- Scratch-resistant, black powder-coated finish
- Used as attachment structure for hood rack

»2884872

XD 1500 '24-'27, CREW XD 1500 '24-'27

## ★ TOP SELLER



### REAR BUMPER

- Built to take on the toughest terrain with dependable strength, safely protecting tailgate and taillights
- Mounted for rear clearance, your wheels can still move even when the cargo bed is tipped back fully
- Integrated mounting holes for easy installation
- Black powder-coated finish
- Compatible with tow hitches

»2884876

XD 1500 '24-'27, CREW XD 1500 '24-'27

## ★ TOP SELLER



### ROCK SLIDERS WITH STEP

- The sturdy, steel construction includes a black e-coat and a durable, black powder-coated finish
- Easily get into the vehicle and remove mud from footwear with an integrated boot scraper
- Easily installs with integrated mounting locations directly on the frame, instead of underneath, for maximum ground clearance

»2-SEAT (SHOWN) • 2884874

XD 1500 '24-'27

»CREW • 2884875

CREW XD 1500 '24-'27



### FRONT BUMPER BULL BAR

- Steel upper hoop that attaches to stock bumper and adds additional protection to front of vehicle

»2890855

XD 1500 '24-'27, CREW XD 1500 '24-'27



### BUMPER SHACKLES

- Bumper mounted tow hooks that can be used to secure vehicle to a trailer or used as an easy hook up point when towing an object

»2890854

XD 1500 '24-'27, CREW XD 1500 '24-'27



### FRONT RECEIVER HITCH

- 2" front receiver allows attachment of a trailer hitch for easily backing trailers into tight locations
- Bolts to vehicle frame

»2889657

XD 1500 '24-'27, CREW XD 1500 '24-'27

## ★ TOP SELLER



### FULL COVERAGE FENDER FLARES

- Provide additional coverage by helping keep mud and other debris from flying into the cab
- Installs with the stock fender flares and adds factory styling to your ride

»2891462

XD 1500 '24-'27

## CAB COMFORT & CONVENIENCE



### ★ TOP SELLER



#### SIDE VIEW MIRRORS

- Fully adjustable to accommodate riders of all sizes and can fold in to prevent being struck

##### » DOOR MOUNTED • 2889862

XD 1500 '24-27, CREW XD 1500 '24-27

REQUIRES FULL POWER DOORS OR GLASS/POLY WINDSHIELD, EACH SOLD SEPARATELY

##### » ROPS-MOUNTED (SHOWN) • 2889099

XD 1500 '24-27, CREW XD 1500 '24-27

NOT COMPATIBLE WITH FULL POWER DOORS OR WINDSHIELDS



#### CONVEX REAR VIEW MIRROR

- Get a panoramic view of the trail and any obstacles behind your ORV
- Durable cast aluminum construction so the mirror stays attached through your roughest off-road adventures

##### » 2889096

XD 1500 '24-27, CREW XD 1500 '24-27

### ★ TOP SELLER



#### SUN VISORS

- Injection molded visors that flip down to reduce sun glare in early morning or at dusk
- Can be mounted on passenger or drivers side

##### » 2890571

XD 1500 '24-27, CREW XD 1500 '24-27



#### OVERHEAD SWITCH PANEL KIT

- Add up to 4 additional electrical accessory switches conveniently overhead with this roof-mounted upper switch panel

##### » 2890422

XD 1500 '24-27, CREW XD 1500 '24-27



#### HORN KIT

- Powered by the vehicle's own electrical power
- Strong blast will safely alert those nearby
- Includes horn, mounting hardware and actuator

##### » 2889098

XD 1500 '24-27, CREW XD 1500 '24-27



#### PULSE KIT - ROOF MOUNTED

- Add additional electrical capacity to power all of your favorite Polaris accessories

##### » 3-SEAT • 2890262

XD 1500 '24-27

##### » CREW • 2890441

CREW XD 1500 '24-27

### ★ TOP SELLER



#### FLOOR MATS

- Protects floors from dirt and wear
- Textured, non-slip surface

##### » FRONT (SHOWN) • 2889094

XD 1500 '24-27, CREW XD 1500 '24-27

##### » REAR • 2889910

XD 1500 '24-27, CREW XD 1500 '24-27



#### REAR WORK LIGHT

- Mounts to the back of your cab to fully illuminate the cargo box and surrounding area
- Includes mounting hardware
- Integrated into roof for a clean look

##### » 2889771

XD 1500 '24-27, CREW XD 1500 '24-27

PREMIUM MODELS REQUIRE OVERHEAD SWITCH PANEL (2890422) AND REAR PULSE KIT (PART NUMBERS VARY), EACH SOLD SEPARATELY

### ★ TOP SELLER



#### AUXILIARY LIGHTS - FRONT BUMPER

- Bumper mounted accent lights provide additional front illumination
- Integrated into bumper pockets for a seamless fit
- Dash mounted switch

##### » 2889767

XD 1500 '24-27, CREW XD 1500 '24-27



#### DOME LIGHT KIT

- Easy install LED dome light provides optimal visibility inside your cab
- Connects to front PULSE bar location

##### » 2889097

XD 1500 '24-27, CREW XD 1500 '24-27



#### DOME LIGHT - STANDALONE

- Dome light allows for in cab visibility in low light
- Standalone kit does not include harness
- Plugs directly into vehicle roof harness

##### » 2890423

XD 1500 '24-27, CREW XD 1500 '24-27

#### CAST LIGHT BAR MOUNT

##### » 2889930

XD 1500 '24-27, CREW XD 1500 '24-27

#### LIGHT BAR MOUNT

- Optional cast mount for added style
- Compatible with all Pro Armor light bars

##### » 2890053

XD 1500 '24-27, CREW XD 1500 '24-27



# AUDIO & TECHNOLOGY



LEARN MORE & DOWNLOAD THE POLARIS APP AT  
[RIDECOMMAND.POLARIS.COM](http://RIDECOMMAND.POLARIS.COM)

## POLARIS RIDECOMMAND

### 7" DISPLAY POWERED BY RIDE COMMAND

- Integrated GPS navigation with offline maps, ride planning and group ride coordination
- Connected 7" touchscreen with Bluetooth®, messaging and customizable gauges

» 2890898

XD 1500 '24-27, CREW XD 1500 '24-27

SPEAKERS NOT INCLUDED, MUST CHOOSE AUDIO PACKAGE FOR AUDIO OUTPUT



### JBL® TRAIL PRO 2000 AUDIO KIT

- 25 Watt x 4 channel internal amplifier
- 4.3" color TFT screen
- Bluetooth® 4.2 and USB input
- AM/FM/WB tuner
- Two 50 Watt PEI tweeters
- Two 75 Watt 6.5" carbon fiber/polypropylene speakers

» 2889762

XD 1500 '24-27, CREW XD 1500 '24-27

### 7" DISPLAY MOUNT KIT

- Necessary mount for 7" Display Powered by RIDE COMMAND
- Seamless fit and finish
- Includes necessary wiring harness and reverse camera kits

» 2889766

XD 1500 '24-27, CREW XD 1500 '24-27

### CAMERA KITS

» FRONT • 2890856

XD 1500 '24-27, CREW XD 1500 '24-27

» REAR • 2890858

XD 1500 '24-27, CREW XD 1500 '24-27

### ★ TOP SELLER



### JBL® TRAIL PRO 4200 AUDIO UPGRADE KIT

- Two 40 Watt 4" aluminum speakers
- 45 Watt x 4 channel amplifier
- Two 8" subwoofers with 300 Watt amplifier

» 2889763

XD 1500 '24-27, CREW XD 1500 '24-27

REQUIRES JBL® TRAIL PRO 2000 AUDIO KIT (2889762) OR RIDE COMMAND, EACH SOLD SEPARATELY



# WINCHES



## PRO SERIES

### 6,000 LB WINCH KIT WITH SYNTHETIC ROPE

- Retrieve cable 5x as fast with Rapid Rope Recovery
- Auto Stop technology protects and extends the life of the winch by automatically stopping at the end of pull to prevent over-spooling
- Operate winch wirelessly within 50 FT of the vehicle
- Lightweight, extremely strong and flexible 50 FT rope

» 2891601

XD 1500 '24-27, CREW XD 1500 '24-27

STOCK ON MACHINE



### 4,500 LB WINCH KIT

- Integrated wiring, mount and preassembled
- Hook with strap
- Cut steel gears and sealed drivetrain with sealed permanent magnet motor

» 2891600

XD 1500 '24-27, CREW XD 1500 '24-27

### SEE ADDITIONAL WINCH INFORMATION

P. 94

## WINCH UPGRADES

### 4,500 LB WINCH AUTO STOP AND REMOTE

- This upgrade includes auto-stop functionality, ensuring precise control at the end of a pull or plow lift
- Installs seamlessly in place of the stock fairlead

» 2890991

XD 1500 '24-27, CREW XD 1500 '24-27

SYNTHETIC ROPE REQUIRED



### SNOW PLOW CONTROL HANDLE AND HARNESS

- Control your winch and plow hydraulics directly from the shift knob

» 2889769

XD 1500 '24-27, CREW XD 1500 '24-27



### SYNTHETIC WINCH ROPE

- Already configured with pre-woven loop to easily attach to the steel clevis sling hook
- 50 FT high strength synthetic rope

» 4,500 LB • 2879187

» 6,000 LB • 2879188

XD 1500 '24-27, CREW XD 1500 '24-27

## STORAGE

### ★ TOP SELLER



#### REAR HEADACHE RACK - WINCH READY

- Mounts to rear ROPS of vehicle
- Expanded metal screen allows rear visibility and protects rear window from damage
- Used to mount rear mounted winch

»2889666

XD 1500 '24-27, CREW XD 1500 '24-27



#### 1,000 LB REAR CARGO BOX WINCH

- 1,000 LB pull force winch that mounts to Rear Headache Rack (2889666), sold separately
- Allows for easy loading of big game or other large and heavy items in the bed

»2891602

XD 1500 '24-27, CREW XD 1500 '24-27

### ★ TOP SELLER



#### STORAGE BOX

- Attaches to bed rails with Lock & Ride MAX technology and can be positioned anywhere in the bed
- Large enough to hold helmets and other large items
- Dustproof and waterproof with 360° seals on all openings

»2889108

XD 1500 '24-27, CREW XD 1500 '24-27



#### BED EXTENDER

- Add 30% more cargo space with the rear gate lowered and the extender installed

»2889109

XD 1500 '24-27, CREW XD 1500 '24-27



#### FRONT HOOD STORAGE RACK

- Durable, steel-constructed rack with powder-coated finish mounts across the hood for additional UTV storage, up to 100 LB
- Helps protect your vehicle from brush and debris
- Easy installation with Lock & Ride technology
- Integrated side rails easily pivot to access the underhood

»2884878

XD 1500 '24-27, CREW XD 1500 '24-27

REQUIRES UPPER FRONT BUMPER (2884872), SOLD SEPARATELY



#### SPARE TIRE CARRIER

- Attaches to bed rails or cross bed rail
- Allows user to securely carry a spare tire up to 32" in diameter

»2889110

XD 1500 '24-27, CREW XD 1500 '24-27



#### CROSS BED RAIL

- Provides additional mounting options with Lock & Ride MAX accessories
- Can be used as a divider in the vehicle bed
- Quick, toolless install with Lock & Ride MAX slide locks

»2889800

XD 1500 '24-27, CREW XD 1500 '24-27



#### STRONGHOLD GUN MOUNTING BRACKET

- Allows user to attach any Kolpin Stronghold product

»2889931

XD 1500 '24-27, CREW XD 1500 '24-27



#### CHAINSAW MOUNT

- Attaches to bed rails or cross bed rail and allows user to securely carry a chainsaw

»2889105

XD 1500 '24-27, CREW XD 1500 '24-27





This vehicle features our next-generation Polaris Lock & Ride MAX technology – a completely new system of purpose-built accessories and attachments. It's easy to configure your vehicle to tackle any job with greater cargo capacity and convenience. Install and review these accessories – with no tools required – for optimized on-the-job efficiency.




### MODULAR CARGO SYSTEM (MCS)

- Overbed structure that bolts to Lock & Ride MAX rails and allows user to add the Tool Rack, Tool Extension and/or Rhino-Rack® Multi-Purpose Tool Holders to offer additional storage solutions

» 2889847

XD 1500 '24-27, CREW XD 1500 '24-27



### MCS WINCH BRACKET

- Accommodates rear winch clearance for use with Modular Cargo System (MCS)

» 2890893

XD 1500 '24-27, CREW XD 1500 '24-27



### MCS TOOL RACK

- Attaches to Modular Cargo System (MCS) with Lock & Ride MAX attachments, providing ability to carry long handled equipment like shovels and rakes

» 2889846

XD 1500 '24-27, CREW XD 1500 '24-27

REQUIRES MODULAR CARGO SYSTEM (MCS) (2889847) AND RAILS - MCS/HEADACHE RACK (2890444), EACH SOLD SEPARATELY



### RAILS - MCS/HEADACHE RACK

- Additional accessory rails that can be attached to either the Headache Rack or to the interior of the Modular Cargo System (MCS)

» 2890444

XD 1500 '24-27, CREW XD 1500 '24-27

REQUIRES MODULAR CARGO SYSTEM (MCS) (2889847) OR REAR HEADACHE RACK - WINCH READY (2889666), EACH SOLD SEPARATELY



### MCS TOOL RACK EXTENSIONS

- Attaches to Modular Cargo System (MCS) and allows user to carry hoses and other items

» 2889911

XD 1500 '24-27, CREW XD 1500 '24-27

REQUIRES MODULAR CARGO SYSTEM (MCS) (2889847) AND RAILS - MCS/HEADACHE RACK (2890444), EACH SOLD SEPARATELY



### POLARIS RANGER XD 1500 FUEL TRANSPORT KIT WITH MOUNT

- Purpose-built design for off-road fuel transport and storage
- 2-gallon capacity fuel container
- Quick-mount design for mounting of container to vehicle and ease of use
- Includes pouring spout and spout storage bag
- Compatible only with Kolpin Reserv containers
- Container complies with applicable ASTM standards
- For use only on specified Polaris vehicles following installation instructions

» 2889772

XP 1000 '26-27, CREW XP 1000 '26-27, CREW 1000 '26-27, 1000 '26-27




### 12V CARGO BOX POWER PORT

- Power your tools or accessories to get the job done
- Dash mounted switch allows you to turn a sprayer or spreader on or off from the cab

» 2890857

XD 1500 '24-27, CREW XD 1500 '24-27



### CARGO BED MAT

- Thick 0.2" molded poly mat looks good, protects the box, reduces unwanted drivetrain noise and keeps cargo more secure with a non-slip design

» 2889106

XD 1500 '24-27, CREW XD 1500 '24-27



### REAR HYDRAULIC BED LIFT

- Electric hydraulic bed lift allows for easy dumping of the bed, even when at full capacity
- Dash switch controlled

» 2889768

XD 1500 '24-27, CREW XD 1500 '24-27



# STORAGE

## BRING IT ALL. BRING IT ON\*.

From opposite sides of the globe, some of the most capable machines in the off-road world meet a trusted outdoor adventure brand to deliver industry-exclusive, purpose-built roof racks, bed racks and attachments that help RANGER riders get the job done.



\*Always read and follow the owner's manual and on-vehicle labels for prohibited items.

### PICK YOUR RACK



#### ROOF RACKS

- Sleek, durable backbone and innovative attachment system provides secure attachment to your vehicle

» **3-SEAT • 2889236**

XD 1500 '24-27

» **CREW (SHOWN) • 2889237**

CREW XD 1500 '24-27



#### REAR BED RACK

- Ultimate modular load carrying solution
- Strong, lightweight aluminum construction tested in the harshest conditions
- Outfit with a wide variety of Rhino-Rack® accessories to customize your set up
- Mounts to the bed of your vehicle
- Weight capacity on bed - 150 LB

» **2889860**

XD 1500 '24-27, CREW XD 1500 '24-27

REQUIRES RHINO-RACK® REAR BED RACK MOUNT (2889844), SOLD SEPARATELY

NOT COMPATIBLE WITH MODULAR CARGO SYSTEM (MCS) (2889847)

### PICK YOUR MOUNT



#### REAR BED RACK MOUNT

» **2889844**

XD 1500 '24-27, CREW XD 1500 '24-27



#### ROOF RACK MOUNT

» **3-SEAT • 2889103**

XD 1500 '24-27, CREW XD 1500 '24-27

» **CREW • 2889104**

XD 1500 '24-27, CREW XD 1500 '24-27



## ACCESSORIZE IT

**SPARE TIRE HOLDER**

- Transport a spare tire outside the vehicle
- Easily mounts to the Rhino-Rack® Rear Bed Rack (2889590), sold separately

»2889529

XD 1500 '24-27, CREW XD 1500 '24-27

**FISHING ROD HOLDER**

- Convenient, locking carrier can transport five fishing rods safely and securely on a roof rack
- Doubles as a ski/snowboard carrier

»2889729

XD 1500 '24-27, CREW XD 1500 '24-27

**J-STYLE KAYAK HOLDER**

- Transport a kayak or canoe on the roof of your vehicle

»2889883

XD 1500 '24-27, CREW XD 1500 '24-27

REQUIRES ACCESSORY BARS (2889884), SOLD SEPARATELY

**HIGH-LIFTING JACK MOUNT**

- Simple, quick install with durable brackets
- Rugged, non-corrosive powder-coated steel stands up to the harshest conditions

»2889533

XD 1500 '24-27, CREW XD 1500 '24-27

**MULTI-PURPOSE TOOL HOLDER**

- Carry and protect tools, paddles and more
- Ratchet-locking mechanism for quick release and rubber inserts that secure gear into place
- Includes new Zwifloc® attachment technology

»2891317

XD 1500 '24-27, CREW XD 1500 '24-27

**ACCESSORY BARS**

- Offers horizontal fitment to allow other accessories to be attached to the Rhino-Rack® platforms

»2889884

XD 1500 '24-27, CREW XD 1500 '24-27

**36" HIGH-LIFTING JACK**

- Assists with trailside repairs or to gain leverage for getting your vehicle unstuck
- Lightweight at under 30 LB
- Stores easily with a Rhino-Rack® High-Lifting Jack Mount (2889533), sold separately

»2889508

XD 1500 '24-27, CREW XD 1500 '24-27

**CARGO CORNER BRACKETS**

- Mount a toolbox to the platform and save space inside the vehicle (straps not included)
- A unique, anti-rotation nut offers maximum security

»2889531

XD 1500 '24-27, CREW XD 1500 '24-27

**GUN MOUNTING BRACKET**

- Mount Kolpin Stronghold Gun Boots to Rhino-Rack® systems when paired with Auto-Latch Mount (2889931), sold separately

»2889327

XD 1500 '24-27, CREW XD 1500 '24-27

[See P. 92 for more hunt information](#)**EYELET TIE-DOWNS**

- Attach in multiple locations on the platform for additional tie-down points
- Anti-corrosive, galvanized steel for heavy duty strength
- Includes one set with hardware (straps not included)

»2891204

XD 1500 '24-27, CREW XD 1500 '24-27

**200 L LUGGAGE BAG**

- Carry bulky, lightweight gear in this tear- and weather-resistant canvas bag

»2889881

XD 1500 '24-27, CREW XD 1500 '24-27

**FLAG BRACKET**

- Securely mount flags to Rhino-Rack® platform
- Adjustable bracket with 180° folding design
- Includes installation hardware

»2891228

XD 1500 '24-27, CREW XD 1500 '24-27

**LIGHT BAR MOUNT**

»2891354

XD 1500 '24-27,  
CREW XD 1500 '24-27**CUBE LIGHT MOUNT**

»2891355

XD 1500 '24-27,  
CREW XD 1500 '24-27

# MAINTENANCE PARTS & FLUIDS



Polaris Engineered parts and oil have been validated and tested extensively, specifically for your vehicle. In order to maintain the peak performance of your Polaris vehicle only use official Polaris Engineered parts and oil.

## PRO SERIES

We're taking the passion of our riders, workers and outdoor enthusiasts to the next level with Pro Series Parts. These parts are engineered for riders who want greater durability and enhanced performance. Pro Series Parts are designed and tested to handle greater wear and tear under all weather conditions.



### A BRAKE PADS

» FRONT • 2209570  
» REAR • 2211902



### B OIL FILTER

» 2521728



### C BATTERY

» 4014132-P  
» **PRO SERIES** • 4081855  
AGM BATTERY



### D AIR FILTER

» 7082115



### E SPARK PLUG

» 3023983



### OIL CHANGE KIT

2 QT Engine Oil, 1 Oil Filter, 1 Drain Plug Washer and Interval Decal  
» **PS-4** • 2890882  
» **PS-4 EXTREME** • 2890883

# MAINTENANCE SCHEDULE\*

## 12 MONTHS

200 HRS | 2,000 MI / 3,200 KM

**ENGINE OIL & OIL FILTER**  
CHANGE

**AIR FILTER**  
REPLACE

**BRAKE PADS**  
INSPECT  
REPLACE AS NEEDED

**SPARK PLUGS**  
INSPECT  
REPLACE AS NEEDED

**BATTERY**  
TEST & CLEAN  
REPLACE AS NEEDED

**FRONT & REAR GEARCASE**  
CHANGE FLUID

**GENERAL LUBRICATION**  
ALL FITTINGS, PIVOTS,  
CABLES, ETC.

## 24 MONTHS

400 HRS | 4,000 MI / 6,400 KM

**ENGINE OIL & OIL FILTER**  
CHANGE

**FRONT & REAR GEARCASE**  
CHANGE FLUID

**BRAKE FLUID**  
CHANGE

**ALTERNATOR BELT**  
REPLACE

**AIR FILTER**  
INSPECT  
REPLACE AS NEEDED

**BRAKE PADS**  
INSPECT  
REPLACE AS NEEDED

**SPARK PLUGS**  
INSPECT  
REPLACE AS NEEDED

**BATTERY**  
TEST & CLEAN  
REPLACE AS NEEDED

**GENERAL LUBRICATION**  
ALL FITTINGS, PIVOTS,  
CABLES, ETC.



## LOOKING FOR MORE SERVICE PARTS?

See P. 119 to learn how to find parts for your model.



### F ENGINE OIL

- »PS-4 • 1QT • 2876244
- »PS-4 • 1GAL • 2876245
- »PS-4 EXTREME • 1QT • 2889395
- »PS-4 EXTREME • 1GAL • 2889396



### G ANGLE DRIVE FLUID

- »1QT • 2889280
- RANGER ANGLE DRIVE GEARCASE SYSTEMS FOR REAR GEARCASE



### H DEMAND DRIVE FLUID

- »1QT • 2877922
- »2.5 GAL • 2877923
- FOR FRONT GEARCASE



### I DOT 4 BRAKE FLUID

- »12 OZ • 2872189



### J STEELDRIVE TRANSMISSION FLUID

- »1QT • 2891094



### K ANTI-FREEZE

- »1QT • 2880514
- »1GAL • 2880513

Claims made based off testing and performance of Pro Series Parts against standard OEM parts made by Polaris and competitor brands under normal use. For more information regarding Pro Series Parts including vehicle compatibility, installation and maintenance, please contact your authorized Polaris ORV dealer.

# 36 MONTHS

600 HRS | 6,000 MI / 9,700 KM

**ENGINE OIL & OIL FILTER**  
CHANGE

**TRANSMISSION FLUID**  
CHANGE

**FRONT & REAR GEARCASE**  
CHANGE FLUID

**AIR FILTER**  
INSPECT  
REPLACE AS NEEDED

**BRAKE PADS**  
INSPECT  
REPLACE AS NEEDED

**SPARK PLUGS**  
INSPECT  
REPLACE AS NEEDED

**BATTERY**  
TEST & CLEAN  
REPLACE AS NEEDED

**GENERAL LUBRICATION**  
ALL FITTINGS, PIVOTS,  
CABLES, ETC.

**FOR A COMPLETE  
MAINTENANCE  
SCHEDULE, CHECK  
YOUR OWNER'S  
MANUAL**



\*This is a sample maintenance schedule and is not intended for use in your specific vehicle. Please reference and use your owners manual for proper maintenance and vehicle care.

# RANGER 150 EFI



## YOUTH CRAWLER TIRE

- Premium durability to ride longer
- Increased ground clearance and performance

» 22" x 8" R12 • 5416945  
 » 22" x 10" R12 • 5416944  
 150 EFI '18-27



## YOUTH BUCKLE WHEEL

» FRONT • 12" x 7" • 1524114  
 » REAR • 12" x 8" • 1524115  
 150 EFI '18-27



## PRO ARMOR WHEEL & TIRE KIT: YOUTH CRAWLER & BUCKLE

» 2885154  
 150 EFI '18-27



## FULL WINDSHIELD - POLY

- .25" clear poly carbonate
- Mounts with Lock & Ride

» 2889854  
 150 EFI '18-27



## HALF WINDSHIELD - POLY

- 13" tall to provide protection and allow airflow
- .25" clear poly carbonate
- Mounts with Lock & Ride

» 2889855  
 150 EFI '18-27



## REAR WINDOW - POLY

- .25" clear poly carbonate
- Mounts with Lock & Ride

» 2889856  
 150 EFI '18-27



## FRONT & REAR BUMPER SET

- Durable, e-coated steel construction
- Front and Rear Bumper included

» 2883287  
 150 EFI '18-27



## SPORT ROOF - POLY

- Stay protected from rain, snow and sun
- Easily installs

» 2883289  
 150 EFI '18-27



# MAINTENANCE PARTS & FLUIDS



Polaris Engineered parts and oil have been validated and tested extensively, specifically for your vehicle. In order to maintain the peak performance of your Polaris vehicle only use official Polaris Engineered parts and oil.



**DRIVE BELT**

» 3050270



**BRAKE PADS**

» FRONT • 1912970  
» REAR • 1912971



**OIL FILTER**

» 3023344



**BATTERY**

» 4010678



**AIR FILTER**

» 7082249



**SPARK PLUG**

» 3050051



**ENGINE OIL**

» **PS-4**  
1 QT • 2876244  
» **PS-4 EXTREME**  
1 QT • 2889395



**AGL**

» 1 QT • 2878068  
» 1 GAL • 2878069  
» **AGL EXTREME**  
1 QT • 2891028  
FOR TRANSMISSION



**DOT 4  
BRAKE FLUID**

» 12 OZ • 2872189



**ALL-SEASON  
GREASE TUBE**

» 3 OZ • 2871322  
» 14 OZ • 2871423

## MAINTENANCE SCHEDULE\*

| BREAK-IN<br>MAINTENANCE                   | 6<br>MONTHS                                                  | 12<br>MONTHS                                 | 18<br>MONTHS                                 | 24<br>MONTHS                                 |
|-------------------------------------------|--------------------------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|
| FIRST 5 HRS   50 MI / 80 KM               | 25 HRS   500 MI / 800 KM                                     | 50 HRS   1000 MI / 1600 KM                   | 75 HRS   1,500 MI / 2,500 KM                 | 100 HRS   2,000 MI / 3,200 KM                |
| ENGINE OIL & OIL FILTER<br>CHANGE         | ENGINE OIL & OIL FILTER<br>CHANGE                            | ENGINE OIL & OIL FILTER<br>CHANGE            | ENGINE OIL & OIL FILTER<br>CHANGE            | ENGINE OIL & OIL FILTER<br>CHANGE            |
| DRIVE CHAIN<br>ADJUST & LUBRICATE         | BATTERY<br>TEST & CLEAN<br>REPLACE AS NEEDED                 | BATTERY<br>TEST & CLEAN<br>REPLACE AS NEEDED | BATTERY<br>TEST & CLEAN<br>REPLACE AS NEEDED | TRANSMISSION<br>CHANGE FLUID                 |
| BRAKE PAD<br>INSPECT<br>REPLACE AS NEEDED | GENERAL LUBRICATION<br>ALL FITTINGS, PIVOTS,<br>CABLES, ETC. |                                              |                                              | DRIVE BELT<br>INSPECT<br>REPLACE AS NEEDED   |
|                                           |                                                              |                                              |                                              | SPARK PLUG<br>INSPECT<br>REPLACE AS NEEDED   |
|                                           |                                                              |                                              |                                              | BATTERY<br>TEST & CLEAN<br>REPLACE AS NEEDED |

\*This is a sample maintenance schedule. Please reference and use your owners manual for full maintenance and vehicle care.

FOR A COMPLETE  
MAINTENANCE  
SCHEDULE, CHECK  
YOUR OWNER'S MANUAL



## HUNT

# KOLPIN<sup>®</sup>

## OUTDOORS



## KOLPIN STRONGHOLD SYSTEM

Polaris is proud to partner with Kolpin Outdoors, an industry leader in off-road accessories and the premier name in gun boots and mounts. If you need to secure a firearm while riding, simply attach the auto-latch mount and choose your Gun Boot.

## STEP 1 CHOOSE YOUR MOUNT



### KOLPIN STRONGHOLD AUTO-LATCH DOUBLE BOOT MOUNT

- Precision angle adjustable for a custom fit
- Provides a quick and secure attachment point

» DOUBLE BOOT MOUNT • 2883970

» SINGLE BOOT MOUNT • 2884106



### RHINO-RACK<sup>®</sup> - GUN BOOT MOUNT

- Mount Kolpin Stronghold Gun Boots to Rhino-Rack<sup>®</sup> systems when paired with Auto-Latch Mount (2884106), sold separately

» 2889327

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, XD 1500 '24-27, CREW XD 1500 '24-27

SEE P. 72 & 86 FOR MORE RHINO-RACK<sup>®</sup> PRODUCTS

## STEP 2 CHOOSE YOUR BOOTS



### KOLPIN STRONGHOLD GUN BOOT XL

- Lockable and TSA approved
- Includes padded, zippered internal protective liner
- 52" L x 3 3/4" W x 10 1/2" H

» 2882036

REQUIRES AUTO-LATCH MOUNT 2883970 OR 2884106 TO MOUNT TO VEHICLE

## KOLPIN RHINO GRIPS

Ideal for carrying rifles, shotguns, bows and crossbows.



### LR LR MAX RHINO GRIP PRO

» 2884107

» REPLACEMENT RUBBER STRAPS (2) • 2884109

ALL RANGER MODELS (EXCEPT 150 EFI)



### LR LR MAX RATCHETING RHINO GRIP

» 2881575

ALL RANGER MODELS (EXCEPT 150 EFI)




### LR LR MAX RHINO GRIP XLR

» 2889165

» REPLACEMENT RUBBER STRAPS (2) • 2889204

ALL RANGER MODELS (EXCEPT 150 EFI)



### LR LR MAX RHINO GRIP XLR - DOUBLES

» 2889166

» REPLACEMENT RUBBER STRAPS (2) • 2889204

ALL RANGER MODELS (EXCEPT 150 EFI)

## LR GUN RACK 6

- Adjustable to store guns at an angle or vertical
- Holds six rifles or shotguns securely with soft rubber v-grips
- Rack can be adjusted into three positions based on firearm height

» 2882159

XP 1000 '17-27, CREW XP 1000 '18-27, CREW 1000 '20-27, 1000 '20-27, XD 1500 '24-27, CREW XD 1500 '24-27

## IN-CAB GUN MOUNT

- Mounts securely to the floor and adjusts up to 45° forward
- Robust, molded gun butt holder at base
- Quick-release barrel strap and easily removable
- Accommodates scope-equipped rifles

» 2883263

XP 1000 '18-27, CREW XP 1000 '19-27, CREW 1000 '20-27, 1000 '20-27, NORTHSTAR EDITION REQUIRES 2208023 HWD KIT TO INSTALL ON THE 2019 AND NEWER MODELS

## POLARIS PURSUIT CAMO SxS FIELD COVER

- Full-coverage camo print cover hides your side by side while in the field
- Lightweight material protects your RANGER from inclement weather

» 2882160

XP 1000 '18-27, EV '15-21, 570 '11-27, SP 570 '22-26, 600 '27, 500 '17-22, 1000 '20-27, XD 1500 '24-27



# PRODUCTS FROM OUR PARTNER

## PRO ARMOR



### RANGER CREW XD 1500 SIDE VIEW MIRROR

- Wide-angle mirror design improves visibility
- Folding mirror functionality
- Fully adjustable viewing angles
- Heavy-duty off-road construction
- Low-vibration stability
- Scratch-resistant mirror surface
- Ideal for adventure & utility use

» **P2425M484**

XD 1500 '24-27, CREW XD 1500 '24-27




### RANGER CREW XD 1500 OVERBED STORAGE RACK

- Elevated gear mounting
- Secure tools, containers and equipment above the bed floor
- Built for real work and real adventure
- Engineered for strength and versatility
- Modular expansion ready

» **P2425Q544MB**

XD 1500 '24-27, CREW XD 1500 '24-27



### RANGER CREW XD 1500 FRONT AND REAR FLOOR EVA KIT

- Precision-cut floor protection kit
- Premium EVA foam material
- Non-slip traction surface
- Protects factory floors
- Closed-cell water-resistant foam
- UV-stable surface
- Mold and mildew resistant
- Easy-to-clean finish
- Low-profile integrated appearance
- Ideal for adventure and utility applications

» **P2425U307**

XD 1500 '24-27, CREW XD 1500 '24-27



FRONT

REAR

### RANGER CREW XD 1500 FRONT AND REAR DOOR EVA KIT

- Precision-cut door panel kit
- Premium EVA foam construction is a durable, lightweight and comfortable surface material
- Enhanced interior styling
- Non-slip textured surface
- Protective door coverage
- Cushioned contact surface
- Water-resistant closed cell foam
- UV-stable material resist sun damage
- Mildew and mold resistant
- Easy-to-clean surface
- Ideal for recreation and utility use

» **P2425U311**

XD 1500 '24-27, CREW XD 1500 '24-27

# WINCHES

DEPENDABLE. TOUGH.  
BUILT FOR OFF ROAD.

TESTED **1,200+**  
PULLS AT MAX LOAD

OPERATES  
**FULLY SUBMERGED**

BUILT TO WITHSTAND  
**-20° F** TEMPERATURES

**MILITARY**  
TESTED & APPROVED



## PRO SERIES

### TOP-OF-THE-LINE FEATURES

BEST FOR PLOWING, HEAVY-DUTY OUTDOOR CHORES & TRAIL RIDING

#### STANDARD FEATURES

- Integrated wiring and mount, preassembled
- Hook with strap
- Cut steel gears and sealed drivetrain
- Sealed permanent magnet motor

#### PRO SERIES ADDITIONAL FEATURES

##### RAPID ROPE RECOVERY

Retrieve cable **5x faster** than standard mode on other Polaris winches. Complete the job and resume riding faster.

##### AUTO STOP TECHNOLOGY

Auto Stop technology **protects and extends** the life of your winch. It automatically stops the winch at the end of pull to prevent over-spooling. When plowing, it prevents plow frame bending by stopping the winch once the plow has been lifted.

##### PREMIUM SYNTHETIC ROPE

With its lightweight, yet **extremely strong** design and **superior flexibility**, this 50' long synthetic rope is easy to handle and can withstand any tough job.

##### WIRELESS REMOTE

The convenient remote lets you operate your Polaris winch **wirelessly** and safely from outside your vehicle up to 50 FT from the vehicle.

## BUILT FOR THE OFF ROAD

BEST FOR THE CASUAL OFF-ROAD RIDER

#### STANDARD FEATURES

- Integrated wiring and mount, preassembled
- Hook with strap
- Cut steel gears and sealed drivetrain
- Sealed permanent magnet motor

#### COMPATIBLE UPGRADES

- Auto Stop Technology
- Premium Synthetic Rope
- Wireless Remote

#### 6,000 LB

» 2891601

XD 1500 '24-'27  
CREW XD 1500 '24-'27

» 2891568

XP 1000/CREW XP 1000 '18-'27  
1000/CREW 1000 '20-'27  
XP KINETIC '23-'24  
NON EPS RANGER 1000  
REQUIRES FRONT BUMPER

#### 4,500 LB

» 2889694

XP 1000/CREW XP 1000 '18-'27  
1000/CREW 1000 '20-'27  
XP KINETIC '23-'24

NON EPS RANGER 1000 REQUIRES FRONT BUMPER

» 2891704

SP 570 '22-'27, CREW SP 570 '22-'27, 600 '27, CREW 600 '27  
2-SEAT AND CREW MODELS REQUIRE CABLES: 2889185

#### 4,500 LB

» 2891600

XD 1500 '24-'27  
CREW XD 1500 '24-'27

» 2889695

XP 1000/CREW XP 1000 '18-'27  
1000/CREW 1000 '20-'27  
XP KINETIC '23-'24

NON EPS RANGER 1000 REQUIRES FRONT BUMPER

» 2889272 • HIGH-MOUNTED

XP 1000/CREW XP 1000 '18-'27  
1000/CREW 1000 '20-'27  
XP KINETIC '23-'24  
REQUIRES HIGH-MOUNTED FRONT BUMPER (2889271), SOLD SEPARATELY

#### 3,500 LB

» 2885095

SP 570 '22-'27, CREW SP 570 '22-'27,  
600 '27, CREW 600 '27

2-SEAT AND CREW MODELS  
REQUIRE CABLES: 2889185





## UPGRADES &amp; REPLACEMENT PARTS

**WIRELESS WINCH  
REMOTE CONTROL KIT**

- Allows remote operation of Pro Series Winches up to 50 FT
- Plugs directly into Pro Series Winch wiring harness
- Includes holster with belt clip

» 2883455

ONLY WORKS WITH 2889695 AND 2891570

» 2879316

WORKS WITH 2891705

**WIRELESS WINCH REMOTE**

- Add convenience and safety to your integrated winch system
- Capable of operating the winch from up to 50 FT away
- Avoid tangled cables and eliminate the risk of damaged control cables

» 2890991

WORKS WITH 2891600

» 2889840

SP 570 '22-27, 600 '27  
SYNTHETIC ROPE REQUIRED

2881693



2889690

**AUTO STOP UPGRADE**

- Works with auto-stop technology at end of pull or plow lift
- Machined from billet aluminum and weighs less than common steel fairleads
- Installs easily in place of stock fairlead

» 2889690

WORKS WITH KITS 2889695  
SYNTHETIC ROPE REQUIRED

» 2881693

WORKS WITH 2885095 AND 2881669  
SYNTHETIC ROPE REQUIRED**DASH WINCH SWITCH KIT**

- Allows user to add a dash switch as an additional means to control winch
- Compatible with all winches and other control methods (wireless/wired)

» 2889050

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24**WIRED REMOTE CONTROL**

- Handle and socket both required
- » REMOTE HANDLE • 4013466 (SHOWN)
- » SOCKET • 4017102
- WORKS WITH 2889695
- » SOCKET • 4014228
- WORKS WITH 2885095 AND 2881669

**SYNTHETIC WINCH ROPE**

- Already configured with pre-woven loop to easily attach to the steel clevis sling hook
  - 50 FT high strength synthetic rope
- » 4,500 LB • 2879187
- » 6,000 LB • 2879188
- XD 1500 '24-27, CREW XD 1500 '24-27

**STEEL CABLE**

- 50 FT Steel Cable
- » 3,500 LB • 2878890

LEARN MORE ABOUT WINCHES AT  
[WINCHES.POLARIS.COM](http://WINCHES.POLARIS.COM)

# PLOWS

1000 / XP 1000 / XP KINETIC

## PRO SERIES

### PRO SERIES PLOW SYSTEM WITH HYDRAULICS & ACCESSORIES

System includes:

- Frame (2889308)
- 72" Poly Blade (2879317)
- Hydraulic Angle (2889029)
- Hydraulic Controller (2883247)
- Plow Markers (2872726)
- Back Drag Bar (2889329)
- Plow Extensions (2889328)

» 3880002

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27,  
1000 '20-27, XP KINETIC '23-24

REQUIRES LIFT METHOD: SEE WINCHES

### PRO SERIES PLOW SYSTEM WITH HYDRAULICS

System includes:

- Frame (2889308)
- 72" Poly Blade (2879317)
- Hydraulic Angle (2889029)
- Hydraulic Controller (2883247)
- Plow Markers (2872726)

» 3880003

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24

REQUIRES LIFT METHOD: SEE WINCHES

### PRO SERIES PLOW SYSTEM

System includes:


- Frame (2889308)
- 72" Steel Blade (2890334)

» 3880004

XP 1000 '18-27, CREW XP 1000 '19-27,  
CREW 1000 '20-27, 1000 '20-27, XP KINETIC '23-24

REQUIRES LIFT METHOD: SEE WINCHES

1000 / XP 1000 / XP KINETIC / XD 1500

72" or  
84" blades\*Choice of poly  
or steel\*Hydraulic lift &  
angle system option

| BUILD YOUR PLOW SYSTEM                                                                                                        | STEP 1<br>SELECT A MOUNT                                                                                        | STEP 2<br>SELECT A FRAME                                                                                                  | STEP 3<br>SELECT PLOW CONTROL                                                                                                                                                                                                                                                                                                     |                                                                                                                                                            | STEP 4<br>SELECT A BLADE                                      |
|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| MODELS                                                                                                                        | MOUNT                                                                                                           | FRAME                                                                                                                     | HYDRAULICS                                                                                                                                                                                                                                                                                                                        | WINCHES                                                                                                                                                    | BLADES                                                        |
| <b>XP 1000</b> '18-27<br><b>CREW XP 1000</b> '19-27<br><b>1000</b> '20-27<br><b>CREW 1000</b> '20-27<br><b>XP KINETIC</b> '27 | <b>Not Required</b><br>INTEGRATED INTO<br>FACTORY BUMPER<br><br>NON EPS RANGER<br>1000 REQUIRES<br>FRONT BUMPER | <b>Pro Series Plow Frame</b><br>2891551<br><b>Track Extension</b><br>2879871<br><b>Replacement T Shear Pin</b><br>2204829 | <b>Pro Series Hydraulic Lift System</b><br>2889058<br><b>Pro Series Plow Hydraulic Angle System</b><br>2889029<br><b>Snow Plow Controller</b><br>2883247<br>REQUIRED FOR HYDRAULIC COMPONENTS<br><br><b>Kinetic Plow Controller</b><br>2891804 | <b>Pro Series 6,000 LB Winch</b><br>2891568<br><br><b>Pro Series 4,500 LB Winch</b><br>2891569<br><br><b>Snow Plow Controller Winch Adapter</b><br>2884159 | <b>72" Poly</b><br>2879317<br><br><b>72" Steel</b><br>2890334 |
| <b>XD 1500</b> '24-27<br><b>CREW XD 1500</b> '24-27                                                                           | <b>Not Required</b><br>INTEGRATED INTO<br>FACTORY BUMPER                                                        | <b>Pro Series Plow Frame</b><br>2891553                                                                                   | <b>Hydraulic Plow Lift Kit</b><br>2890303<br><b>Hydraulic Plow Angle Kit</b><br>2890304                                                                                                                                                                                                                                           | <b>Pro Series 6,000 LB Winch</b><br>2891601<br><b>Snow Plow Control Handle and Harness</b><br>2889769                                                      | <b>84" Steel</b><br>2889111                                   |

\* 84" Blade only available in steel. Fits XD 1500 and Crew XD 1500 models only.

## PLOW ACCESSORIES

### PLOW BLADE SNOW DEFLECTOR

- » 66" • 2879866
- » 60" • 2871808

### HEAVY-DUTY SNOW PLOW DEFLECTOR

- » 72" • 2884160
- » 84" • 2889749

XD 1500 '24-27,  
CREW XD 1500 '24-27  
REQUIRES 84" STEEL BLADE  
(2889111), SOLD SEPARATELY

### QUICK RELEASE SKID SHOES

- Helps prevent blade wear
  - Hardened steel for industrial strength
- » 2205223

### COIL SPRING SPACER

- Keep the front end of the vehicle up and improve ride quality when using a plow on strut or A-Arm vehicles
- » 2872655

### PRO SERIES 6" PLOW EXTENSIONS

- 6" steel plow extensions that attach to the side of 66" and 72" Pro Series plows
- » 2889328

### 84" UPPER PLOW EXTENSION

- Adds additional height to blade to push more snow
- » 2889748  
XD 1500 '24-27,  
CREW XD 1500 '24-27  
REQUIRES 84" STEEL BLADE  
(2889111), SOLD SEPARATELY

### INTAKE PRE-FILTER KIT - SNOW

- Pre-filter kit for trouble-free use in snowy conditions
- » 2890251  
XD 1500 '24-27,  
CREW XD 1500 '24-27



## CHOOSE A PLOW SYSTEM

## BUILD A PLOW SYSTEM

600

PRO SERIES PLOW SYSTEM  
WITH HYDRAULICS

System includes:

- Quick Release Hook (2891552)
- Frame (2891656)
- 72" Steel Blade (2890335)
- Hydraulic Angle (2889032)
- Hydraulic Controller (2889162)
- Plow Markers (2872726)

» 3880006

SP 570 '22-27, CREW SP 570 '22-27, 600 '27, CREW 600 '27

REQUIRES LIFT METHOD: SEE WINCHES

PRO SERIES PLOW SYSTEM  
(NON BASE MODELS)

System includes:

- Quick Release Hook (2891552)
- Frame (2891656)
- 66" Poly Blade (2880269)

» 3880007

SP 570 '22-27, CREW SP 570 '22-27, 600 '27, CREW 600 '27

REQUIRES LIFT METHOD:  
SEE WINCHES AND HYDRAULIC LIFT OPTIONPRO SERIES PLOW SYSTEM  
(BASE MODELS ONLY)

System includes:

- Mount (2891657)
- Quick Release Hook (2891552)
- Frame (2891656)
- 66" Poly Blade (2880269)

» 3880008

SP 570 '22-27, CREW SP 570 '22-27, 600 '27, CREW 600 '27

REQUIRES LIFT METHOD:  
SEE WINCHES AND HYDRAULIC LIFT OPTION

600 / SP 570 / 570 / 500 / 570 FULL-SIZE

72" or  
66" bladesChoice of  
poly or steelHydraulic angle  
system option

| BUILD YOUR PLOW SYSTEM                                                                                                                                                             | STEP 1<br>SELECT A MOUNT                                                       | STEP 2<br>SELECT A FRAME                                                                                                | STEP 3<br>SELECT PLOW CONTROL                                                                                                                                                                 |                                             | STEP 4<br>SELECT A BLADE                                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------------------------|
| MODELS                                                                                                                                                                             | MOUNT                                                                          | FRAME                                                                                                                   | HYDRAULICS                                                                                                                                                                                    | WINCH                                       | BLADES                                                        |
| <b>570 FULL-SIZE</b> '16-25<br><b>CREW 570 FULL-SIZE</b> '16-25<br><b>500</b> '17-22<br><b>570</b> '10-21<br><b>CREW 570</b> '10-21<br><b>LI-ION EV</b> '15-21<br><b>EV</b> '15-21 | <b>Pro Series Mount &amp; Quick Release Hook</b><br>2880261                    | <b>Pro Series Frame</b><br>2891656                                                                                      | <b>Pro Series Plow Hydraulic Angle System</b><br>2889032<br><br><b>Pro Series Plow Controller</b><br>2879227<br><br>NO SHIFTER TO MOUNT CONTROLLER ON EV<br>REQUIRED FOR HYDRAULIC COMPONENTS | <b>Pro Series 4,500 LB Winch</b><br>2891704 | <b>72" Steel</b><br>2890335                                   |
| <b>SP 570</b> '22-26<br><b>CREW SP 570</b> '22-26<br><b>600</b> '27<br><b>CREW 600</b> '27<br>PREMIUM AND NORTHSTAR EDITION MODELS                                                 | <b>Quick Release Hook</b><br>2891552<br><br>MOUNT INTEGRATED INTO FRONT BUMPER | <b>Frame Extension</b><br>2880267<br><br>FOR VEHICLES USING TRACK SYSTEM<br><br><b>Replacement Shear Pin</b><br>2205527 | <b>Pro Series Plow Hydraulic Angle System</b><br>2889032<br><br><b>Plow Controller</b><br>2889162<br><br>NO SHIFTER TO MOUNT CONTROLLER ON EV<br>REQUIRED FOR HYDRAULIC COMPONENTS            | <b>Pro Series 4,500 LB Winch</b><br>2891704 | <b>66" Poly</b><br>2880269<br><br><b>66" Steel</b><br>2890336 |
| <b>SP 570</b> '22-26<br><b>CREW SP 570</b> '22-26<br><b>600</b> '27<br><b>CREW 600</b> '27                                                                                         | <b>Mount</b><br>2891657<br><br><b>Quick Release Hook</b><br>2891552            |                                                                                                                         |                                                                                                                                                                                               |                                             |                                                               |

## WEAR BARS

- Protect your plow blade and minimize wear on the actual blade

- » 72" STEEL • 2204976
- » HEAVY DUTY 72" STEEL 2879875
- » 72" UHMWPE • 2890289
- » 66" STEEL • 2879867
- » HEAVY DUTY 66" STEEL 2879868
- » 60" STEEL • 2877243
- » 66" UHMWPE • 2890290

## BACK DRAG BAR

- Has a hinged, rear facing cutting edge that improves back dragging performance and allows the bar to float when plowing forward to reduce wear and tear

- » 72" • 2889329
- » 84" • 2889747

NOT COMPATIBLE WITH 66" BLADES

QUICK RELEASE  
SKID SHOES

- Helps prevent blade wear
  - Hardened steel for industrial strength
- » 2208864

## PLOW MARKER

- Helps driver monitor plow blade position
  - Sold in pairs
- » 2872726

## PLOW LINK

- » 2204974

# PLOWS

## MAKE QUICK WORK OF THE SMALLER JOBS


Our Plow Systems include durable mounting hardware, easy installation and removal and efficient plow blades that move all your snow. The Lock & Ride technology makes it easy for one person to install and remove a plow and you can choose either a beefy poly blade or rugged steel blade.

### 3-SEAT & CREW

72" or  
66" blades

Choice of  
poly or steel

Manual angle  
system standard



### BUILD A PLOW SYSTEM

|                                                                                                                                                                                                    | STEP 1<br>SELECT A MOUNT                                                                                                         | STEP 2<br>SELECT A FRAME                                                   | STEP 3<br>SELECT A LIFT METHOD   | STEP 4<br>SELECT A BLADE                                                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------|--------------------------------------------------------------------------------------------------|
| MODELS                                                                                                                                                                                             | MOUNT                                                                                                                            | FRAME                                                                      | WINCHES                          | BLADES                                                                                           |
| <b>XP 1000 '18-27</b><br><b>CREW XP 1000 '19-27</b><br><b>1000 '20-27</b><br><b>CREW 1000 '20-27</b><br><b>XP KINETIC '23-24</b><br><br><small>NOT COMPATIBLE WITH<br/>29" OR LARGER TIRES</small> | <b>Not Required</b><br>INTEGRATED INTO<br>FACTORY BUMPER<br><br><small>NON EPS RANGER<br/>1000 REQUIRES<br/>FRONT BUMPER</small> | <b>Frame</b><br>2889307<br><br><b>Replacement<br/>Shear Pin</b><br>2205527 | <b>4,500 LB Winch</b><br>2891569 | <b>72" Steel</b><br>2890335<br><br><b>66" Poly</b><br>2880269<br><br><b>66" Steel</b><br>2890336 |

### BUY A PLOW SYSTEM

#### PLOW SYSTEM

System includes:

- Frame (2889307)
- 72" Steel Blade (2890335)

» **3880005**

XP 1000 '18-27, CREW XP 1000 '18-27,  
CREW 1000 '20-27, 1000 '20-27,  
XP KINETIC '23-24

REQUIRES LIFT METHOD: SEE WINCHES

### PLOW ACCESSORIES

#### WEAR BARS

- Protect your plow blade and minimize wear on the actual blade

- » 72" STEEL • 2204976
- » HEAVY DUTY 72" STEEL 2879875
- » 66" STEEL • 2879867
- » HEAVY DUTY 66" STEEL 2879868
- » 60" STEEL • 2877243

#### PLOW BLADE SNOW DEFLECTOR

- » 66" • 2879866
- » 60" • 2871808

#### HEAVY-DUTY SNOW PLOW DEFLECTOR

- » 72" • 2884160

#### QUICK RELEASE SKID SHOES

- Helps prevent blade wear
- Hardened steel for industrial strength
- » 2208864



## MIDSIZE 2-SEAT / CREW

66"  
bladesChoice of  
poly or steel

17"  
**66" POLY BLADE**  
BEST FOR CORROSION RESISTANCE

17"  
**66" STEEL BLADE**  
BEST FOR BIG JOBS YEAR AFTER YEAR

## BUILD A PLOW SYSTEM

|                                                                                                                                       | STEP 1<br>SELECT A MOUNT                                                              | STEP 2<br>SELECT A FRAME            | STEP 3<br>SELECT A LIFT METHOD          | STEP 4<br>SELECT A BLADE |
|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------|-----------------------------------------|--------------------------|
| MODELS                                                                                                                                | MOUNT                                                                                 | FRAME                               | WINCHES                                 | BLADES                   |
| SP 570 '22-26<br>CREW SP 570 '22-26<br>600 '27<br>CREW 600 '27                                                                        | Mount<br>2891657<br><br>NOT REQUIRED<br>ON PREMIUM AND<br>NORTHSTAR<br>EDITION MODELS | Frame<br>2889307                    | Pro Series<br>4,500 LB Winch<br>2891704 | 66" Poly<br>2880269      |
| 570 FULL-SIZE '16-27<br>CREW 570 FULL-SIZE '16-27<br>500/ETX '10-22<br>570 '10-21<br>CREW 570 '10-21<br>LI-ION EV '15-21<br>EV '15-21 | Mount<br>2879105                                                                      | Replacement<br>Shear Pin<br>2205527 | 3,500 LB Winch<br>2891705               | 66" Steel<br>2890336     |

## BUY A PLOW SYSTEM

## PLOW SYSTEM

System includes:

- Frame (2889307)
- 66" Steel Blade (2890336)

» 3880009

SP 570 '22-26, CREW SP 570 '22-26,  
600 '27, CREW 600 '27

REQUIRES LIFT METHOD: SEE WINCHES

## COIL SPRING SPACER

- Keep the front end of the vehicle up and improve ride quality when using a plow on strut or A-Arm vehicles

» 2872655

## QUICK RELEASE SKID SHOES

- Helps prevent blade wear
- Hardened steel for industrial strength

» 2208864

## PLOW MARKER

- Helps driver monitor plow blade position
- Sold in pairs

» 2872726

## PLOW LINK

» 2204974

# TRACKS



## PROSPECTOR PRO TRACK MOUNT KIT

- Install this track system mounting hardware in place of tires and wheels. Tracks sold separately.

### » 2889425

XP 1000 '21-27, CREW XP 1000 '21-27, CREW 1000 '20-27, 1000 '21-27. FITS MODELS WITH NON-HIGH CLEARANCE A-ARMS

### » 2889426

XP 1000 '21-27, CREW XP 1000 '21-27. FITS MODELS WITH HIGH CLEARANCE A-ARMS

### » 2882783

XP 1000 '18-21, CREW XP 1000 '19-21, CREW 1000 '20-21, 1000 '20-21

### » 2880071

CREW 570-4 '15-21, 570 '14-21, 500 '17-22

### » 2889196

SP 570 '22-26, 600 '27. REQUIRES PROSPECTOR PRO TRACK (2880758), SOLD SEPARATELY

## PROSPECTOR PRO 2.0 TRACK

### » 2890034


XP 1000 '18-27, CREW XP 1000 '18-27, CREW 1000 '20-27, 1000 '20-27

### » 2889487

SP 570 '22-26, CREW SP 570 '22-26, 600 '27, CREW 600 '27

If using plow system with tracks, Track Plow Extension is required (2889267)

For year-round use, Polaris recommends the use of Intake Update Kit (2880673) on any RANGER XP 1000 '17, RANGER XP 1000 CREW '14-18 with tracks installed. To keep intake system working optimally, this kit pre-filters out fine snow and dust.



### 1 INDUSTRY-FIRST FLEX-TRACK DESIGN

Front-mounted tracks with flexible sides and a slight inward curve allow for stable handling, a more comfortable ride and precise steering over long-distances or extended working hours.

### 2 HIGH-DENSITY TIRE WITH ADJUSTED SHAPE

With puncture-proof tires that reduce friction and wear, the Prospector Pro 2.0 Tracks delivers trouble-free performance.

Confidently take on bumps and obstacles with 8" high-density tracks.

### 3 LIGHTWEIGHT POWDER COAT STEEL FRAME

Proven geometry to improve durability and deliver capability in all conditions throughout the life of the tracks.

A lighter frame provides more flotation to stay on top of the snow and allows the tracks to easily shed the elements they encounter.

### 4 TANDEM STABILIZER

The bolt-on, tandem mid-roller wheel provides a smoother ride by absorbing shocks.

### 5 BEARING HOUSING

Outer seals and stainless steel sleeves allow stronger bearing durability and greater reliability.


### 6 WHEEL CAP & SEAL

A fitted wheel cap with bladder effect eliminates water absorption due to temperature variation. Ride in snow or mud without worrying about track maintenance.





## RANGER SNOW TRACTION OPTIONS

| TREAD THROUGH SNOW WITH THESE OPTIONS                                                                                           | CONTACT PATCH                                                                                                                                                           | TURNING RADIUS                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
|  <p><b>STOCK<br/>TIRES</b></p>               | <p><b>GOOD</b></p>                                                                  | <p><b>139.5"</b></p>    |
|  <p><b>PROSPECTOR PRO<br/>2.0 TRACKS</b></p> | <p><b>BEST</b></p>  <p>Less aggressive tread displaces snow for better handling</p> | <p><b>175.375"</b></p>  |

# LIGHTING

## PRO ARMOR



## RIGID



### LIGHT YOUR RIDE

#### MASSIVELY BRIGHT

Boost light output in all riding conditions to see and be seen  
Clear lens options for the brightest light, amber lens options to reduce light scattering in dusty/snowy conditions

#### POLARIS-BACKED WARRANTY

Ensure you're covered with a one year warranty on all lighting products  
RIGID® takes it a step further with a Limited Lifetime Warranty\*


#### RUGGED CONSTRUCTION

Aluminum build with heat sink fins to extract heat and maintain light efficiency  
UV resistant & IP67 rated to hold up to the elements

## LIGHT BY RIDING STYLE

Use the illustration below to identify zones where you want to focus your lighting. **This will help you select the types of lights – and mounting locations on your vehicle – that will best serve your unique needs.**

| LIGHT ZONES                             | DRIVING SPEED          | BEAM                                                      | TERRAIN & RIDING STYLE                                                         | RECOMMENDED MOUNTING |
|-----------------------------------------|------------------------|-----------------------------------------------------------|--------------------------------------------------------------------------------|----------------------|
| <b>ZONE 1</b><br>SPOT LIGHT             | High                   | Concentrated/long                                         | Wide open areas & seeing at far distances                                      | Bumper mounted       |
| <b>ZONE 2</b><br>COMBO / DRIVING LIGHTS | All                    | Inner spot & outer flood                                  | All riding                                                                     | Bumper or roof       |
| <b>ZONE 3</b><br>FLOOD LIGHTING         | Slow to medium         | Wide/shorter                                              | Technical trails, wooded areas & plowing snow                                  | Bumper mounted       |
| <b>ZONE 4</b><br>PERIMETER LIGHTING     | Medium, slow, stopped  | Wide, typically with diffused lens for best ambient light | Illumination around vehicle                                                    | Surrounding vehicle  |
| <b>ZONE 5</b><br>REAR LIGHTING          | Slow, stopped, reverse | Wide, typically with diffused lens for best ambient light | Reversing in dark areas, illumination around vehicle & lighting cargo bed area | Rear roof            |



\* If RIGID® determines, in its sole discretion, that your product is defective in material or workmanship, RIGID® will honor your warranty claim. In some cases the product will be replaced, depending on the specific timeframe of the purchase. If the product is repaired, all parts, labor and return shipping may be covered by RIGID®.





## ZONE 1 SPOT LIGHTS

Obstacle identification at distance while traveling at higher speeds and in wide open areas.

**RIGID® D-SERIES POD**  
» 2883127

**RIGID® SR-SERIES  
10" LIGHT BAR**  
» 2883121

**PRO ARMOR DUAL-ROW CUBE**  
» □ 2889794 » ■ 2889785

**PRO ARMOR SINGLE-ROW  
11" LIGHT BAR**  
» 2889788 » ■ 2889789

**PRO ARMOR DUAL-ROW  
11" LIGHT BAR**  
» □ 2889786 » ■ 2889787



## ZONE 2 COMBO / DRIVING LIGHTS

Blend of spot and flood optics for the best balance in a single light for all riding and utility.

**RIGID® D-SERIES POD**  
» 2883128

**RIGID® SR-SERIES LIGHT BAR**  
» 10" • 2883123  
» 32" • 2884299

**RIGID® RDS SR-SERIES  
50" CURVED LIGHT BAR**  
» 2891803

**PRO ARMOR SINGLE-ROW  
LIGHT BAR**  
» 20" • 2889792  
» 33" • 2889791  
» 40" • 2889793

**PRO ARMOR DUAL-ROW  
LIGHT BAR**  
» 31" • 2889790



## ZONE 3 FLOOD LIGHTING

Widest beam for lighting up your periphery (low hanging branches, rocks, ditches). For slower speed terrain and tight twisty trails.

**RIGID® D-SERIES POD**  
» 2883126

**RIGID® SR-SERIES  
10" LIGHT BAR**  
» 2883122



## ZONE 4 PERIMETER LIGHTING

Light up the surrounding vehicle area. Scene lighting is diffused to reduce glare and eye fatigue while working around the vehicle, at camp or rock crawling.

**WORK BEACON LED LIGHT**  
» 2883265



## ZONE 5 REAR LIGHTING

Good for rearward illumination, being more visible to vehicles behind you or working behind the vehicle.

**REAR WORK LIGHT**  
» 2889771  
» 2889672



**PRO ARMOR DUAL-ROW CUBE**  
Sold individually



**RIGID® D-SERIES POD**  
Set of two



**RIGID® SR-SERIES**  
Universal mounting hardware included



**PRO ARMOR SINGLE-ROW**  
Universal mounting hardware included



**PRO ARMOR DUAL-ROW**  
Universal mounting hardware included



**RIGID® RDS SR-SERIES**  
Vehicle-specific mounts included



**WORK BEACON LIGHT**



**REAR WORK LIGHT**



**LIGHT BAR MOUNT**  
• Optional cast mount for added style  
• Compatible with all Pro Armor light bars  
» 2890053


# ELECTRICAL ACCESSORIES



## ADD ELECTRICAL SYSTEM ACCESSORIES

Polaris PULSE is a revolutionary way to provide additional power locations on your vehicle and makes adding electrical accessories a snap. Electrical accessories are easier to install, with designated routing areas and plug & play connections.

Look for to identify Polaris PULSE ready accessories.



CREW XP 1000 POLARIS PULSE WIRING SHOWN

### STEP 1

MY26 AND LATER RANGER XP 1000 NORTHSTAR ULTIMATE VEHICLES  
COME STOCK WITH THE PULSE WIRING HARNESS

| CHOOSE A POLARIS PULSE READY ROOF          | XD 1500 | CREW XD 1500 | 1000/ XP 1000 / XP KINETIC | CREW 1000 / XP 1000 | 500 / 600 | CREW 500 / 600 |
|--------------------------------------------|---------|--------------|----------------------------|---------------------|-----------|----------------|
| Premium Roof - Poly - Polaris Pursuit Camo |         | N/A          | 2882913                    | N/A                 |           | N/A            |
| Premium Roof - Poly - Black                |         | N/A          | 2882912                    | N/A                 |           | N/A            |
| Sport Roof - Poly - Black                  |         | N/A          | 2890684                    | 2890333             | 2885077   | 2885078        |

\*Add accessories to models without 7" Display Powered by RIDE COMMAND

### STEP 2

| ADD THE POLARIS PULSE ROOF 6                  | XD 1500 | CREW XD 1500 | 1000/ XP 1000 / XP KINETIC | CREW 1000 / XP 1000 | 500 / 600 | CREW 500 / 600 |
|-----------------------------------------------|---------|--------------|----------------------------|---------------------|-----------|----------------|
| Polaris PULSE Roof 6                          | 2890262 | 2890441      | 2882904                    |                     |           |                |
| Polaris PULSE Wiring Harness - Crew Extension |         | N/A          | N/A                        |                     | 2889185   |                |

### STEP 3 ADD ACCESSORIES\*

| POWER WINDOW DOORS                            | XD 1500 | CREW XD 1500 | 1000/ XP 1000 / XP KINETIC | CREW 1000 / XP 1000 | 500 / 600 | CREW 500 / 600 |
|-----------------------------------------------|---------|--------------|----------------------------|---------------------|-----------|----------------|
| Polaris PULSE Wiring Harness - Crew Extension |         | N/A          | N/A                        | 2883231             |           | N/A            |
| WINDSHIELD WIPER & WASHER SYSTEM              | XD 1500 | CREW XD 1500 | 1000/ XP 1000 / XP KINETIC | CREW 1000 / XP 1000 | 500 / 600 | CREW 500 / 600 |
| Windshield Wiper & Washer System              |         | 2889095      | 2883974                    |                     |           | 2885083        |
| Polaris PULSE Wiring Harness - Crew Extension |         | N/A          | N/A                        | 2883231             |           | 2889185        |
| WORK LIGHT                                    | XD 1500 | CREW XD 1500 | 1000/ XP 1000 / XP KINETIC | CREW 1000 / XP 1000 | 500 / 600 | CREW 500 / 600 |
| Rear LED Work Light                           |         | 2889771      | 2889672                    |                     |           | N/A            |
| Reverse Light Harness                         |         | N/A          | 2889679                    |                     |           | N/A            |
| Polaris PULSE Wiring Harness - Crew Extension |         | N/A          | N/A                        | 2883231             |           | 2889185        |
| AUDIO: DASH RADIO & VISOR SPEAKERS            | XD 1500 | CREW XD 1500 | 1000/ XP 1000 / XP KINETIC | CREW 1000 / XP 1000 | 500 / 600 | CREW 500 / 600 |
| JBL® Dash Audio Kit                           |         | N/A          | N/A                        |                     |           | 2885081        |
| Polaris PULSE Wiring Harness - Crew Extension |         | N/A          | N/A                        | 2883231             |           | 2889185        |
| AUDIO: VISOR AUDIO + REAR SPEAKERS            | XD 1500 | CREW XD 1500 | 1000/ XP 1000 / XP KINETIC | CREW 1000 / XP 1000 | 500 / 600 | CREW 500 / 600 |
| JBL® Trail Pro 4200 Audio Upgrade Kit         |         | 2889763      | N/A                        |                     |           | N/A            |
| Polaris PULSE Wiring Harness - Crew Extension |         | N/A          | N/A                        | 2883231             |           | N/A            |

\*Add accessories to models without 7" Display Powered by RIDE COMMAND

### STEP 4 FINISHING TOUCH

| CONCEAL WIRING FOR A FINISHED, COMFORTABLE LOOK | XD 1500 | CREW XD 1500 | 1000/ XP 1000 / XP KINETIC | CREW 1000 / XP 1000 | 500 / 600 | CREW 600 |
|-------------------------------------------------|---------|--------------|----------------------------|---------------------|-----------|----------|
| Premium Roof Liner                              |         | N/A          | 2890526                    | 2890527             | 2885093   | 2885094  |



## EASILY ADD LIGHTING

With Polaris PULSE it's easy to add RIGID® and Pro Armor lighting to your RANGER. All LED Light bars listed on page 103 are Polaris PULSE ready, making installation that much easier.

### POLARIS PULSE LIGHT BAR WIRING LOCATIONS

Front Bumper

Roof - Rear Mounted

Roof - Front Mounted

CREW Roof - Rear Mounted\*

\*Requires Extension



|                                                                                                                                            | 1 LIGHT WITH 1 SWITCH                                                                                                                                                                                                 | 2 LIGHTS WITH 1 SWITCH                                                                                                                                                                                              | 2 LIGHTS WITH 2 SWITCHES                                                                                                                                                      | EXTENSIONS FOR CREW                                                                                                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| XD 1500                                                                                                                                    | PULSE Light Bar Harness -<br>Dash Switched<br>2889738<br>-OR-<br>Overhead Switch Panel Kit<br>2890422<br>PULSE Light Bar Harness -<br>Upper Switch Panel<br>2889686<br>Polaris PULSE 50" Light Bar Harness<br>2891990 | PULSE Light Bar Harness -<br>Dash Switched<br>2889738<br>Y-Harness<br>2879860<br>-OR-<br>Overhead Switch Panel Kit<br>2890422<br>PULSE Light Bar Harness -<br>Upper Switch Panel<br>2889686<br>Y-Harness<br>2879860 | PULSE Light Bar Harness -<br>Dash Switched (x2)<br>2889738<br>-OR-<br>Overhead Switch Panel Kit<br>2890422<br>PULSE Light Bar Harness -<br>Upper Switch Panel (x2)<br>2889686 | N/A                                                                                                                                               |
| 1000 / XP 1000 / XP KINETIC<br>MY26 AND LATER RANGER XP 1000<br>NORTHSTAR ULTIMATE VEHICLES<br>COME STOCK WITH THE PULSE<br>WIRING HARNESS | Polaris PULSE Wiring Harness -<br>1 LED Light Bar<br>2883230<br>Upper Switch Panel<br>Light Bar Harness**<br>2889675<br>Reverse Light Harness<br>2889679                                                              | Polaris PULSE Wiring Harness -<br>1 LED Light Bar<br>2883230<br>Y-Harness<br>2879860                                                                                                                                | Polaris PULSE Wiring Harness -<br>1 LED Light Bar (x2)<br>2883230                                                                                                             | Polaris PULSE Wiring Harness -<br>1 LED Light Bar - Crew Extension<br>2883231<br>Upper Switch Panel<br>Light Bar Harness - Extension**<br>2890067 |
| 500 / 600                                                                                                                                  | Polaris PULSE Wiring Harness -<br>1 LED Light Bar<br>2889161                                                                                                                                                          | N/A                                                                                                                                                                                                                 | Polaris PULSE Wiring Harness -<br>1 LED Light Bar (x2)<br>2889161                                                                                                             | N/A                                                                                                                                               |

## LIGHTING HARNESSES



### POLARIS PULSE UNDERHOOD BUS BAR - 6 POSITION

- If upgrading to more than three accessories attaching to the underhood PULSE location, replace 3-Position Bus Bar with the Polaris PULSE Underhood Bus Bar - 6 Position

» **2884183** 1000 ONLY  
CREW 1000 '20-27, 1000 '20-27

### ★ TOP SELLER



### REVERSE LIGHT HARNESS

- Activates rear lights when your RANGER is shifted into reverse

» **2889679**  
XP 1000 '17-27, CREW XP 1000 '18-27, CREW  
1000 '20-27, 1000 '20-27, XP KINETIC '23-24



### POLARIS FRONT PULSE BAR AND HARNESS

- This kit is required to install any electrical accessories on a base RANGER 600

» **2889185**  
SP 570 '22-26, 600 '27



### POLARIS PULSE BATTERY TENDER ADAPTER

- Connects your trickle charger to your vehicle

» **2884297**  
XP 1000 '18-27, CREW XP 1000 '19-27, CREW  
1000 '20-27, 1000 '20-27, SP 570 '22-26,  
CREW SP 570 '22-26, 600 '27, CREW 600 '27,  
XP KINETIC '23-24

### THE FOLLOWING ACCESSORIES EASILY PLUG INTO THE FACTORY INSTALLED POLARIS PULSE UNDER THE HOOD:

| ACCESSORY               | XD 1500 | 1000 / XP 1000 / XP KINETIC | 600    |
|-------------------------|---------|-----------------------------|--------|
| Heater & Defrost System | —       | P. 64 / 65                  | P. 52  |
| Horn                    | P. 82   | P. 65                       | P. 52  |
| Plow Controller         | P. 83   | P. 67                       | P. 53  |
| Audio System            | P. 83   | P. 71                       | P. 51  |
| Light Bars              | P. 103  | P. 103                      | P. 103 |

\*\*Check with your local dealer for availability.

# WHEELS & TIRES

## OFF ROAD, IT'S ALL ABOUT FREEDOM & CREATING YOUR OWN PATH

As serious riders ourselves, we get it. And everything we design is to get (and keep) you going on the ride of a lifetime. We're for every style of rider looking to go beyond the expected with a ride that will make your story epic.

**PRO ARMOR**



## WHY CHOOSE PRO ARMOR?

### SUPERIOR PERFORMANCE & DURABILITY

#### LIFELONG PERFORMANCE

- Every tire is designed and constructed with **longevity** in mind
- **3,000+ mile rated** (4,828 kilometers)

#### PREMIUM PROTECTION

- Pro Armor makes tires with **extra protection** exactly where it's needed most – the sidewall
- **Triple-belted sidewalls** keep your tires more resistant so you can keep going  
Many competitors only use double-belted sidewalls

#### TOUGH TIRES

- Higher ply ratings mean added protection
- Pro Armor builds 8 or 10-ply rated tires for **higher puncture-resistance**



# TIRES

Pro Armor tires have been developed and tested to ensure the perfect fit, superior durability and optimal performance, mile-after-mile. No matter where you ride—mud, dirt, sand or snow—we've got you covered.



15"

WHEEL



## PRO ARMOR PRO RUNNER

Lightweight high-performance tire with aggressive lug design for incredible grip.

### Why Choose Pro Runner?

Lightweight construction without sacrificing durability.

Fits XD 1500 / Crew XD 1500 only



12"

14"

15"

WHEEL



## PRO ARMOR HARVESTER

Designed for trail and agricultural applications with excellent grip, minimal crop impact and long wear life.

### Why Choose Harvester?

Great for unexpected impact and rugged terrain.

15" fits XD 1500 / Crew XD 1500 only



12"

14"

15"

WHEEL



## PRO ARMOR TREKKER

The best balance of on-trail handling and low tire noise.

### Why Choose Trekker?

Ultimate predictability with a quiet ride.

15" fits XD 1500 / Crew XD 1500 only



12"

WHEEL



## PRO ARMOR XD-K

These heavy duty tires are one of the strongest we've ever built. Superior puncture resistance, ride quality and long life.

### Why Choose XD-K?

Triple-belted sidewall resists puncture.



14"

WHEEL



## PRO ARMOR HD-K

One of the strongest Pro Armor tires. Ride through corn stalks, thorns, jagged rocks or whatever else comes your way.

### Why Choose HD-K?

Extremely strong tire for long life.



SCAN FOR  
MORE DETAILS



15"

WHEEL



### DUAL-DUROMETER

## PRO ARMOR CRAWLER XP

The best in performance, durability and reliability. Designed to tackle the toughest terrain in the most challenging conditions.

### Why Choose Crawler XP?

Superior handling in soft dirt and clay. Extended side lugs for greater traction on rocks and sand.

Fits XD 1500 / Crew XD 1500 only



14"

15"

WHEEL



### DUAL-DUROMETER

## PRO ARMOR CRAWLER XG

Unmatched grip for rock crawling with a taller, softer lug.

### Why Choose Crawler XG?

Perfect balance between high-speed performance, durability and flex for traction on slick rocks.



## KNOW YOUR TERRAIN



Tread patterns optimized for extreme traction

Ideal for both hard pack & loose trail



Provides traction & durability

Performs in hard sand, jagged rocks or any extreme terrain



Flexible "grippy" tread

Aggressive side bite



Triple-belted sidewalls to resist puncture

Purpose-built, long lasting tread patterns



Handles extreme cold

Holds shape & provides traction

# WHEELS



BEADLOCK REQUIRED

BEADLOCK INCLUDED

BEADLOCK INCLUDED

INNER AND OUTER  
BEADLOCK INCLUDED

15"

## 50-SERIES

### A 5203 BEADLOCK

|               |                       |             |
|---------------|-----------------------|-------------|
| WEIGHT: 16 LB | LOAD RATING: 1,300 LB | OFFSET: +38 |
| MATTE BLACK   | FRONT/REAR            | 15" x 7"    |

1522435-458

### B 5304 BEADLOCK

|               |                       |             |
|---------------|-----------------------|-------------|
| WEIGHT: 16 LB | LOAD RATING: 1,600 LB | OFFSET: +62 |
| MATTE BLACK   | FRONT/REAR            | 15" x 7"    |

1525420

ONLY COMPATIBLE WITH XD 1500 / CREW XD 1500

### C 5306

|               |                       |             |
|---------------|-----------------------|-------------|
| WEIGHT: 15 LB | LOAD RATING: 1,740 LB | OFFSET: +62 |
| MATTE BLACK   | FRONT/REAR            | 15" x 7"    |

1525684

ONLY COMPATIBLE WITH XD 1500 / CREW XD 1500

### D 5307

|               |                       |             |
|---------------|-----------------------|-------------|
| WEIGHT: 16 LB | LOAD RATING: 1,740 LB | OFFSET: +62 |
| MATTE BLACK   | FRONT/REAR            | 15" x 7"    |

1525686

ONLY COMPATIBLE WITH XD 1500 / CREW XD 1500

### E 5307 BEADLOCK

|               |                       |             |
|---------------|-----------------------|-------------|
| WEIGHT: 18 LB | LOAD RATING: 1,740 LB | OFFSET: +62 |
| MATTE BLACK   | FRONT/REAR            | 15" x 7"    |

1525688

ONLY COMPATIBLE WITH XD 1500 / CREW XD 1500

## 40-SERIES

### F 4202

|       |                  |                       |            |
|-------|------------------|-----------------------|------------|
| FRONT | WEIGHT: 12.75 LB | LOAD RATING: 900 LB   | OFFSET: +4 |
| REAR  | WEIGHT: 13.5 LB  | LOAD RATING: 1,300 LB | OFFSET: -9 |

|        |       |          |             |
|--------|-------|----------|-------------|
| ACCENT | FRONT | 14" x 7" | 1522544-266 |
|        | REAR  | 14" x 8" | 1522545-266 |

|             |       |          |             |
|-------------|-------|----------|-------------|
| MATTE BLACK | FRONT | 14" x 7" | 1522544-458 |
|             | REAR  | 14" x 8" | 1522545-458 |

### G 4204

|       |               |                       |            |
|-------|---------------|-----------------------|------------|
| FRONT | WEIGHT: 13 LB | LOAD RATING: 900 LB   | OFFSET: +4 |
| REAR  | WEIGHT: 14 LB | LOAD RATING: 1,300 LB | OFFSET: -9 |

|             |       |          |             |
|-------------|-------|----------|-------------|
| MATTE BLACK | FRONT | 14" x 7" | 1522546-458 |
|             | REAR  | 14" x 8" | 1522547-458 |

### H 4205

|       |                 |                       |            |
|-------|-----------------|-----------------------|------------|
| FRONT | WEIGHT: 10.5 LB | LOAD RATING: 900 LB   | OFFSET: +4 |
| REAR  | WEIGHT: 12.5 LB | LOAD RATING: 1,300 LB | OFFSET: -9 |

|             |       |          |             |
|-------------|-------|----------|-------------|
| MATTE BLACK | FRONT | 14" x 7" | 1521507-521 |
|             | REAR  | 14" x 8" | 1521508-521 |

### I HD DUAL BEADLOCK

|               |                       |             |
|---------------|-----------------------|-------------|
| WEIGHT: 40 LB | LOAD RATING: 1,600 LB | OFFSET: +38 |
| MATTE BLACK   | FRONT/REAR            | 14" x 7"    |

1524022-458

⦿ LUG NUTS REQUIRED

⦿ WHEELS WITH 5 LUG NUTS  
Only compatible with XD 1500 / Crew XD 1500

⦿ BEADLOCK REQUIRED

## KNOW YOUR WHEELS

### STEP 1: SELECT YOUR SERIES

4 = 40-SERIES

5 = 50-SERIES

### STEP 2: CHOOSE YOUR LOAD RATING

1 = &lt;800 LB

2 = 801–1,300 LB

3 = 1,301–1,600+ LB

### STEP 3: PICK YOUR STYLE

OFFSET / BEADLOCK / COLOR

INCREASE OFFSET FROM STOCK = NARROWER STANCE

DECREASE OFFSET FROM STOCK = WIDER STANCE



# WHEEL & TIRE SETS

| 14" 40-SERIES                                                                                      |  | UTILITY   |         | DESERT/ROCK |  | BACKCOUNTRY/TRAIL |         | 15" 50-SERIES                                        |  | DESERT/ROCK |  |
|----------------------------------------------------------------------------------------------------|--|-----------|---------|-------------|--|-------------------|---------|------------------------------------------------------|--|-------------|--|
|                                                                                                    |  | HARVESTER |         | CRAWLER XR  |  | TREKKER           |         |                                                      |  | CRAWLER XG  |  |
|                                                                                                    |  | 27"       | 28"     | 28"         |  | 27"               | 29"     |                                                      |  | 28"         |  |
| 4202  ACCENT      |  | 2882383   | 2883220 | 2881343     |  | 2890907           | 2890906 | 5202<br>MATTE BLACK                                  |  | 2883185     |  |
| 4202  MATTE BLACK |  | 2882384   | 2883221 | 2881344     |  | 2890905           | 2890904 | 5203 BEADLOCK<br>ACCENT<br>BEADLOCKS SOLD SEPARATELY |  | 2883182     |  |
| 4204  MATTE BLACK |  | 2882386   | 2883223 | 2881356     |  |                   |         |                                                      |  |             |  |
| 4205  MATTE BLACK |  | 2882387   | 2883224 | 2881372     |  |                   |         |                                                      |  |             |  |

# XD 1500 WHEEL & TIRE SETS

| <div><div>15"</div><div>↑</div><div>↓</div></div> <div>50-SERIES</div>                            | UTILITY                                                                                         |         | DESERT/ROCK |         |            |         | BACKCOUNTRY/TRAIL |         |         |         |         |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---------|-------------|---------|------------|---------|-------------------|---------|---------|---------|---------|
|                                                                                                   | HARVESTER                                                                                       |         | CRAWLER XG  |         | CRAWLER XP |         | PRO RUNNER        |         | TREKKER |         |         |
|                                                                                                   | 30"                                                                                             | 32"     | 30"         | 32"     | 30"        | 32"     | 30"               | 32"     | 30"     | 32"     |         |
|                                                                                                   | 5302 BEADLOCK  | 2889936 | 2889942     | 2889935 | 2890025    | 2889946 | 2889948           | 2890844 | 2885011 | 2890921 | 2890926 |
|                                                                                                   | 5304           | 2889996 | 2889945     | 2889995 | 2890027    | 2890672 | 2889997           | 2890843 |         | 2891006 | 2891007 |
|                                                                                                   | 5306          | 2890949 | 2890950     | 2890938 | 2890939    | 2890946 | 2890947           | 2890935 | 2890936 | 2890917 | 2890922 |
| 5307           | 2890968                                                                                         | 2890969 | 2890957     | 2890958 | 2890965    | 2890966 | 2890954           | 2890955 | 2890918 | 2890923 |         |
| 5307 BEADLOCK  | 2890987                                                                                         | 2890988 | 2890976     | 2890977 | 2890984    | 2890985 | 2890973           | 2890974 | 2890919 | 2890924 |         |



# MAINTENANCE & GARAGE

**FACTORY APPROVED.** Every Polaris vehicle has been engineered and manufactured to deliver performance. Keep it that way by using the same lubricants, cleaners and service parts our factory-trained technicians use.





MAINTENANCE & GARAGE

OIL &  
LUBRICANTS

GARAGE  
ACCESSORIES

TRAILERING &  
CV BOOT REPAIR

BATTERY MAINTENANCE  
& SERVICE PARTS

PRO SERIES



# OIL & LUBRICANTS

Our PS-4 engine oils provide ultimate performance and protection, they're formulated with exclusive additives to keep engines clean from deposit buildup. These powersports-grade full synthetic oils helps maximize power and protect your engine for the long term.

## PS-4 FORMULATIONS BEST PROTECTION, BEST PERFORMANCE



### PS-4 5W-50 FULL-SYNTHETIC OIL

Optimal for ambient operating temperatures of -40° F to 100° F.

|                |                 |                   |                        |                         |
|----------------|-----------------|-------------------|------------------------|-------------------------|
| 1QT<br>2876244 | 1GAL<br>2876245 | 16 GAL<br>2876247 | 55 GAL DRUM<br>2876246 | 330 GAL TOTE<br>2878814 |
|----------------|-----------------|-------------------|------------------------|-------------------------|

### PS-4 0W-50 EXTREME FULL-SYNTHETIC OIL

Optimal for ambient operating temperatures of -45° F to 130° F.

|                |                 |                   |                        |                         |
|----------------|-----------------|-------------------|------------------------|-------------------------|
| 1QT<br>2889395 | 1GAL<br>2889396 | 16 GAL<br>2889397 | 55 GAL DRUM<br>2889398 | 330 GAL TOTE<br>2889399 |
|----------------|-----------------|-------------------|------------------------|-------------------------|

### OIL CHANGE KITS

2 QT Engine Oil, 1 Oil Filter, 1 Drain Plug Washer and Interval Decal

Maintenance Kit



### MAINTENANCE KITS

Includes Oil Change Kit contents + Driveline Fluids, Air Filter and Funnel

| PS-4        |         | PS-4 EXTREME |  |  |  | PS-4        |                                                                                       | PS-4 EXTREME |  |
|-------------|---------|--------------|--|-------------------------------------------------------------------------------------|--|-------------|---------------------------------------------------------------------------------------|--------------|--|
| PART NUMBER |         |              |  | VEHICLE FITMENT                                                                     |  | PART NUMBER |                                                                                       |              |  |
| 2202166     | 2890056 |              |  | RANGER 500 & 600                                                                    |  | 2892317     |                                                                                       |              |  |
| 2879323     | 2890057 |              |  | RANGER 1000 & XP 1000                                                               |  | 2892320     |  | 2892214      |  |
| 2890882     | 2890883 |              |  | RANGER XD 1500                                                                      |  |             |                                                                                       |              |  |
| 2202166     | 2890056 |              |  | RANGER 570 (MID SIZE & FULL SIZE)                                                   |  | 2892317     |                                                                                       |              |  |
| 2879323     | 2890057 |              |  | RANGER 900                                                                          |  | 2892318     |                                                                                       |              |  |

\*Additional vehicle fitment including historical models available at polaris.com.

## POLARIS INVESTS IN EACH OIL AT AND ABOVE THESE LEVELS

**12+ DEDICATED  
TEAM MEMBERS**  
FOCUSED ON POLARIS OIL

**18+  
MONTHS**  
DEVELOPMENT & TESTING

**76,000+  
HOURS**  
DYNO TESTING

**2.2/3.5 MILLION+  
MILES/KM**  
FIELD TESTING



#### DOT 4 BRAKE FLUID

A high-quality brake fluid designed for use in Polaris hydraulic brakes.  
» 12 OZ • 2872189



#### SUSPENSION/ U-JOINT GREASE

» 3 OZ • 2871515  
» 14 OZ • 2871551



#### GAS SHOCK OIL

» 1QT RACING • 2874124  
WALKER EVANS RACING  
REBUILDABLE SHOCKS  
» 1QT PREMIUM • 2870995  
FOX® REBUILDABLE SHOCKS



#### AGL

Protects transmission components against wear, corrosion, oxidation and foam in transmissions.  
» 1QT • 2878068  
» 1GAL • 2878069  
» EXTREME • 1QT • 2891028






## PS-4 EXTREME SYNTHETIC 0W-50

- Our best extreme high and low temp formula, excellent for high temperatures and racing, even at temps of 130° F, plus easier cold starting even below -45° F
- Expect the best in wear protection thanks to premium PAO and ester base stocks combined with a balance of moly and ZDDP additives
- Polaris exclusive clean engine additive system reduces deposits and carbon build-up for peak performance and power

## THE BEST PROTECTION, MAXIMUM PERFORMANCE


- Powersports grade full synthetics provide long lasting engine protection
- At least 40% improved wear protection compared to all aftermarket oils tested (see engine wear test chart)
- Polaris exclusive clean additive system
- At least 50% less deposits than all aftermarket oils tested (see deposit test chart)
- Cleaner engine with less deposits means consistent maximum power and performance

## WIDEST VISCOSITY FOR ULTIMATE PROTECTION



## ENGINE WEAR TEST


LOWER NUMBER = LESS ENGINE COMPONENT WEAR  
LESS WEAR ON PARTS MEANS LONGER ENGINE LIFE



ASTM D4172. In 3rd party testing against 9 competitive products Polaris had 40% or better wear protection compared to all of the tested products. Numbers represent mm of wear scarring measured. Test measures wear at contact points, wear scar is measured for its length and width (in units of mm). Lower wear numbers mean better wear protection and friction reduction.

## DEPOSIT TEST

LOWER DEPOSITS = MAXIMUM POWER



ASTM D6335. In 3rd party testing against 9 competitive products Polaris PS-4 had less than half the deposits compared to the next closest product. No other tested products met Polaris Engineering standards for deposit cleanliness. Test measures mass of deposits in mg in high temp, high stress test cycles. Higher deposits will impact engine power and performance.



### DEMAND DRIVE FLUID

Proprietary formulation prevents clutch slippage and chatter and reduces component wear and corrosion.

- » 1 QT • 2877922
- » 2.5 GAL • 2877923



### ANTI-FREEZE

Prevent corrosion on metal components, eliminate scaling and maximize cooling system performance.

- » 1 QT • 2880514
- » 1 GAL • 2880513
- » 55 GAL • 2880512



### NEW FS7 POWERSPORTS FUEL TREATMENT

Fuel stabilizer and fuel system cleaner, protects fuel for 24 months. Dissolves gum, varnish and carbon deposits to maintain maximum power and fuel efficiency.

- » 12 OZ • 2892104

# GARAGE ACCESSORIES



## REDI OFF-ROAD RIDESAFAE KIT

- Water resistant TPU coated bag designed to fit in your glovebox and includes MOLLE system for easy mounting
- 110 first-aid and safety essentials meticulously packed into one comprehensive kit
- Quick reordering via QR code

» 2830622



## BELT CHANGE TOOL KIT

- Be prepared for whatever the outdoors throws your way
- Includes everything you need to get back on the move
- Rolls up to fit easily under seats, in glove boxes, or storage bins
- Does not include belt

» 2830611



## ESSENTIAL KIT

- Contains Jumper Cables, Portable Trail Tech Air Compressor, Ratchet Strap, Tow Strap, Tire Plug Kit, First Aid, Duct Tape, Electrical Tape, Zip Ties, Rag, and Case

» 2881207



## FLEXIBLE CLUTCH COVER TOOL

- Set includes:
- (1) 1/4" drive x 11" flexible driver
- (1) 1/4" drive double sided socket - 1/4" x 8 mm
- Rubber grip handle and flexible shaft for better leverage

» 2830572



## BATTERY OPERATED FLUID TRANSFER PUMP

- Liquid transfer pumps 5-6 QT/min suctioning power
- Powered by two 'D' batteries (not included)

» 2830513



## BATTERY OPERATED FLUID TRANSFER PUMP WITH FLOW CONTROL NOZZLE

- Ideal for quick transfer of fluid, diesel, DEF/Adblue, water and water-based media
- Handheld flow control nozzle
- Powered by two 'D' batteries (not included)

» 2830595



## FLUID SYRINGE

- Easily add and remove fluid from your vehicle

» 2830553



## FLUID CHANGE TRAY

- 22" x 22" x 11.5"
- Chemical and heat resistant
- Holds up to 2 gallons of liquid

» 2830551



## FUNNELS

- Narrow spout for controlled pouring
- Designed to prevent overfills
- Durable for all types of chemical exposure

» 1.25 QT

BLUE  
2830574

» 1.5 QT

RED  
2830575

» 1.5 QT

GREEN  
2830576



## 14 OZ GREASE GUN

- For All-Season and U-Joint Grease
- Heavy-duty, one-handed pistol grip
- 5,000 PSI, with a 4" steel extension efficiently lubricates, reduces friction and wear and tear

» 14 OZ • 2830569



## 3 OZ GREASE GUN

- For All-Season and U-Joint Grease
- Tough steel construction
- Accepts both 6" rigid pip nozzle and 12" 12,000 PSI flex hose

» 3 OZ • 2871312





### PARTS TRAY CABINET

- Roller bearing design
- 20.5" W x 16.75" D x 14.75" H
- » PARTS TRAY CABINET W/ 4 DRAWERS • 2830605
- » SQUARE DIVIDERS (24 COMPARTMENTS) • 2830606
- » ADJUSTABLE DIVIDER • 2830607
- » CABINET STAND • 2830608
- » CABINET WITHOUT DRAWERS • 2830609



### POLARIS SHOP TOWELS

- » 200 CT W/ DISPENSER • 2830402
- » 200 CT REFILL • 2830403
- » 64 CT REFILL • 2830440
- » HEAVY-DUTY SCRUBBER WIPES • 90 CT • 2830441



### HANDHELD PUMP SPRAYER

- Half gallon portable sprayer
- Lightweight and easy to use
- » 2830570



### WORK LIGHT - 550 LUMENS

- UV and dual-charging on a 360° rotating swivel
- » 2830584



### PUMP

- Fits 1 and 2.5 gallon bottles
- » 2870465



### OIL CHANGE KIT

- 6.5 QT drain pan, one pint oil funnel with screen, oil filter wrench, 15" x 18" absorbent pads (2), clean up wipe (1), 6 mil nitrile gloves (1 pair), blue interfold shop towels (4)
- » 2830545



### POLARIS MAGNETIC PARTS TRAY

- » 2830432



### POLARIS LED POCKET FLASHLIGHT

- Powerful beam—extends 200 FT
- Powered by 2 AAA batteries
- 90 lumens, 1 watt, energy efficient light
- » 2830436



### WORK LIGHT - 1000 LUMENS

- Adjustable with magnetic ends
- Battery charge indicator
- » 2830585



### FLEX SPOUT

- Fits all Polaris quart, gallon and 2.5 gallon bottles
- » 2871285



### OIL FILTER WRENCH

- Prevents damage to filters
- Used with 3/8" square drive
- » 65MM (2 9/16") 14 FLUTE • 2830550
- FITS 2540086, 2520799, 2522485 AND 2522498
- » 73MM (2 7/8") 15 FLUTE • 2830594
- FITS 2521728



### POLARIS 33" TELESCOPIC MAGNET

- Retrieve fasteners or parts dropped in hard-to-reach places
- 5 LB of holding strength
- Extends from 6.5" to 33"
- » 2830435



### TRAIL TECH PORTABLE AIR COMPRESSOR

- Handheld air compressor with Li-ion battery
- Programmable PSI pressure settings, LED light and USB phone charger
- » COMPRESSOR • 060-DAP
- » CASE • 060-BAG
- » 15" EXTENDER HOSE • 060-LHS



### WORK LIGHT - 4000 LUMENS

- 90° swivel LED light with magnetic backing
- 16 FT, 14 gauge extension cord cable reel
- » 2830586



### OFF-ROAD TOOL KIT BY CRUZTOOLS®

- » 2890429

# TRAILERING

## RAMPS



### CALIBER® RAMP PRO

- Designed for ATVs and UTVs up to 50" wide
  - Integrated grip glides for ultimate traction
  - Folding sides for easy transportation and storing
- » 52" x 90" • 2884576




### ALUMINUM ARCHED LOADING RAMPS

- Capacity for up to 3,000 LB
- » 76" x 12" • 2875384  
» 88" x 12" • 3,000 LB • 2875386



### LIGHTWEIGHT TRI-FOLD RAMPS

- Ramp folds up for transport
  - Capacity for up to 1,500 LB
  - Safety straps included
- » 72" x 51" • 2875385  
» 82" x 51" • 2875860



### FOLDING ALUMINUM ARCHED RAMPS

- Ramp folds up for transport
  - Up to 1,500 LB total capacity, 750 LB per individual ramp
  - Safety straps included
- » 88" x 12" • 2875387

## COVERS & MISC

### TRAILERING COVERS

- Protect your vehicle from the elements while storing outdoors
- A ratchet strap system on the bottom helps to secure the cover to the vehicle

#### MID-SIZE

##### » 2890329

SP 570 '22-26,  
600 '27, 500 '27

##### » 2890330

CREW SP 570 '22-26,  
CREW 600 '27

#### FULL-SIZE

##### » 2890331

XP 1000 '15-27, 1000 '20-27

##### » 2890332

CREW XP 1000 '17-27, CREW 1000 '20-27

##### » POLARIS PURSUIT CAMO • 2882160

XP 1000 '14-27, EV '15-21, 570 FULL-SIZE '17-27,  
570 '14-27, 500 '17-22, 1000 '20-27

#### EXTREME DUTY

##### » 2889107

XD 1500 '24-27

##### » 2890305

CREW XD 1500 '24-27



### NEW POLARIS WHIP FLAG & POLE

- Durable 8 x 21" flag constructed to resist tearing and tattering
- Mounted to a 3/8" fiberglass rod engineered to maintain its shape at riding speeds
- Built-in silicon rubber stoppers help manage flag movement along the pole

##### » 2891692

ALL MODELS

## HITCHES



### HITCH WITH 2" BALL

- 3:1 Hitch: ball, hook and pin design
  - Rust resistant steel with powdercoat finish
  - Removable ball, 5/8" pin and clip
- » 2" x 2" RECEIVER • 2830522  
» 1 1/4" x 1 1/4" RECEIVER • 2830523  
» 1 1/8" REPLACEMENT BALL • 2830524



### FRONT RECEIVER HITCH

- » 2" WITH 3/4" SHANK  
2884692



### RECEIVER HITCH

- » 2" RECEIVER TONGUE  
2875320



### TRAILER BALL 3/4" SHANK

- » 1 1/8" BALL • 2877602  
» 2" BALL • 2877603

## STRAPS & ROPES

### RATCHET STRAP

- 1.5" x 15 FT straps, 2 pack
  - Heavy duty webbing
  - 5,500 LB maximum load, 1,833 LB working load
- » 2884031



### SHOCK STRAPS

- 1.5" 3,000 LB breaking strength
  - Keeps tension on tie-down straps to secure load, 2 pack
- » 1.5" x 15' • 2883296  
» 1.5" x 7' • 2883295





# TIRE SEALANT

24/7 COVERAGE | BE PREPARED FOR ANYTHING

## HOW IT WORKS

- 1 Tire sealant remains liquefied inside the tire until a leak develops in the tire or wheel.
- 2 Once a leak occurs, the tire sealant rushes out of the tire and quickly creates a permanent solid plug, maintaining tire pressure so you can continue your ride.



## HOW MUCH DO YOU NEED?

$$\text{TIRE HEIGHT (IN.)} \times \text{TIRE WIDTH (IN.)} / 5 = \text{OUNCES REQUIRED PER TIRE}$$

## PREMIUM TIRE SEALANT

- Instantly seals and repairs rim, bead leaks and punctures up to .25" on standard tires and .75" on heavy ply tires
- Helps seal the tire bead against the wheel
- Creates permanent repair, helps maintain air pressure for the life of the tire
- 100% water soluble for easy cleanup
- Remains fluid and effective in temperatures down to -45° F
- Will not rust, corrode or pit wheels
- Easily installed through existing tire valve stem with valve core removed

» 32 OZ • 2830484

» 1 GAL • 2830485

» 5 GAL • 2830486

» 5 GAL PUMP • 2830487

» 55 GAL • 2830489

» 275 GAL • 2830488

VISIT [POLARIS.COM/TIRESEALANTCHART](http://POLARIS.COM/TIRESEALANTCHART) TO LEARN MORE

# CV BOOT REPAIR KIT\*

FIX ON THE GO | TEMPORARY COVERAGE

- A quick trail-side fix to increase trail time
- The flexible and durable boot material expands over a cone tool for CV boot repairs, without disassembling CV axles
- Universal fit – works as a temporary fix for most powersports axles
- All components fit inside the cone and a cover is provided for compact durable storage
- Easily fits in a cargo box, attached to the roll cage, in the glovebox or many other storage locations



Items shown are contained inside cone

## UTV CV BOOT REPAIR KIT

Kit includes the following items:

- (1) Expandable XL CV Boot
- (1) Reusable Cone Tool
- (2) CV Boot Clamps
- (1) Tube of Silicone Lube
- (1) Grease Packet
- (1) Cone Cover

» 2830526

## UTV TRAIL BOOT ONLY

» 2830527

## ATV


» CV REPAIR KIT  
2830528

» TRAIL BOOT ONLY  
2830529




SEE HOW THE CV BOOT REPAIR KIT WORKS  
AT [POLARIS.COM/MAINTENANCE-VIDEOS](http://POLARIS.COM/MAINTENANCE-VIDEOS)


## HOW TO INSTALL




Remove wheel and axle nut.




Remove brake caliper, hub, tie rod and upper and lower ball joints.




Remove old boot and clean joint.



Spread silicone lube on entire cone tool. Slide boot over cone tool, large end first. See package for outer boot instructions.



Empty the bag of grease into the CV joint/boot, clean sealing points and install clamps.



Reassemble tie rod, ball joints, brake caliper, axle nut, tire and wheel.

Refer to your service manual for further instructions and torque specifications.

\*Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair.

# BATTERY MAINTAINERS

YOUR BATTERY IS  
READY WHEN YOU ARE



## NOCO GENIUS® BATTERY CHARGER - 1 AMP

- Keep your battery charged
- Includes Boost Eyelet Cable with X-Connector Adapter (2830546)
- Includes adapter for vehicle charge port

» 2830567



## NOCO GENIUS® BATTERY CHARGER - 2 AMP

- Keep your battery charged
- Includes Boost Eyelet Cable with X-Connector Adapter (2830546)
- Includes adapter for vehicle charge port

» 2830568



## NOCO GENIUS® BATTERY CHARGER - 5 AMP, 2 BANK

- Waterproof charger
- 5 amps per bank for charging any 12V, AGM, lead-acid and/or lithium-ion batteries

» 2830599



## NOCO GENIUS® BATTERY CHARGER - 10 AMP, 4 BANK

- Waterproof charger
- 10 amps per bank for charging any 12V, AGM, lead-acid and/or lithium-ion batteries

» 2830601



## NOCO BOOST® GB40 12V 1000A JUMP STARTER

- Delivers 1,000 amps for jump starting a dead battery in seconds

» 2830547



## NOCO BOOST® GB70 12V 2000A JUMP STARTER

- Delivers 2,000 amps for jump starting a dead battery in seconds

» 2830597



## NOCO BOOST® JUMP PACK PROTECTION CASES

- Lightweight, durable and rugged custom exterior

» GB40 • 2830548

» GB70 • 2830598

**BatteryMINDER®**

SEE ALL BATTERY  
MAINTAINER PRODUCTS  
ONLINE AT **POLARIS.COM**





# SERVICE PARTS

**POLARIS ENGINEERED SERVICE PARTS  
DELIVER UNMATCHED PERFORMANCE  
AND FIT FOR YOUR OFF-ROAD VEHICLE.**

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximize the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because there is a long run.

**SHOP FOR SERVICE PARTS ONLINE  
OR VISIT YOUR POLARIS DEALER.**



## LOOK UP PARTS ON POLARIS.COM

FOR EASY PARTS IDENTIFICATION, VIEW OF ASSEMBLIES & MORE

Visit **Polaris.com/RANGER**

Click the **"Parts & Accessories"** tab

Enter **vehicle year/model** then **select the part**

Clearly see what parts are required and **order**

# PRO SERIES

All Polaris parts are developed and tested to help you get the most out of your ride. Now, we're taking the passion of our riders, workers and outdoor enthusiasts to the next level with Pro Series Parts. Polaris Pro Series Parts are built for riders who push their machines to the limit—day after day, season after season. These are the ranchers, construction workers and relentless trail riders who ride in the extreme terrains and environments. From the heat of Texas to the frozen tundra of Northern Canada, and the swamps of Louisiana to the mountains of Wyoming.

LIMITED



WARRANTY

BEARINGS  
BUSHINGS  
DRIVE BELTS



WARRANTY

AXLES  
BATTERIES



WARRANTY

AIR FILTERS  
BRAKE PADS  
OIL FILTERS





# ENGINEERED TO HANDLE EXTREME CONDITIONS

We know you push your vehicle to the limit, demanding top performance. Pro Series Parts are developed to expand the boundaries of your ride and tackle extreme conditions:



**MUD**



**PAYLOADS**



**DUST**



**HEAT**



**COLD**





# APPAREL

**FIT FOR ANY ADVENTURE.** For outdoor enthusiasts looking for gear that's purposefully built to stand up to the fun and challenging experiences Polaris vehicles enable. Polaris Apparel is rider-inspired and tested under real-world extremes so it's ready for what the outdoors will throw at it.



SCAN TO SHOP  
THE FULL LINEUP OF  
POLARIS APPAREL



## RANGER APPAREL & MERCHANDISE



### RANGER TEE

MEN'S | S-3XL

Green | 2833091

Black | 2833092



### LONG SLEEVE RANGER TEE

MEN'S | S-3XL

Black | 2833094

Gray | 2833093



### RANGER HOODIE

S-3XL

Black | 2865589



### POLARIS RANGER STICKER 6"

6" x 0.85" | 2861864



### POLARIS RANGER PARKING SIGN

2869933



### RANGER CAP

Black | 2833131

Green | 2833132

## RANGE COLLECTION



### RANGE WORK JACKET

Rugged and warm jacket that's tough for work and comfortable for play

MEN'S | S-3XL

Black | 2865321

Tan | 2865322

WOMEN'S | S-3XL

Tan | 2865346

Black | 2865345



### RANGE WORK GLOVE

MEN'S | S-3XL

Black | 2865392

## CASUALWEAR & HATS



### SOFTSHELL JACKET 2.0

**MEN'S | S-3XL**  
Forest Green | 2866404  
Black | 2865318  
Blue | 2865320

**WOMEN'S | S-3XL**  
**NEW** Teal | 2847019  
Black | 2865343  
Blue | 2865344



### PURSUIT HOODIE

**MEN'S | S-3XL**  
Tan | 2866439  
Black | 2833076  
Orange | 2864606  
Green | 2833077  
Camo | 2862494

**WOMEN'S | S-3XL**  
Camo | 2865488



### ODYSSEY HOODIE

**MEN'S | S-3XL**  
Cabernet | 2866412  
Gray | 2865394  
Tan | 2865395  
Navy | 2865396

**WOMEN'S | S-3XL**  
Sage Green | 2866420  
Dark Blue | 2865398  
Dark Rose | 2865399  
Gray | 2865397



### HEAVYWEIGHT FLANNEL SHIRT

**MEN'S | S-3XL**  
Blue/Black | 2847073  
Black/Gray | 2847074



### PERFORMANCE SHIRT

**MEN'S | S-3XL**  
Sand | 2865497  
Cypress | 2865498

★ TOP SELLER



### BLOCK '54 HOODIE

**MEN'S | S-3XL**  
Black | 2866440  
Sand | 2866441



### SHOP SHIRT

**MEN'S | S-3XL**  
Black | 2847108  
Navy | 2847109  
Dark Gray | 2847110

★ TOP SELLER



### STAPLE CAP

Sand | 2866471  
Maroon | 2865516  
Cypress | 2864568  
Black | 2833127  
Navy | 2833128



### FLAG CAP

Red/White/Blue | 2847044  
Olive/Black | 2847045



### BLOCK '54 CAP

Black | 2866476



### TONAL HAT

Olive | 2866469  
Orange | 2864564  
Black/Red | 2833497  
Navy | 2833496



### STEALTH CAMO CAP

Camo | 2861527



### HUNTER ORANGE HAT

S/M | 2860892  
L/XL | 2862545



### CAMO BEANIE (REVERSIBLE)

Camo | 2833118



### CORE BEANIE

Orange | 2862595



## HELMETS & GOGGLES



RED/GRAY  
2847059

### NEW TACTICAL 3.1 MTN FOR POLARIS

EXPERIENCE TOP-TIER PROTECTION,  
COMFORT AND CONNECTIVITY

XS-4XL

- Cardo® UCS Compatibility: integration and easy assembly of Cardo® UCS modules (sold separately)
- Magnetic Fidlock® chin-strap technology
- Plush liner design
- Compatible with VEES Protection System (sold separately) for cold days
- DOT and ECE 22.06-approved

FULL DETAILS ONLINE



OLIVE/BLACK  
2866467

### TENACITY 4.0

COMBINATION OF MODERN STYLE AND PREMIUM  
PROTECTION WITH INCREDIBLE VALUE

XS-2XL

- Through-flow, full-helmet ventilation
- ProClip quick release chin strap allows you to fasten the chin strap in seconds
- Removable breath box
- Toolless adjustable roost shield
- Removable, washable liner
- DOT/ECE 22.06 dual certified helmet shell

FULL DETAILS ONLINE



RED  
2866418

### 509 KINGPIN FOR POLARIS

PREMIUM MATERIALS, ATTRACTIVE PRICE

- Built for off road, the oversized spherical lens delivers optimal peripheral vision
- Quick-change technology allows you to run the best lens tint for conditions

FULL DETAILS ONLINE



NEW  
PURPLE/BLACK  
2847066

### 509 MX6 FOR POLARIS

SUPER WIDE FIELD OF VIEW, ENGINEERED FOR DIRT

- PC outer lens with anti-scratch coating and internal anti-fog coating
- Outriggers with latch system for quick lens change

FULL DETAILS ONLINE



NEW  
BRONZE/BLACK  
2847065



SEE OUR FULL LINE OF HOME & COLLECTIBLES ONLINE



#### KICKBACK ROCKER

Green | 2864816  
Blue | 2862626



#### POLARIS KEY RACK

12" x 8" | 2864718



#### NEW METAL HITCH PLUG

2847134

APPAREL

RANGER APPAREL  
& MERCHANDISE

RANGE  
COLLECTION

CASUALWEAR  
& HATS

HELMETS  
& GOGGLES

# WHEN YOU'RE TRUSTED BY MILLIONS, YOU GET TO WORK.



## **POLARIS SPORTSMAN**

ATVs for trail and adventure riders, hunters, ranchers and anyone who wants to explore the outdoors.



## **POLARIS RZR**

The #1 sport side by side brand, with the most complete lineup for whatever terrain you ride.



## **POLARIS RANGER**

The most capable UTVs, purpose built to be the hardest working and the smoothest riding.





THEY SAY IT TAKES 10,000 HOURS TO MASTER SOMETHING.  
WE'VE BEEN BUILDING FOR OVER 70 YEARS.

WE RELENTLESSLY TEST OUR VEHICLES TO BETTER THE RIDE,  
SO YOU CAN DO WHAT YOU WERE PUT HERE FOR.



POLARIS  
**XPEDITION**

Elevated performance  
and all-season comfort to  
go beyond the trailhead.



POLARIS  
**GENERAL**

The #1 crossover brand.  
Versatility, comfort and  
capability to hit the trails or  
knock out tasks.

## RANGER MID-SIZE MODELS



### RANGER 500



### RANGER 600 / CREW†



### RANGER 600 / CREW† PREMIUM



### RANGER 600 / CREW† NORTHSTAR

|                                  |                                                                                                                   |  |                                                                                                                 |  |                                                                                                                                                                                                                                                             |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| ENGINE TYPE / HP                 | 567 cc, 4-Stroke DOHC, Single Cylinder / 28 HP                                                                    |  | 567cc, 4-Stroke DOHC, Single Cylinder / 44 HP                                                                   |  | 567cc, 4-Stroke DOHC, Single Cylinder / 44 HP                                                                                                                                                                                                               |  | 567cc, 4-Stroke DOHC, Single Cylinder / 44 HP                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| DRIVETRAIN (DRIVE SYSTEM)        | AWD with Auto-Locking Front Drive Selectable VersaTrac Turf Mode                                                  |  | Selectable On-Demand All-Wheel Drive AWD/2WD/VersaTrac Turf Mode                                                |  | Selectable On-Demand All-Wheel Drive AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                            |  | Selectable On-Demand All-Wheel Drive AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
| FRONT / REAR SUSPENSION          | MacPherson Strut 9" (22.9 cm) Travel / Dual A-arm, IRS 10" (25.4 cm) Travel                                       |  | MacPherson Strut 9" (22.9 cm) Travel / Dual A-arm, IRS 10" (25.4 cm) Travel                                     |  | MacPherson Strut 9" (22.9 cm) Travel / Dual A-arm, IRS 10" (25.4 cm) Travel                                                                                                                                                                                 |  | MacPherson Strut 9" (22.9 cm) Travel / Dual A-arm, IRS 10" (25.4 cm) Travel                                                                                                                                                                                                                                                                                                                                                                                                             |  |
| FRONT / REAR TIRES               | 25 x 8-12; Carlstar 489 / 25 x 10-12; Carlstar 489                                                                |  | 25 x 8-12; Carlstar 489 / 25 x 10-12; Carlstar 489                                                              |  | 25 x 8-12; Carlstar 489 / 25 x 10-12; Carlstar 489                                                                                                                                                                                                          |  | 25 x 8-12; Pro Armor X Terrain / 25 x 10-12; Pro Armor X Terrain                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
| OVERALL VEHICLE SIZE (L X W X H) | 110 x 58.5 x 74.8" (279 x 149 x 190 cm)                                                                           |  | 108 x 56 x 74" (274.3 x 142.2 x 188 cm) 144 x 56 x 74" (365.8 x 142.2 x 188 cm)                                 |  | 108 x 56 x 74" (274.3 x 142.2 x 188 cm) 144 x 56 x 74" (365.8 x 142.2 x 188 cm)                                                                                                                                                                             |  | 108 x 58 x 74" (274.3 x 147.3 x 188 cm) 144 x 58 x 74" (365.8 x 147.3 x 188 cm)                                                                                                                                                                                                                                                                                                                                                                                                         |  |
| GROUND CLEARANCE                 | 10" (25.4 cm)                                                                                                     |  | 11" (27.9 cm)                                                                                                   |  | 11" (27.9 cm)                                                                                                                                                                                                                                               |  | 11" (27.9 cm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| SEATING CAPACITY                 | 2                                                                                                                 |  | 2 / 4                                                                                                           |  | 2 / 4                                                                                                                                                                                                                                                       |  | 2 / 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| BOX / RACK CAPACITY              | 500 LB (227 KG)                                                                                                   |  | 500 LB (227 KG)                                                                                                 |  | 500 LB (227 KG)                                                                                                                                                                                                                                             |  | 500 LB (227 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
| TOW CAPACITY                     | 1,500 LB (680 KG)                                                                                                 |  | 1,500 LB (680 KG)                                                                                               |  | 1,500 LB (680 KG)                                                                                                                                                                                                                                           |  | 1,500 LB (680 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
| OTHER STANDARD FEATURES          | 4" LCD Rider Information Center, 2,500 LB Winch with Wired Remote, Steel Front Bumper with Integrated Winch Mount |  | Gas Assist Dump Box, Single Latch Tailgate, Steel Front Bumper with Winch Mount and Bull Bar, Rear Wheel Liners |  | Gas Assist Dump Box, Single Latch Tailgate, Full Coverage Steel Front Bumper with Integrated Winch and Plow Mounts, Full Coverage Skid Plate, Premium Cut and Sew Seats, Polaris PULSE Electrical System (3 position), USB Charging Port, Rear Wheel Liners |  | Premium Enclosed Cab, Doors with Crank Windows, Fixed Glass Windshield with Wiper and Washer Fluid, Rear Glass Window, Factory Installed Heat with Defrost, Gas Assist Dump Box, Single Latch Tailgate, Full Coverage Steel Front Bumper with Integrated Winch and Plow Mounts, Full Coverage Skid Plate, Premium Cut and Sew Seats, Polaris PULSE Electrical System (3 position), 3,500 LB Synthetic Rope Winch with Autostop, USB Charging Port, Rear Wheel Liners, NorthStar Badging |  |

†New model name only; no significant difference to engine performance.

## RANGER FULL-SIZE MODELS



### RANGER 1000 / CREW



### RANGER 1000 EPS



### RANGER 1000 / CREW PREMIUM



### RANGER 1000 CAB

|                                  |                                                                                                                                |  |                                                                                                                                                                                    |  |                                                                                                                                                                                                                                                                                                                        |  |                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| ENGINE TYPE / HP                 | 999cc, 4-Stroke DOHC, Twin Cylinder / 61 HP                                                                                    |  | 999cc, 4-Stroke SOHC, Twin Cylinder / 61 HP                                                                                                                                        |  | 999cc, 4-Stroke SOHC, Twin Cylinder / 61 HP                                                                                                                                                                                                                                                                            |  | 999cc, 4-Stroke SOHC, Twin Cylinder / 61 HP                                                                                                                                                                                                                                                                                                                                                                                                  |  |
| DRIVETRAIN (DRIVE SYSTEM)        | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                              |  | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                                                                                  |  | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                                                                                      |  | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                                                                                                                                                                                                            |  |
| FRONT / REAR SUSPENSION          | Dual A-arm, 10" (25.4 cm) Travel / Dual A-arm, 10" (25.4 cm) Travel                                                            |  | Dual A-arm, 10" (25.4 cm) Travel / Dual A-arm, 10" (25.4 cm) Travel                                                                                                                |  | Dual A-arm, 10" (25.4 cm) Travel / Dual A-arm, 10" (25.4 cm) Travel                                                                                                                                                                                                                                                    |  | Dual A-arm, 10" (25.4 cm) Travel / Dual A-arm, 10" (25.4 cm) travel                                                                                                                                                                                                                                                                                                                                                                          |  |
| FRONT / REAR TIRES               | 25 x 10-12; Carlstar 489 / 25 x 11-12; Carlstar 489                                                                            |  | 25 x 10-12; Carlstar 489 / 25 x 11-12; Carlstar 489                                                                                                                                |  | 26 x 9-12; PXT 2.0 / 26 x 11-12; PXT 2.0                                                                                                                                                                                                                                                                               |  | 26 x 9-12; PXT 2.0 / 26 x 11-12; PXT 2.0                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| OVERALL VEHICLE SIZE (L X W X H) | 120 x 62.5 x 76" (305 x 159 x 191 cm) 152 x 62.5 x 76" (386 x 159 x 191 cm)                                                    |  | 120 x 62.5 x 76" (305 x 159 x 191 cm)                                                                                                                                              |  | 120 x 62.5 x 78" (305 x 159 x 193 cm) 152 x 62.5 x 78" (386 x 159 x 193 cm)                                                                                                                                                                                                                                            |  | 120 x 65 x 78" (305 x 165 x 193 cm)                                                                                                                                                                                                                                                                                                                                                                                                          |  |
| GROUND CLEARANCE                 | 12" (30.5 cm)                                                                                                                  |  | 12" (30.5 cm)                                                                                                                                                                      |  | 12.5" (31.75 cm)                                                                                                                                                                                                                                                                                                       |  | 12.5" (31.75 cm)                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
| SEATING CAPACITY                 | 3 / 6                                                                                                                          |  | 3                                                                                                                                                                                  |  | 3 / 6                                                                                                                                                                                                                                                                                                                  |  | 3                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
| BOX CAPACITY                     | 1,000 LB (454 KG)                                                                                                              |  | 1,000 LB (454 KG)                                                                                                                                                                  |  | 1,000 LB (454 KG)                                                                                                                                                                                                                                                                                                      |  | 1,000 LB (454 KG)                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
| TOW CAPACITY                     | 2,500 LB (1,134 KG)                                                                                                            |  | 2,500 LB (1,134 KG)                                                                                                                                                                |  | 2,500 LB (1,134 KG)                                                                                                                                                                                                                                                                                                    |  | 2,500 LB (1,134 KG)                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
| OTHER STANDARD FEATURES          | Single Latch Cab Nets, Polaris PULSE Electrical System (3 position), 12-Volt Accessory Outlet, Battery Trickle-Charging Outlet |  | Front Bumper with Integrated Plow and Winch Mounts, Single Latch Cab Nets, Polaris PULSE Electrical System (3 position), 12-Volt Accessory Outlet, Battery Trickle-Charging Outlet |  | 4,500 LB Synthetic Rope Winch with Autostop and Wireless Remote, Factory-Installed Poly Sport Roof, Premium Cut and Sew Bench Seat, Front Bumper with Integrated Plow and Winch Mounts, Single Latch Cab Nets, Polaris PULSE Electrical System (3 position), 12-Volt Accessory Outlet, Battery Trickle-Charging Outlet |  | Factory-Installed Cab System with Crank Window Doors, Roof, Fixed Glass Windshield, Glass Rear window, Rear View Mirror, Windshield Wiper/Washer and Sound Insulation Materials, 660-W Charging System, Polaris PULSE Electrical System (3-Position), 12-Volt Accessory Outlet, Battery Trickle-Charging Port, 4,500 LB Winch With Synthetic Rope, Auto Stop And Wireless Remote, Large Steel Bumper, Full-Coverage Skid Plate, A-arm Guards |  |





## RANGER XP 1000 / CREW PREMIUM

## RANGER XP 1000 CAB / CREW

## RANGER CREW XP 1000 TEXAS EDITION

## RANGER XP 1000 / CREW MUD EDITION

|                                  |                                                                                                                                                                                                                                                                                                                                                                       |  |                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |                                                                                                                                                                                                                                                                                                                             |  |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| ENGINE TYPE / HP                 | 999cc, 4-Stroke DOHC, Twin Cylinder / 82 HP                                                                                                                                                                                                                                                                                                                           |  | 999cc, 4-Stroke DOHC, Twin Cylinder / 82 HP                                                                                                                                                                                                                                                                                                                                                          |  | 999cc, 4-Stroke DOHC, Twin Cylinder / 82 HP                                                                                                                                                                                                                                                                                                                                                                                       |  | 999cc, 4-Stroke DOHC, Twin Cylinder / 82 HP                                                                                                                                                                                                                                                                                 |  |
| DRIVETRAIN (DRIVE SYSTEM)        | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                                                                                                                                     |  | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                                                                                                                                                                    |  | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                                                                                                                                                                                                 |  | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                                                                                           |  |
| FRONT / REAR SUSPENSION          | Dual A-arm, 10" (25.4 cm) Travel / Dual A-arm, 10" (25.4 cm) Travel                                                                                                                                                                                                                                                                                                   |  | Dual A-arm, 10" (25.4 cm) Travel / Dual A-arm, 10" (25.4 cm) Travel                                                                                                                                                                                                                                                                                                                                  |  | Dual A-arm, 10" (25.4 cm) Travel / Dual A-arm, 10" (25.4 cm) Travel                                                                                                                                                                                                                                                                                                                                                               |  | Dual Arched A-arm, 10" (25.4 cm) Travel / Dual Arched A-arm, 10" (25.4 cm) Travel                                                                                                                                                                                                                                           |  |
| FRONT / REAR TIRES               | 29 x 9-14; Pro Armor X Terrain / 29 x 11-14; Pro Armor X Terrain                                                                                                                                                                                                                                                                                                      |  | 29 x 9-14; Pro Armor X Terrain / 29 x 11-14; Pro Armor X Terrain                                                                                                                                                                                                                                                                                                                                     |  | 29 x 9-14; Pro Armor X Terrain / 29 x 11-14; Pro Armor X Terrain                                                                                                                                                                                                                                                                                                                                                                  |  | 29 x 10-14; Pro Armor MUD XC / 29 x 10-14; Pro Armor MUD XC                                                                                                                                                                                                                                                                 |  |
| OVERALL VEHICLE SIZE (L X W X H) | 120 x 62.5 x 79.5" (305 x 158 x 201 cm)                                                                                                                                                                                                                                                                                                                               |  | 120 x 62.5 x 79.5" (305 x 165 x 201 cm)                                                                                                                                                                                                                                                                                                                                                              |  | 152 x 62.5 x 79.5" (386 x 165 x 201 cm)                                                                                                                                                                                                                                                                                                                                                                                           |  | 120 x 62.5 x 79.5" (305 x 158 x 201 cm)                                                                                                                                                                                                                                                                                     |  |
| GROUND CLEARANCE                 | 14" (36 cm)                                                                                                                                                                                                                                                                                                                                                           |  | 14" (36 cm)                                                                                                                                                                                                                                                                                                                                                                                          |  | 14" (36 cm)                                                                                                                                                                                                                                                                                                                                                                                                                       |  | 14" (36 cm)                                                                                                                                                                                                                                                                                                                 |  |
| SEATING CAPACITY                 | 3 / 6                                                                                                                                                                                                                                                                                                                                                                 |  | 3 / 6                                                                                                                                                                                                                                                                                                                                                                                                |  | 6                                                                                                                                                                                                                                                                                                                                                                                                                                 |  | 3 / 6                                                                                                                                                                                                                                                                                                                       |  |
| BOX CAPACITY                     | 1,000 LB (454 KG)                                                                                                                                                                                                                                                                                                                                                     |  | 1,000 LB (454 KG)                                                                                                                                                                                                                                                                                                                                                                                    |  | 1,000 LB (454 KG)                                                                                                                                                                                                                                                                                                                                                                                                                 |  | 1,000 LB (454 KG)                                                                                                                                                                                                                                                                                                           |  |
| TOW CAPACITY                     | 2,500 LB (1,134 KG)                                                                                                                                                                                                                                                                                                                                                   |  | 2,500 LB (1,134 KG)                                                                                                                                                                                                                                                                                                                                                                                  |  | 2,500 LB (1,134 KG)                                                                                                                                                                                                                                                                                                                                                                                                               |  | 2,500 LB (1,134 KG)                                                                                                                                                                                                                                                                                                         |  |
| OTHER STANDARD FEATURES          | Front Bumper with Integrated Winch, PLOW and LED Mounts, Premium Cut and Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, 4,500 LB Synthetic Rope Winch with Autostop and Wireless Remote, Factory-Installed Poly Sport Roof, Polaris PULSE Electrical System (6 position), 12-Volt Accessory Outlet, Battery Trickle-Charging Outlet, USB Outlet |  | Factory-Installed Cab System with Powered Front Doors, Crank Rear, Roof, Glass Windshield, Glass Rear Window, Windshield Wiper/Washer and Sound Insulation Materials, Factory-Installed Heat, AC, Defrost, Large Steel Bumper, Full-Coverage Skid Plate, Polaris PULSE Electrical System (6-Position Hood and 6-Position Roof), USB Charger, 12-Volt Accessory Outlet, Battery Trickle-Charging Port |  | Texas Badging, Front Bumper with Integrated Winch, PLOW and LED Mounts, Premium Cut and Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, 4,500 LB Synthetic Rope Winch with Autostop and Wireless Remote, Factory-Installed Poly Sport Roof, Premium Steering Wheel and Interior Accents, Polaris PULSE Electrical System (6-Position), 12-Volt Accessory Outlet, Battery Trickle-Charging Outlet, USB Outlet |  | High Mounted 4,500 LB Winch with Synthetic Rope, Auto Stop and Wireless Remote, Premium Cut and Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Factory-Installed Poly Sport Roof, Polaris PULSE Electrical System (6 position), 12-Volt Accessory Outlet, Battery Trickle-Charging Outlet, USB Outlet |  |



## RANGER XP 1000 / CREW NORTHSTAR PREMIUM

## RANGER XP 1000 / CREW NORTHSTAR ULTIMATE

## RANGER CREW XP 1000 NORTHSTAR TEXAS EDITION

## RANGER XP 1000 / CREW NORTHSTAR TRAIL BOSS EDITION

|                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| ENGINE TYPE / HP                 | 999cc, 4-Stroke DOHC, Twin Cylinder / 82 HP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | 999cc, 4-Stroke DOHC, Twin Cylinder / 82 HP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | 999cc, 4-Stroke DOHC, Twin Cylinder / 82 HP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 999cc, 4-Stroke DOHC, Twin Cylinder / 82 HP                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| DRIVETRAIN (DRIVE SYSTEM)        | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |
| FRONT / REAR SUSPENSION          | Dual A-arm 10" (25.4 cm) Travel / Dual A-arm, 10" (25.4 cm) Travel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | Dual A-arm 10" (25.4 cm) Travel / Dual A-arm, 10" (25.4 cm) Travel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | Dual Arched A-arm, 10" (25.4 cm) Travel / Dual Arched A-arm, 10" (25.4 cm) Travel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | Walker Evans® Piggyback Shocks, Dual Arched A-arm, 10" (25.4 cm) Travel / Walker Evans® Piggyback Shocks, Dual Arched A-arm, 10" (25.4 cm) Travel                                                                                                                                                                                                                                                                                                                                                                              |  |
| FRONT / REAR TIRES               | 29 x 9-14; Pro Armor X Terrain / 29 x 11-14; Pro Armor X Terrain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 29 x 9-14; Pro Armor X Terrain / 29 x 11-14; Pro Armor X Terrain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | 29 x 9-14; Pro Armor X Terrain / 29 x 11-14; Pro Armor X Terrain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | 29 x 9-14; Pro Armor X Terrain / 29 x 11-14; Pro Armor X Terrain                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| OVERALL VEHICLE SIZE (L X W X H) | 120 x 65 x 79.5" (305 x 165 x 201 cm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  | 152 x 65 x 79.5" (386 x 165 x 201 cm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 152 x 65 x 79.5" (386 x 165 x 201 cm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 120 x 65 x 79.5" (305 x 165 x 201 cm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
| GROUND CLEARANCE                 | 14" (36 cm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | 14" (36 cm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | 14" (36 cm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 14" (36 cm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| SEATING CAPACITY                 | 3 / 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  | 3 / 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | 3 / 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
| BOX CAPACITY                     | 1,000 LB (454 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | 1,000 LB (454 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | 1,000 LB (454 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  | 1,000 LB (454 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |
| TOW CAPACITY                     | 2,500 LB (1,134 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | 2,500 LB (1,134 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  | 2,500 LB (1,134 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | 2,500 LB (1,134 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
| OTHER STANDARD FEATURES          | Premium Enclosed Cab, Doors with Powered Front Windows, Tip-Out Glass Windshield with Wiper, Rear Glass Window, Factory-Installed Heat, AC, Defrost, Rear View Mirror, NorthStar Tailgate Badge, Front Bumper with Integrated Winch, PLOW and LED Mounts, Premium Cut and Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, 4,500 LB Synthetic Rope Winch with Autostop and Wireless Remote, Polaris PULSE Electrical System (6-Position) Underhood Busbar and 6-Position Roof Busbar, 12-Volt Accessory Outlet, Battery Trickle-Charging Outlet, USB Outlet |  | 7" Display Powered by RIDE COMMAND, JBL® Trail Pro 2000 Audio, Premium Enclosed Cab, Doors with Powered Front Windows, Tip-Out Glass Windshield with Wiper, Rear Glass Window, Factory-Installed Heat, AC, Defrost, Rear View Mirror, NorthStar Tailgate Badge, Front Bumper with Integrated Winch, PLOW and LED Mounts, Premium Cut and Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, 4,500 LB Synthetic Rope Winch with Autostop and Wireless Remote, Polaris PULSE Electrical System (6-Position) Underhood Busbar and 6-Position Roof Busbar, 12-Volt Accessory Outlet, Battery Trickle-Charging Outlet, USB Outlet |  | 7" Display Powered by RIDE COMMAND, Texas and NorthStar Tailgate Badging, Premium Enclosed Cab, Doors with Power Windows, Tip-Out Glass Windshield with Wiper, Tinted Windows, Rear Glass Window, Factory-Installed Heat, AC, Defrost, Rear View Mirror, Premium Steering Wheel and Interior Accents, Front Bumper with Integrated Winch, PLOW and LED Mounts, Premium Cut and Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, 4,500 LB Synthetic Rope Winch with Autostop and Wireless Remote, Polaris PULSE Electrical System (6-Position) Underhood Busbar and 6-Position Roof Busbar, 12-Volt Accessory Outlet, Battery Trickle-Charging Outlet, USB Outlet |  | 7" Display Powered by RIDE COMMAND, JBL® Trail Pro 2000 Audio, Premium Enclosed Cab, Tip-Out Glass Windshield, Tinted Side Windows and Rear Panel, Powered Front Windows, Rearview Mirror, Factory-Installed Heat, AC, Defrost, NorthStar Tailgate Badge, Front Bumper with Integrated Winch, 4,500 LB Synthetic Rope Winch with Autostop and Wireless Remote, Polaris PULSE Electrical System (6-position) Underhood Busbar And 6-Position Roof Busbar, 12-Volt Accessory Outlet, Battery Trickle-Charging Outlet, USB Outlet |  |

## RANGER EXTREME DUTY MODELS



### RANGER XD 1500 / CREW NORTHSTAR PREMIUM

|                                  |                                                                                                               |                                          |
|----------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------|
| ENGINE TYPE / HP                 | 1498cc, 4-Stroke DOHC, Triple Cylinder / 110 HP                                                               |                                          |
| DRIVETRAIN (DRIVE SYSTEM)        | Selectable On-Demand All-Wheel Drive, AWD/2WD/Turf/Ultra Turf Drive Modes: Comfort, Standard, Sport, Tow/Haul |                                          |
| FRONT / REAR SUSPENSION          | Dual A-arm 12" (30.5 cm) Travel / Dual Arched A-arm IRS 12" (30.5 cm) Travel                                  |                                          |
| FRONT / REAR TIRES               | 30 x 10-15; Kenda® Cross Trail / 30 x 11-15; Kenda® Cross Trail                                               |                                          |
| OVERALL VEHICLE SIZE (L X W X H) | 137 x 65 x 78"<br>(348 x 165 x 198 cm)                                                                        | 164 x 65 x 78"<br>(416.5 x 165 x 198 cm) |
| GROUND CLEARANCE                 | 15" (38 cm)                                                                                                   |                                          |

### RANGER XD 1500 / CREW NORTHSTAR ULTIMATE

|                                  |                                                                                                               |                                          |
|----------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------|
| ENGINE TYPE / HP                 | 1498cc, 4-Stroke DOHC, Triple Cylinder / 110 HP                                                               |                                          |
| DRIVETRAIN (DRIVE SYSTEM)        | Selectable On-Demand All-Wheel Drive, AWD/2WD/Turf/Ultra Turf Drive Modes: Comfort, Standard, Sport, Tow/Haul |                                          |
| FRONT / REAR SUSPENSION          | Dual A-arm 12" (30.5 cm) Travel / Dual Arched A-arm IRS 12" (30.5 cm) Travel                                  |                                          |
| FRONT / REAR TIRES               | 30 x 10-15; Kenda® Cross Trail / 30 x 11-15; Kenda® Cross Trail                                               |                                          |
| OVERALL VEHICLE SIZE (L X W X H) | 137 x 65 x 78"<br>(348 x 165 x 198 cm)                                                                        | 164 x 65 x 78"<br>(416.5 x 165 x 198 cm) |
| GROUND CLEARANCE                 | 15" (38 cm)                                                                                                   |                                          |

### RANGER CREW XD 1500 NORTHSTAR TEXAS EDITION

|                                  |                                                                                                               |  |
|----------------------------------|---------------------------------------------------------------------------------------------------------------|--|
| ENGINE TYPE / HP                 | 1498cc, 4-Stroke Triple Cylinder DOHC, 110 HP                                                                 |  |
| DRIVETRAIN (DRIVE SYSTEM)        | Selectable On-Demand All-Wheel Drive, AWD/2WD/Turf/Ultra Turf Drive Modes: Comfort, Standard, Sport, Tow/Haul |  |
| FRONT / REAR SUSPENSION          | Dual A-arm 12" (30.5 cm) Travel / Dual arched A-arm, IRS 12" (30.5 cm) Travel                                 |  |
| FRONT / REAR TIRES               | 32 x 10-15; Pro Armor Trekker / 32 x 10-15; Pro Armor Trekker                                                 |  |
| OVERALL VEHICLE SIZE (L X W X H) | 164 x 65 x 78"<br>(416.5 x 165 x 198 cm)                                                                      |  |
| GROUND CLEARANCE                 | 16" (40.6 cm)                                                                                                 |  |

### RANGER XD 1500 / CREW NORTHSTAR MOUNTAINEER EDITION

|                                  |                                                                                                               |                                          |
|----------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------|
| ENGINE TYPE / HP                 | 1498cc, 4-Stroke DOHC, Triple Cylinder / 110 HP                                                               |                                          |
| DRIVETRAIN (DRIVE SYSTEM)        | Selectable On-Demand All-Wheel Drive, AWD/2WD/Turf/Ultra Turf Drive Modes: Comfort, Standard, Sport, Tow/Haul |                                          |
| FRONT / REAR SUSPENSION          | Dual A-arm 12" (30.5 cm) Travel / Dual Arched A-arm IRS 12" (30.5 cm) Travel                                  |                                          |
| FRONT / REAR TIRES               | 30 x 10-15; Kenda® Cross Trail / 30 x 11-15; Kenda® Cross Trail                                               |                                          |
| OVERALL VEHICLE SIZE (L X W X H) | 137 x 65 x 78"<br>(348 x 165 x 198 cm)                                                                        | 164 x 65 x 78"<br>(416.5 x 165 x 198 cm) |
| GROUND CLEARANCE                 | 15" (38 cm)                                                                                                   |                                          |

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SEATING CAPACITY        | 3 / 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 3 / 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| BOX CAPACITY            | 1,500 LB (680 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | 1,300 LB (590 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 1,500 LB (680 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| TOW CAPACITY            | 3,500 LB (1,588 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | 3,500 LB (1,588 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 3,500 LB (1,588 KG)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| OTHER STANDARD FEATURES | Premium Enclosed Cab, Doors with Power Windows, Fixed Glass Windshield with Wiper, Rear Glass Window, Dome Light, Door Puddle Lighting, Interior Accent Lighting, Rear View Mirror, Heat, AC, Defrost, Contoured Seats, Center Armrest, Telescoping Steering Wheel, Polaris PULSE Electrical System (6 position), 140 Amp Charging System, Front Bumper, DC Outlet, USB Charge Port, Trickle Charger, NorthStar Badge, Pro Series 6,000 LB Synthetic Rope Winch with Autostop and Rapid Rope Recovery plus Wireless Remote |  | 7" Display Powered by RIDE COMMAND, RIDE COMMAND+ Connected Vehicle Services, JBL® Trail Pro 2000 Audio, Premium Enclosed Cab, Doors with Power Windows, Tip-Out Glass Windshield with Wiper, Rear Glass Window, Dome Light, Door Puddle Lighting, Interior Accent Lighting, Rear View Mirror, Heat, AC, Defrost, Contoured Heated Front Seats, Center Armrest, Telescoping Steering Wheel, Polaris PULSE Electrical System (6 position), 140 Amp Charging System, Front Bumper with D-Rings, Top Bar and Integrated LED Auxiliary Lights, DC Outlet, USB Charge Port, Trickle Charger, 12-Volt Cargo Box Port, NorthStar Badge, Pro Series 6,000 LB Synthetic Rope Winch with Autostop and Rapid Rope Recovery plus Wireless Remote | 7" Display Powered by RIDE COMMAND, RIDE COMMAND+ Connected Vehicle Services, JBL® Trail Pro 2000 Audio, Factory-Installed Cab System with Tinted Powered Doors, Roof, Tip-Out Glass Windshield, Tinted Glass Rear Window, Rear View Mirror, Windshield Wiper/Washer, Sound Insulation Materials, Dome Light, Door Puddle Lighting, Interior Accent Lighting, Heat, AC, Defrost, Contoured Heated Front Seats, Center Armrest, Telescoping Steering Wheel, Polaris PULSE Electrical System (6 position), 140 Amp Charging System, Front Bumper with D-Rings, Top Bar and Integrated LED Auxiliary Lights, DC Outlet, USB Charge Port, Trickle Charger, 12-Volt Cargo Box Port, NorthStar Badge, Pro Series 6,000 LB Synthetic Rope Winch with Autostop, Rapid Rope Recovery plus Wireless Remote and Exclusive Texas Graphics and Badging |

## RANGER ELECTRIC MODEL



### RANGER XP KINETIC ULTIMATE

|                                  |                                                                                                                                                                                                                                                                                                                      |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ENGINE TYPE                      | Internal Permanent Magnet AC Motor / 110 HP                                                                                                                                                                                                                                                                          |
| DRIVETRAIN (DRIVE SYSTEM)        | Selectable On-Demand All-Wheel Drive, AWD/2WD/VersaTrac Turf Mode                                                                                                                                                                                                                                                    |
| FRONT / REAR SUSPENSION          | Dual A-arm 10" (25.4 cm) Travel / Dual A-arm, 10" (25.4 cm) travel                                                                                                                                                                                                                                                   |
| FRONT / REAR TIRES               | 29 x 9-14; Pro Armor X Terrain / 29 x 11-14; Pro Armor X Terrain                                                                                                                                                                                                                                                     |
| OVERALL VEHICLE SIZE (L X W X H) | 120 x 62.5 x 79.5"<br>(305 x 158 x 201 cm)                                                                                                                                                                                                                                                                           |
| GROUND CLEARANCE                 | 14" (36 cm)                                                                                                                                                                                                                                                                                                          |
| SEATING CAPACITY                 | 3                                                                                                                                                                                                                                                                                                                    |
| BOX CAPACITY                     | 1,250 LB (567 KG)                                                                                                                                                                                                                                                                                                    |
| TOW CAPACITY                     | 2,500 LB (1,134 KG)                                                                                                                                                                                                                                                                                                  |
| OTHER STANDARD FEATURES          | 7" Display Powered by RIDE COMMAND, RIDE COMMAND+ Connected Vehicle Services, Premium Cut and Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents, Polaris PULSE Electrical System (6 position), DC Outlet, Dual USB Port, 12-Volt Cargo Box Power Port |

## RANGER YOUTH MODEL



### RANGER 150 EFI

|                                  |                                                                                                                                                                                                                                  |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ENGINE TYPE                      | 150cc, 4-Stroke, Single Cylinder EFI                                                                                                                                                                                             |
| DRIVETRAIN (DRIVE SYSTEM)        | 2WD, Chain                                                                                                                                                                                                                       |
| FRONT / REAR SUSPENSION          | Single A-arm 5.1" (13 cm) Travel / Dual-Shock Swingarm 6" (15.2 cm) Travel                                                                                                                                                       |
| FRONT / REAR TIRES               | 22 x 7-10; Wanda® / 22 x 10-10; Wanda®                                                                                                                                                                                           |
| OVERALL VEHICLE SIZE (L X W X H) | 85 x 48 x 58"<br>(215.9 x 121.9 x 147.3 cm)                                                                                                                                                                                      |
| GROUND CLEARANCE                 | 8" (20.3 cm)                                                                                                                                                                                                                     |
| SEATING CAPACITY                 | 2                                                                                                                                                                                                                                |
| BOX CAPACITY                     | 50 LB (22.7 KG)                                                                                                                                                                                                                  |
| TOW CAPACITY                     | N/A                                                                                                                                                                                                                              |
| OTHER STANDARD FEATURES          | Safety Flag, Seat Belt, Safety Nets, Free Online Safety Training, Youth Ride Control (Pin-Code Start, Adjustable Speed Limiter, Geofencing, Helmet Aware Technology), Daytime Running Lights, Single Rear Brake Lights/Tailights |





# LIVE LIFE OFF ROAD.

Warning: Polaris Off-Road vehicles can be hazardous to operate and are not designed for on-road use. Driver must be at least 16 years old with a valid driver's license to operate. All riders should always wear helmets, eye protection and footwear. Read, understand and follow your owner's manual. Ride within the limits of your own abilities and never engage in stunt or exhibition driving. Never ride under the influence of drugs or alcohol. All riders should take a safety training course. Call 800-342-3764 for additional information.

Unless noted, all trademarks are the property of Polaris Industries Inc. 509® is a registered trademark of Teton Outfitters, LLC. Bluetooth® is a registered trademark of Bluetooth Sig, Inc. Caliber® is a trademark of Caliber, Inc. Cardo® is a registered trademark of Cardo Systems, Inc. Carhartt® is a registered trademark of Carhartt, Inc. CruzTools® is a registered trademark of CYCDOACTIVE, INC. Facebook® is a service trademark of META PLATFORMS, INC. Fidlock® is a registered trademark of Fidlock GmbH. FOX® is a registered trademark of Fox Factory Inc. Homelink® is a registered trademark of Gentex Corporation. Instagram® is a service trademark of Instagram, LLC. JBL® is a registered trademark of HARMAN INTERNATIONAL INDUSTRIES, INCORPORATED. Kolpin® Gun Boot®, KolpinStronghold®, Rhino Grips® are registered trademarks of Premier O.E.M. LLC. NOCO Genius® is a registered trademark of The Noco Company. RHINO-RACK® and Zwifloc® are registered trademarks of Rhino Rack Australia Pty Limited. Rigid® is a trademark of JST Performance, LLC d/b/a Rigid Industries LLC. Seatsaver® is a registered trademark of Prince Lionheart, Inc. X® is a service trademark of X CORP. Wallbox W® is a service trademark of Wall Box Chargers, s.l. YouTube® is a registered trademark of Google LLC. Prices, Fitment and Availability are subject to change at any moment. Copyright © 2026 Polaris Industries Inc. All rights reserved.



# THE AMERICAN POWERSPORTS CO.

Over 70 years ago in Roseau, MN, two brothers and a best friend had somewhere to be and no way to get there. In that moment, Polaris was born. Forged through spare parts, American ingenuity and grit, they brought to life an entirely new way to explore and work outdoors. Their pioneering DNA is still alive and well in that same small community and beyond.



POLARIS GLOBAL HEADQUARTERS  
MEDINA, MINNESOTA, USA



CONNECT ONLINE  
SEARCH "POLARISORV"

LEARN MORE  
ABOUT THE POLARIS STORY



VISIT [POLARIS.COM/RANGER](https://www.polaris.com/ranger)

TO SEE VEHICLE OPTIONS AND VIEW ACCESSORIES  
ON YOUR NEW MACHINE FROM EVERY ANGLE!

**POLARIS**

2027 RANGER CATALOG ENGLISH  
9959153